

PK case contacts	Yes
IF1334 case contacts	No

Table(s) of "contact member phones" Picture Object	
Name	contact member phones
Comment	

Column(s) of "contact member phones" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
contact_id	NUMBER	NOT NULL	System generated sequence number that uniquely identifies each CONTACTS record.	Yes	Yes
contact_memb_seq_no	NUMBER	NOT NULL	Application generated sequence number that allows for multiple members for each CONTACTS record.	Yes	Yes
phone_type_code	VARCHAR2(2)	NOT NULL	Codes for the type of phone number; i. e. (Code: Description) P1: Primary Telephone Number P2: Alternate Telephone Number PM: Phone at Mailing Address F: Fax T: TTD Y: YPSI	Yes	Yes
phone_id	NUMBER	NOT NULL	System generated number that uniquely identifies a phone number.	No	Yes
extension	NUMBER(8)	NULL		No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK contact member phones	Yes
IF2 contact member phones	No

Validation(s) of "contact id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact id" Column	
Name	Unique
PK contact member phones	Yes
IF2 contact member phones	No

Validation(s) of "contact memb seq no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact memb seq no" Column	
Name	Unique

PK contact member phones	Yes
IF2 contact member phones	No

Validation(s) of "phone type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone type code" Column	
Name	Unique
PK contact member phones	Yes
IF3 contact member phones	No

Validation(s) of "phone id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone id" Column	
Name	Unique
IF1 contact member phones	No

Validation(s) of "extension" Column			
Constraint Name	Min	Max	Rule

Table(s) of "phone type" Picture Object	
<b>Name</b>	phone_type
<b>Comment</b>	Contains codes and descriptions for types of phone numbers; e.g. P1 Primary Telephone Number P2 Alternate Telephone Number PM Phone at Mailing Address, etc.

Column(s) of "phone_type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
phone_type_code	VARCHAR2(2)	NOT NULL	Codes for the type of phone number; i. e. (Code: Description) P1: Primary Telephone Number P2: Alternate Telephone Number PM: Phone at Mailing Address F: Fax T: TTD Y: YPSI	Yes	No
description	VARCHAR2(30)	NULL	Explanation of the PHONE_TYPE_CODE.	No	No

Validation(s) of "phone_type_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone_type_code" Column	
Name	Unique
PK_phone_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "phone" Picture Object	
Name	phone
Comment	Contains phone numbers uniquely identified by a system generated sequence number.

Column(s) of "phone" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
phone_id	NUMBER	NOT NULL	System generated number that uniquely identifies a phone number.	Yes	No
foreign_phone	VARCHAR2(30)	NULL	The entire foreign phone number.	No	No
area_code	VARCHAR2(5)	NULL	A number, often with 3 digits, assigned to a telephone calling area, as in the United States and Canada; used when placing a call to another area.	No	No
phone_no	VARCHAR2(10)	NULL	The actual phone number; currently seven digits.	No	No

Validation(s) of "phone_id" Column			
Constraint Name	Min	Max	Rule


Is In Index(s) of "phone_id" Column	
Name	Unique
PK_phone	Yes

Validation(s) of "foreign_phone" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "area_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "phone_no" Column			
Constraint Name	Min	Max	Rule

## cpa / Display1



Table(s) of "phone type" Picture Object	
<b>Name</b>	phone_type
<b>Comment</b>	Contains codes and descriptions for types of phone numbers; e.g. P1 Primary Telephone Number P2 Alternate Telephone Number PM Phone at Mailing Address, etc.

Column(s) of "phone_type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
phone_type_code	VARCHAR2(2)	NOT NULL	Codes for the type of phone number; i. e. (Code: Description) P1: Primary Telephone Number P2: Alternate Telephone Number PM: Phone at Mailing Address F: Fax T: TTD Y: YPSI	Yes	No
description	VARCHAR2(30)	NULL	Explanation of the PHONE_TYPE_CODE.	No	No

Validation(s) of "phone_type_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone_type_code" Column	
Name	Unique
PK_phone_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "phone" Picture Object	
Name	phone
Comment	Contains phone numbers uniquely identified by a system generated sequence number.

Column(s) of "phone" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
phone_id	NUMBER	NOT NULL	System generated number that uniquely identifies a phone number.	Yes	No
foreign_phone	VARCHAR2(30)	NULL	The entire foreign phone number.	No	No
area_code	VARCHAR2(5)	NULL	A number, often with 3 digits, assigned to a telephone calling area, as in the United States and Canada; used when placing a call to another area.	No	No
phone_no	VARCHAR2(10)	NULL	The actual phone number; currently seven digits.	No	No

Validation(s) of "phone_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone_id" Column	
Name	Unique
PK_phone	Yes

Validation(s) of "foreign_phone" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "area_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "phone_no" Column			
Constraint Name	Min	Max	Rule



Table(s) of "school" Picture Object	
Name	school
Comment	Used to store downloaded information from the school system regarding each individual school.

Column(s) of "school" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
school_id	NUMBER	NOT NULL	System generated number that uniquely identifies a school.	Yes	No
county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
school_name	VARCHAR2(40)	NULL	Name of the school.	No	No
school_type	VARCHAR2(1)	NULL	Type of school.	No	No
school_district_code	VARCHAR2(3)	NULL	Department of Education's, three-digit code for the school district.	No	No
school_inter_dist	VARCHAR2(2)	NULL	Department of Education's, two-digit code for the school district's county.	No	No
school_district_name	VARCHAR2(40)	NULL	The school district name.	No	No
denomination	VARCHAR2(1)	NULL	Religious affiliation of the school, if any.	No	No
grade_range	VARCHAR2(5)	NULL	Grades in this school.	No	No
admin_first_name	VARCHAR2(20)	NULL	School administrator's first name.	No	No
admin_last_name	VARCHAR2(40)	NULL	School administrator's last name.	No	No
admin_phone_no	VARCHAR2(30)	NULL	School administrator's telephone number.	No	No
admin_fax_no	VARCHAR2(30)	NULL	School administrator's fax number.	No	No
last_change_date	DATE	NULL	Date on which the school information was last changed.	No	No
open_date	DATE	NULL	Date on which the school was opened or re-opened.	No	No
close_date	DATE	NULL	Date on which the school was closed.	No	No

addr_line1	VARCHAR2(60)	NULL	Address line 1 and 2 are used for free-form text of a school's address.	No	No
addr_line2	VARCHAR2(60)	NULL	Address line 1 and 2 are used for free-form text of a school's address.	No	No
city	VARCHAR2(30)	NULL	City for school's address.	No	No
state	VARCHAR2(2)	NULL	State for school's address.	No	No
zip	VARCHAR2(10)	NULL	5 digit zip code for school's address.	No	No
zip_plus	VARCHAR2(10)	NULL	4 digit zip code extension for school's address.	No	No
school_code	VARCHAR2(5)	NULL	Department of Education's code assigned to this school.	No	No
email_address	VARCHAR2(100)	NULL	School administrator's email address.	No	No
country	VARCHAR2(30)	NULL	Name of the country.	No	No
province	VARCHAR2(30)	NULL	Name of province for Canadian schools.	No	No
fre_ind	VARCHAR2(1)	NULL	Indicates that (Y) the school is designated as a Family Resource Center school; or (N/Null) not. This column should not be updated by the down load from CEPI.	No	No

#### Validation(s) of "school id" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "school id" Column

Name	Unique
PK_school	Yes

#### Validation(s) of "county no" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "county no" Column

Name	Unique
IF58_school	No

#### Validation(s) of "school name" Column

Constraint Name	Min	Max	Rule

#### Validation(s) of "school type" Column

Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "school district code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "school inter dist" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "school district name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "denomination" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "grade range" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "admin first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "admin last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "admin phone no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "admin fax no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last change date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "open date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "addr line1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "addr line2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "city" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "state" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "zip" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "zip plus" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "school code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "email address" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "country" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "province" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "frc ind" Column			
Constraint Name	Min	Max	Rule
ck_sc_frcind			frc_ind IN ('Y', 'N')

Valid Value(s) of "ck_sc_frcind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "comment type" Picture Object	
<b>Name</b>	comment type
<b>Comment</b>	Contains codes and descriptions which define items or objects, for which comments are captured; along with maximum length, update indicator, and general comments indicator.

Column(s) of "comment type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
comment_type	VARCHAR2(10)	NOT NULL	Codes for types of comments; e.g. (Code: Description) MAREHIST: MARE child history, or special conditions to consider in a placement. MAREED: MARE academic functioning, behavior in classroom and peer relations. etc.	Yes	No
description	VARCHAR2(4000)	NULL	Explanation of COMMENT_TYPE.	No	No
max_len	NUMBER	NULL	Specifies the maximum length for the TEXT column in the COMMENTS table.	No	No
update_ind	VARCHAR2(1)	NOT NULL	Indicates whether a comment is (U) updatable or only (A) appendable.	No	No
general_comments	VARCHAR2(1)	NULL	This is an indicator for use in the comments screen as a filter for restricting the display to the user of certain types of comments. (Y) restricts the display; (N) does not.	No	No
program_ind	VARCHAR2(1)	NULL	Identifies the programs that use specific comment types (for use in the lists of values by each program) as F for FAJ; C for CPS; and B for both FAJ and CPS.	No	No

Validation(s) of "comment type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment type" Column	
Name	Unique
PK_comment_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "max len" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "update ind" Column			
Constraint Name	Min	Max	Rule

ck ct updtind			update ind IN ('U', 'A')
---------------	--	--	--------------------------

Valid Value(s) of "ck ct updtind" Validation		
Data Value	Display Value	Definition
U		Updatable
A		Appendable

Validation(s) of "general comments" Column			
Constraint Name	Min	Max	Rule
ck ct gencomm			general comments IN ('Y', 'N')

Valid Value(s) of "ck ct gencomm" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "program ind" Column			
Constraint Name	Min	Max	Rule
ck ct progind			program ind IN ('F', 'C', 'B')

Valid Value(s) of "ck ct progind" Validation		
Data Value	Display Value	Definition
F		FAJ
C		CPS
B		Both

Table(s) of "comments" Picture Object	
<b>Name</b>	comments
<b>Comment</b>	Stores the actual comment along with the case to which it belongs, the worker who entered and/or modified it and appropriate dates.

Column(s) of "comments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
comment_id	NUMBER	NOT NULL	System generated number that uniquely identifies each comment.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
comment_type	VARCHAR2(10)	NULL	Codes for types of comments; e.g. (Code: Description) MAREHIST: MARE child history, or special conditions to consider in a placement. MAREED: MARE academic functioning, behavior in classroom and peer relations. etc.	No	Yes
date_entered	DATE	NULL	Date on which the comment is entered.	No	No
text_clob	CLOB	NULL	Text which can accomodate longer narratives with formatting.	No	No
text	VARCHAR2(4000)	NULL	The comment text entered by the user.	No	No
entered_by_login_name	VARCHAR2(20)	NULL	Login name of the person entering the comment.	No	No
modified_by_login_name	VARCHAR2(20)	NULL	Login name of the person modifying the comment.	No	No

modified_date	DATE	NULL	The date on which the comment was modified.	No	No
---------------	------	------	---	----	----

Validation(s) of "comment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_id" Column	
Name	Unique
PK_comments	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_comments	Yes
IF779_comments	No

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
IF1750_comments	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
IF1750_comments	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF779_comments	No

Validation(s) of "comment_type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_type" Column	
Name	Unique
IF163_comments	No

Validation(s) of "date_entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "text_clob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "text" Column			
Constraint Name	Min	Max	Rule



--	--	--	--

Validation(s) of "entered by login name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by login name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "provider" Picture Object	
<b>Name</b>	provider
<b>Comment</b>	Contains information about providers (Board & Care, Services, Licensee and others) identified by a unique combination of PROVIDER_ID and PROVIDER_TYPE; as the PROVIDER_ID can potentially repeat across the provider types. If the PROVIDER_TYPE is M for MPS (model payments) providers, then the PROVIDER_ID is downloaded from the MPS system. If the PROVIDER_TYPE is L for Licensee or O for Other, the PROVIDER_ID also would be taken from other systems. Only for the SWSS 'S' provider types, will a number be generated within SWSS.

Column(s) of "provider" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
provider_id	NUMBER	NOT NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	Yes	No
provider_type	VARCHAR2(1)	NOT NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	Yes	No
security_level_code	VARCHAR2(2)	NULL	Contains codes for the security level for the youth; or the security level that a provider will accept or potentially accept for a child.	No	Yes
county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
security_level_chg_date	DATE	NULL	Date on which the security level changes.	No	No
alert_comment_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is an alert comment on this provider; or (N) not.	No	No
provider_name	VARCHAR2(60)	NULL	Name identifying the provider.	No	No
prov_name_line2	VARCHAR2(60)	NULL	Free-form text to be used to clarify a provider's name; used in-lieu-of the recursive relationship (which includes PARENT_ORG_ID and PARENT_ORG_TYPE) on this PROVIDER table.	No	No

staff_ratio	NUMBER	NULL	Ratio of children to the provider's staff.	No	No
federal_tax_id	NUMBER(9)	NULL	Federal tax identification number for the provider.	No	No
tax_number_ind	VARCHAR2(1)	NULL	Indicates the type of tax number as (F) federal tax and (S) social security number	No	No
business_ind	VARCHAR2(1)	NULL	Indicates whether the provider is (#) an individual or (*) a business entity.	No	No
fia_ind	VARCHAR2(1)	NULL	Indicates that FIA (Y) is taking the role of a child placing agency (CPA); or (N) not	No	No
email_address	VARCHAR2(100)	NULL	Electronic mail address for the provider.	No	No
title_4e_ind	VARCHAR2(1)	NULL	Indicates that (Y) the provider is eligible for Title IVE payments; or (N) not	No	No
enroll_date	DATE	NULL	Date on which the provider is enrolled with FIA to provide services.	No	No
close_date	DATE	NULL	Date on which the provider is no longer eligible to provide services for FIA.	No	No
contact_name	VARCHAR2(30)	NULL	The name of the contact person for the provider, organization, or branch	No	No
provider_text	VARCHAR2(2000)	NULL	Free-form text to describe anything pertinent to the provider, which may be useful for any worker to know, when working with or planning to work with the provider.	No	No
medical_dental_ind	VARCHAR2(1)	NULL	Indicates that (Y) the provider is a medical or dental provider; or (N) not; or NULL	No	No
licensure_referral_date	DATE	NULL	The date the provider is referred to Licensure when no waiver is received	No	No
anticipated_licensure_date	DATE	NULL	This date is automatically populated 4 months from the licensure_referral_date for the anticipated date that the provider will be licensed.	No	No
eft_ind	VARCHAR2(1)	NULL	Indicates that (Y) the provider is set up in MAIN to accept Electronic Fund Transfer (EFT) payments; or (N) the provider is not set up in MAIN to accept Electronic Fund Transfer (EFT) payments. EFT_MAIL_VALUE	No	No

			is used to further clarify the use of the two values above. This data is transferred to SWSS from BRIDGES.		
eft_mail_value	VARCHAR2(3)	NULL	Unconstrained database values that further explain values used in EFT_IND. If EFT_IND = Y, then acceptable values are E00, or 001 through 999. If EFT_IND = N, then acceptable values are E99, E00, or 000 through 999. This data is transferred to SWSS from BRIDGES	No	No
modified_date	DATE	NULL		No	No
mail_to_ind	NUMBER(1)	NULL		No	No
issue_to_ind	NUMBER(1)	NULL		No	No

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
PK_provider	Yes
NU_provider	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp13			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp13" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique
PK_provider	Yes
NU_provider	No

Validation(s) of "security_level_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "security_level_code" Column	
Name	Unique
IF1548_provider	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
NU_provider	No

IF1068_provider	No
-----------------	----

Validation(s) of "security_level_chg_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "alert_comment_ind" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "provider_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prov_name_line2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "staff_ratio" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "federal_tax_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "tax_number_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_taxnoind			tax_number_ind IN ('S', 'F')

Valid Value(s) of "ck_prd_taxnoind" Validation		
Data Value	Display Value	Definition
S		Social Security Number
F		Federal Tax Id

Validation(s) of "business_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_busind			business_ind IN ('*', '#')

Valid Value(s) of "ck_prd_busind" Validation		
Data Value	Display Value	Definition
*		Business
#		Person

Validation(s) of "fia_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_fiaind			fia_ind IN ('Y', 'N')

Valid Value(s) of "ck_prd_fiaind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "email_address" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "title_4e_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_title4eind			title_4e_ind IN ('Y', 'N')

Valid Value(s) of "ck_prd_title4eind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "enroll date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "contact name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "provider text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "medical dental ind" Column			
Constraint Name	Min	Max	Rule
ck prd meddentind			medical dental ind IN ('Y', 'N')

Valid Value(s) of "ck prd meddentind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "licensure referral date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "anticipated licensure date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "eft ind" Column			
Constraint Name	Min	Max	Rule
ck prd eftind 321654296			eft ind IN ('Y', 'N')

Valid Value(s) of "ck prd eftind 321654296" Validation		
Data Value	Display Value	Definition
Y	Y	Yes - EFT accepted
N	N	No - Not accepting EFT

Validation(s) of "eft mail value" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mail to ind" Column			
Constraint Name	Min	Max	Rule
ck prd mailtoind 1538438344			mail to ind IN (1, 3)

Valid Value(s) of "ck prd mailtoind 1538438344" Validation		
Data Value	Display Value	Definition
1	1	Physical Address
3	3	Mailing Address

Validation(s) of "issue to ind" Column			
Constraint Name	Min	Max	Rule

ck prd issuetoid 976691159			issue to ind IN (1, 3)
----------------------------	--	--	------------------------

Valid Value(s) of "ck prd issuetoid 976691159" Validation		
Data Value	Display Value	Definition
1	1	Physical Address
3	3	Mailing Address

Table(s) of "provider elig" Picture Object	
<b>Name</b>	provider elig
<b>Comment</b>	Contains eligibility types for a provider with effective dates.

Column(s) of "provider elig" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
provider_id	NUMBER	NOT NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	Yes	Yes
provider_type	VARCHAR2(1)	NOT NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	Yes	Yes
prov_elig_type	VARCHAR2(2)	NOT NULL	Codes for the provider eligibility types; e.g. (Code: Description) 60: Relative Home 61: CFC Home 63: Contracted CPA 64: Contracted CCI 65: Non-Contracted CPA etc.	Yes	Yes
begin_date	DATE	NOT NULL	Effective date for this provider's eligibility type.	Yes	No
end_date	DATE	NULL	Expiration date for this provider's eligibility type.	No	No
prov_elig_name	VARCHAR2(60)	NULL	The provider's name based on eligibility. A provider sometimes does business for Adult Services under one name and does business for Childrens Services under another name. The services are based on the eligibility types. The PROVIDER_ID, hence the PROVIDER record does not change with the different business names.	No	No



title 4e ind	VARCHAR2(1)	NULL		No	No
--------------	-------------	------	--	----	----

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column	
Name	Unique
PK provider elig	Yes
NU provider elig	No
IF302 provider elig	No

Validation(s) of "provider type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp14			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp14" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider type" Column	
Name	Unique
PK provider elig	Yes
IF302 provider elig	No

Validation(s) of "prov elig type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "prov elig type" Column	
Name	Unique
PK provider elig	Yes
NU provider elig	No
IF303 provider elig	No

Validation(s) of "begin date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "begin date" Column	
Name	Unique
PK provider elig	Yes

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prov elig name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "title 4e ind" Column			
Constraint Name	Min	Max	Rule
ck_pelg_title4eind 175933005			title 4e ind IN ('Y', 'N')

Valid Value(s) of "ck_pelg_title4eind 175933005" Validation		
Data Value	Display Value	Definition

Y	Y	Yes
N	N	No

Table(s) of "license" Picture Object	
<b>Name</b>	license
<b>Comment</b>	Contains the provider license information which comes from MPS.

Column(s) of "license" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
license_no	VARCHAR2(20)	NOT NULL	Unique number from the DCIS system identifying a license.	Yes	No
begin_date	DATE	NOT NULL	The effective date of the license.	Yes	No
certifying_agency_license_no	VARCHAR2(20)	NULL	License number of the certifying agency.	No	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
facility_type_code	VARCHAR2(2)	NULL	Codes for types of facilities; e.g. (Code: Description) CF: CFC Foster Family Home (1-4) CG: CFC Foster Fam Grp Home (5-6) CO: CFC Court Institution CS: CFC Child Caring DSS Instn CP: CFC Placing Agency etc.	No	Yes

worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
dcis_worker_id	NUMBER(6)	NULL	This is the worker id of the Department of Consumer and Industry Services (DCIS) worker who created the license.	No	No
cross_racial_certification	VARCHAR2(1)	NULL	Indicates that (Y), the provider is licensed to provide services to children from more than one race; or (N) not.	No	No
expire_date	DATE	NULL	The date on which the license expires. It can be renewed.	No	No
close_date	DATE	NULL	Close date for a license. If a license is closed, it can never be renewed.	No	No
family_structure	VARCHAR2(1)	NULL	Codes for the family structure; i.e. (Code: Description) 0: Not Applicable 1: Married Couple 2: Un-Married Couple 3: Single Female 4: Single Male 5: Unable to Determine	No	Yes
license_type	VARCHAR2(3)	NULL	Codes for types of licenses; i.e. (1) regular, (2) 1st provisional, (3) 2nd provisional, (4) 3rd provisional, and (5) 4th provisional.	No	No
placement_restrictions	VARCHAR2(1)	NULL	Indicates that (Y) there is text for placement restrictions; or (N) not.	No	No
cert_agcy_licn_begin_date	DATE	NULL	Begin date of the certifying agency's license.	No	No
total_capacity	NUMBER(6)	NULL	The total number of children that a provider is licensed to house.	No	No
licensee_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

licensee_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
prov_elig_type	VARCHAR2(2)	NULL	Codes for the provider eligibility types; e.g. (Code: Description) 60: Relative Home 61: CFC Home 63: Contracted CPA 64: Contracted CCI 65: Non-Contracted CPA etc.	No	Yes
bg_license_no	VARCHAR2(20)	NULL	License number, derived from BG system (a legacy system).	No	No
license_close_code	VARCHAR2(3)	NULL	Contains codes for reasons why a license was either terminated or closed	No	Yes

#### Validation(s) of "license no" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "license no" Column

Name	Unique
PK_license	Yes

#### Validation(s) of "begin date" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "begin date" Column

Name	Unique
PK_license	Yes

#### Validation(s) of "certifying agency license no" Column

Constraint Name	Min	Max	Rule

#### Validation(s) of "county no" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "county no" Column

Name	Unique
IF604_license	No

#### Validation(s) of "provider id" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "provider id" Column

Name	Unique
NU_license	No
XIF695license	No

#### Validation(s) of "provider type" Column

Constraint Name	Min	Max	Rule
-----------------	-----	-----	------

ck_prd_prvtyp22			provider_type IN ('M', 'S', 'O', 'L', 'D')
-----------------	--	--	--

Valid Value(s) of "ck_prd_prvtyp22" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider_type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique
NU_license	No
XIF695license	No

Validation(s) of "facility_type_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "facility_type_code" Column	
Name	Unique
IF336_license	No

Validation(s) of "worker_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "worker_id" Column	
Name	Unique
IF331_license	No

Validation(s) of "dcis_worker_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cross_racial_certification" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "expire_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "family_structure" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "family_structure" Column	
Name	Unique
IF1132_license	No

Validation(s) of "license_type" Column			
Constraint Name	Min	Max	Rule
ck_lic_lictyp			license_type IN (1, 2, 3, 4, 5)

Valid Value(s) of "ck lic lic typ" Validation		
Data Value	Display Value	Definition
1		Regular
2		1st provisional
3		2nd provisional
4		3rd provisional
5		4th provisional

Validation(s) of "placement_restrictions" Column			
Constraint Name	Min	Max	Rule
ck_lic_plcmntrest			placement_restrictions IN ('Y', 'N')

Valid Value(s) of "ck lic plcmntrest" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "cert_agcy licn begin date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "total_capacity" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "licensee_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "licensee_id" Column	
Name	Unique
NU license 1	No
IF1126 license	No

Validation(s) of "licensee_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp23			licensee_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp23" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "licensee_type" Column	
Name	Unique
IF1126 license	No

Validation(s) of "prov_elig_type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "prov_elig_type" Column	
Name	Unique
IF764 license	No

Validation(s) of "bg_license_no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "license_close_code" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "license close code" Column	
Name	Unique
IF1273 license	No



Table(s) of "cpa foster homes" Picture Object	
Name	cpa foster homes
Comment	Contains data specific for the foster home that the Child Placing Agency manages.

Column(s) of "cpa foster homes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
provider_id	NUMBER	NOT NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	Yes	Yes
provider_type	VARCHAR2(1)	NOT NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	Yes	Yes
placement_supervisor_name	VARCHAR2(50)	NULL	Name of the Child Placing Agency's, Supervisor for the foster home.	No	No
number_non_cfc_children	NUMBER(2)	NULL	The number of children in the foster home, who are not foster children.	No	No
smoker_in_house_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is a smoker in the foster home; or (N) not; or NULL.	No	No
pets_in_house_ind	VARCHAR2(1)	NULL	Indicates that (Y) there are pets in the foster home; or (N) not; or NULL.	No	No
current_vacancies_ind	NUMBER(1)	NULL	Number of current vacancies in the foster home.	No	No
placements_on_hold_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is a hold on placing children in the foster home; or (N) not; or NULL.	No	No
user_password	VARCHAR2(30)	NULL	The encrypted password for the Child Placing Agencies to access the data for the foster homes.	No	No

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
PK_cpa foster homes	Yes
IF1703_cpa foster homes	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule

ck_prd_prvtyp26			provider_type IN ('M', 'S', 'O', 'L', 'D')
-----------------	--	--	--

Valid Value(s) of "ck_prd_prvtyp26" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider_type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique
PK_cpa_foster_homes	Yes
IF1703_cpa_foster_homes	No

Validation(s) of "placement_supervisor_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "number_non_cfc_children" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "smoker_in_house_ind" Column			
Constraint Name	Min	Max	Rule
ck_cpafstrhms_smkrinhsind			smoker_in_house_ind IN ('Y', 'N')

Valid Value(s) of "ck_cpafstrhms_smkrinhsind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "pets_in_house_ind" Column			
Constraint Name	Min	Max	Rule
ck_cpafstrhms_petsinhsind			pets_in_house_ind IN ('Y', 'N')

Valid Value(s) of "ck_cpafstrhms_petsinhsind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "current_vacancies_ind" Column			
Constraint Name	Min	Max	Rule
ck_cpafstrhms_crntvacncsind	0	6	current_vacancies_ind BETWEEN 0 AND 6

Validation(s) of "placements_on_hold_ind" Column			
Constraint Name	Min	Max	Rule
ck_cpafstrhms_plcmntsonhldind			placements_on_hold_ind IN ('Y', 'N')

Valid Value(s) of "ck_cpafstrhms_plcmntsonhldind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "user_password" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cpa_contact_phones" Picture Object	
<b>Name</b>	cpa_contact_phones
<b>Comment</b>	Contains links to the CPA_FOSTER_HOMES and PHONE tables so the Child Placing Agencies can enter their contact phone numbers for the foster homes.

Column(s) of "cpa_contact_phones" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
provider_id	NUMBER	NOT NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	Yes	Yes
provider_type	VARCHAR2(1)	NOT NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	Yes	Yes
phone_type_code	VARCHAR2(2)	NOT NULL	Codes for the type of phone number; i.e. (Code: Description) P1: Primary Telephone Number P2: Alternate Telephone Number PM: Phone at Mailing Address F: Fax T: TTD Y: YPSI	Yes	Yes
phone_id	NUMBER	NULL	System generated number that uniquely identifies a phone number.	No	Yes

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
PK_cpa_contact_phones	Yes
IF1704_cpa_contact_phones	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp27			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp27" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)

O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider type" Column	
Name	Unique
PK cpa contact phones	Yes
IF1704 cpa contact phones	No

Validation(s) of "phone type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone type code" Column	
Name	Unique
PK cpa contact phones	Yes
IF1705 cpa contact phones	No

Validation(s) of "phone id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone id" Column	
Name	Unique
IF1706 cpa contact phones	No

Table(s) of "ascap.neighbor county" Picture Object	
<b>Name</b>	ascap.neighbor county
<b>Comment</b>	Identifies the neighboring counties (CO_NEIGHBOR) of a specified county (CO_HOME).

Column(s) of "ascap.neighbor county" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
co_home	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	No
co_neighbor	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	No

Validation(s) of "co_home" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "co_home" Column	
Name	Unique
PK_neighbor county	Yes

Validation(s) of "co_neighbor" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "co_neighbor" Column	
Name	Unique
PK_neighbor county	Yes

Table(s) of "cpa foster home schools" Picture Object	
<b>Name</b>	cpa foster home schools
<b>Comment</b>	Contains links to CPA_FOSTER_HOMES and SCHOOL tables for the Child Placing Agencies to enter the different schools attended by children in a foster home.

Column(s) of "cpa foster home schools" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
provider_id	NUMBER	NOT NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	Yes	Yes
provider_type	VARCHAR2(1)	NOT NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	Yes	Yes
school_id	NUMBER	NOT NULL	System generated number that uniquely identifies a school.	Yes	Yes

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
PK cpa foster home schools	Yes
IF1707 cpa foster home schools	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp28			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp28" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique
PK cpa foster home schools	Yes
IF1707 cpa foster home schools	No

Validation(s) of "school_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "school id" Column	
Name	Unique
PK cpa foster home schools	Yes
IF1708 cpa foster home schools	No

Table(s) of "cpa foster home comments" Picture Object	
<b>Name</b>	cpa foster home comments
<b>Comment</b>	Contains links to the CPA_FOSTER_HOMES and COMMENTS tables, in order to capture multiple comments for each foster home.

Column(s) of "cpa foster home comments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
provider_id	NUMBER	NOT NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	Yes	Yes
provider_type	VARCHAR2(1)	NOT NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	Yes	Yes
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
comment_id	NUMBER	NOT NULL	System generated number that uniquely identifies each comment.	Yes	Yes

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
PK cpa foster home comments	Yes
IF1709 cpa foster home comment	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp29			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp29" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider_type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique



PK cpa foster home comments	Yes
IF1709 cpa foster home comment	No


Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK cpa foster home comments	Yes
IF1710 cpa foster home comment	No

Validation(s) of "comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment id" Column	
Name	Unique
PK cpa foster home comments	Yes
IF1710 cpa foster home comment	No

# cps / Display1



Table(s) of "cps early on question codes" Picture Object	
<b>Name</b>	cps early on question codes
<b>Comment</b>	

Column(s) of "cps early on question codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
early on question code	NUMBER(2)	NOT NULL		Yes	No
description	VARCHAR2(100)	NULL		No	No
end_date	DATE	NULL		No	No

Validation(s) of "early on question code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "early on question code" Column	
Name	Unique
PK_cps_early_on_question_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps early on answers" Picture Object	
Name	cps early on answers
Comment	

Column(s) of "cps early on answers" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
child_county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
child_sib_grp_id	NUMBER	NOT NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	Yes	Yes
child_person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
early on question code	NUMBER(2)	NOT NULL		Yes	Yes
answer ind	VARCHAR2(1)	NULL		No	No
answer text	VARCHAR2(1000)	NULL		No	No
answer date	DATE	NULL		No	No

Validation(s) of "child county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child county no" Column	
Name	Unique
PK cps early on answers	Yes
IF1885 cps early on answers	No

Validation(s) of "child sib grp id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child sib grp id" Column	
Name	Unique
PK cps early on answers	Yes
IF1885 cps early on answers	No

Validation(s) of "child person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child person id" Column	
Name	Unique
PK cps early on answers	Yes
IF1885 cps early on answers	No

Validation(s) of "early on question code" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "early on question code" Column	
Name	Unique
PK cps early on answers	Yes
IF1879 cps early on answers	No

Validation(s) of "answer ind" Column			
Constraint Name	Min	Max	Rule
ck erlyonanswrs answrind			answer ind IN ('Y', 'N')

Valid Value(s) of "ck erlyonanswrs answrind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "answer text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "answer date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps_early_on" Picture Object	
Name	cps_early_on
Comment	

Column(s) of "cps_early_on" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
child_county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
child_sib_grp_id	NUMBER	NOT NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	Yes	Yes
child_person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
create_date	DATE	NULL		No	No
mother_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
mother_sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
mother_person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
mother_school_id	NUMBER	NULL	System generated number that uniquely identifies a school.	No	Yes
mother_school_dist_name	VARCHAR2(40)	NULL		No	No
father_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used	No	Yes

			for the central office.		
father_sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
father_person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
father_school_id	NUMBER	NULL	System generated number that uniquely identifies a school.	No	Yes
father_school_dist_name	VARCHAR2(40)	NULL		No	No
child_residing_ind	VARCHAR2(1)	NULL		No	No
child_residing_other_text	VARCHAR2(1000)	NULL		No	No
caregiver_name	VARCHAR2(100)	NULL		No	No
caregiver_phone_id	NUMBER	NULL	System generated number that uniquely identifies a phone number.	No	Yes
caregiver_address_id	NUMBER	NULL	System generated number that uniquely identifies an address.	No	Yes
caregiver_school_id	NUMBER	NULL	System generated number that uniquely identifies a school.	No	Yes
caregiver_school_dist_name	VARCHAR2(40)	NULL		No	No
referring_agency_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
referred_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
developmental_concerns_text	VARCHAR2(2000)	NULL		No	No
medical concerns text	VARCHAR2(2000)	NULL		No	No
additional comments	VARCHAR2(2000)	NULL		No	No
service_coordinator_name	VARCHAR2(100)	NULL		No	No
service_coordinator_phone_id	NUMBER	NULL	System generated number that uniquely identifies a phone number.	No	Yes

Validation(s) of "child county no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "child county no" Column	
Name	Unique
PK cps early on	Yes
IF1880 cps early on	No

Validation(s) of "child sib grp id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child sib grp id" Column	
Name	Unique
PK cps early on	Yes
IF1880 cps early on	No

Validation(s) of "child person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child person id" Column	
Name	Unique
PK cps early on	Yes
IF1880 cps early on	No

Validation(s) of "create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mother county no" Column	
Name	Unique
IF1881 cps early on	No

Validation(s) of "mother sib grp id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mother sib grp id" Column	
Name	Unique
IF1881 cps early on	No

Validation(s) of "mother person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mother person id" Column	
Name	Unique
IF1881 cps early on	No

Validation(s) of "mother school id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mother school id" Column	
Name	Unique
IF1883 cps early on	No

Validation(s) of "mother school dist name" Column			
Constraint Name	Min	Max	Rule



--	--	--	--

Validation(s) of "father county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "father county no" Column	
Name	Unique
IF1882 cps early on	No

Validation(s) of "father sib grp id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "father sib grp id" Column	
Name	Unique
IF1882 cps early on	No

Validation(s) of "father person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "father person id" Column	
Name	Unique
IF1882 cps early on	No

Validation(s) of "father school id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "father school id" Column	
Name	Unique
IF1884 cps early on	No

Validation(s) of "father school dist name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child residing ind" Column			
Constraint Name	Min	Max	Rule
ck_erlyon_chldrdsngind			child_residing_ind IN ('M', 'F', 'O')

Valid Value(s) of "ck erlyon chldrdsngind" Validation		
Data Value	Display Value	Definition
M		Mother
F		Father
O		Other

Validation(s) of "child residing other text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "caregiver name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "caregiver phone id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "caregiver phone id" Column	
Name	Unique

IF1887 cps early on	No
---------------------	----

Validation(s) of "caregiver address id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "caregiver address id" Column	
Name	Unique
IF1886 cps early on	No

Validation(s) of "caregiver school id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "caregiver school id" Column	
Name	Unique
IF1888 cps early on	No

Validation(s) of "caregiver school dist name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "referring agency county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "referring agency county no" Column	
Name	Unique
IF1889 cps early on	No

Validation(s) of "referred by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "referred by worker id" Column	
Name	Unique
IF1890 cps early on	No

Validation(s) of "developmental concerns text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "medical concerns text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "additional comments" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "service coordinator name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "service coordinator phone id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service coordinator phone id" Column	
Name	Unique
IF1891 cps early on	No

Table(s) of "hospitals" Picture Object	
<b>Name</b>	hospitals
<b>Comment</b>	Contains hospital name and address information.

Column(s) of "hospitals" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
hospital_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies a hospital.	Yes	No
hospital_code	NUMBER(3)	NULL	Internal, medical-system, hospital code.	No	No
hospital_name	VARCHAR2(40)	NULL	Name of the hospital.	No	No
address_line1	VARCHAR2(60)	NULL	Free-form text of the first line of a hospital's address.	No	No
address_line2	VARCHAR2(60)	NULL	Free-form text of the second line of a hospital's address.	No	No
city	VARCHAR2(30)	NULL	City name used in a hospital's address.	No	No
state_code	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	No	Yes
zip	VARCHAR2(10)	NULL	Zip code for a hospital's address.	No	No
zip_plus	VARCHAR2(10)	NULL	Currently, the last four numbers of a nine-digit zip code.	No	No

Validation(s) of "hospital id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "hospital id" Column	
Name	Unique
PK_hospitals	Yes

Validation(s) of "hospital code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "hospital name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "address line1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "address line2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "city" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "state code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "state code" Column	
Name	Unique
IF1862_hospitals	No

Validation(s) of "zip" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "zip plus" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cdr child fatality answers" Picture Object	
<b>Name</b>	cdr child fatality answers
<b>Comment</b>	Contains yes/no answers to questions regarding a child's or children's death via links to CDR_CHILD_FATALITIES and CPS_QUESTIONS tables.

Column(s) of "cdr child fatality answers" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
child_fatality_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number to allow for multiple records for each cps case	Yes	Yes
cdr_question_code	VARCHAR2(20)	NOT NULL		Yes	Yes
answer_ind	VARCHAR2(2)	NULL	Indicates either Y (for Yes) or N (for No) as answers to questions regarding a child's or children's death.	No	No
text	VARCHAR2(4000)	NULL		No	No
associated_date	DATE	NULL		No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_cdr_child_fatality_answers	Yes
IF1862_cdr_child_fatality_answ	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_cdr_child_fatality_answers	Yes
IF1862_cdr_child_fatality_answ	No

Validation(s) of "child_fatality_app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child_fatality_app_seq" Column	
Name	Unique
PK_cdr_child_fatality_answers	Yes
IF1862_cdr_child_fatality_answ	No

Validation(s) of "cdr_question_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cdr question code" Column	
Name	Unique
PK cdr child fatality answers	Yes
IF1863 cdr child fatality answ	No

Validation(s) of "answer ind" Column			
Constraint Name	Min	Max	Rule
ck_chldflltsanswrs_answrind			answer_ind IN ('Y', 'N', 'U', 'NA')

Valid Value(s) of "ck chldflltsanswrs answrind" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No
U	U	Unknown
NA	NA	Not Applicable

Validation(s) of "text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "associated date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cdr fatality children" Picture Object	
<b>Name</b>	cdr fatality children
<b>Comment</b>	Contains links to CDR_CHILD_FATALITIES and CASE_PERSON tables to identify the child or children associated with a child's, or children's fatality.

Column(s) of "cdr fatality children" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
child_fatality_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number to allow for multiple records for each cps case.	Yes	Yes
child_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK cdr fatality children	Yes
IF1859 cdr fatality children	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK cdr fatality children	Yes
IF1859 cdr fatality children	No

Validation(s) of "child fatality app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child fatality app seq" Column	
Name	Unique
PK cdr fatality children	Yes
IF1860 cdr fatality children	No

Validation(s) of "child_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child_id" Column	
Name	Unique

PK cdr fatality children	Yes
IF1859 cdr fatality children	No



Table(s) of "cps icl codes" Picture Object	
<b>Name</b>	cps icl codes
<b>Comment</b>	Contains codes and explanations of the codes used for Investigative Child Law (ICL) for questions (from CPS_QUESTIONS) that have additional choices. The resulting choices are stored in CPS_CHOICES.

Column(s) of "cps icl codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
cps_icl_code	NUMBER(2)	NOT NULL	Contains codes used for Investigative Child Law (ICL) for questions (from CPS_QUESTIONS) that have additional choices. The resulting choices are stored in CPS_CHOICES.	Yes	No
description	VARCHAR2(70)	NULL	Explanation of CPS_ICL_CODE.	No	No
end_date	DATE	NULL	Date on which a code is no longer available for use in the application. Previously used codes that are now end-dated, are still valid in CPS_CHOICES.	No	No

Validation(s) of "cps icl code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cps icl code" Column	
Name	Unique
PK cps icl codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps icl choices" Picture Object	
Name	cps icl choices
Comment	

Column(s) of "cps icl choices" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
cps_question_code	VARCHAR2(20)	NOT NULL	Contains codes for the CPS questions that are asked throughout the various CANS modules.	Yes	Yes
cps_icl_code	NUMBER(2)	NOT NULL	Contains codes used for Investigative Child Law (ICL) for questions (from CPS QUESTIONS) that have additional choices. The resulting choices are stored in CPS CHOICES	Yes	Yes
other_icl_code_text	VARCHAR2(4000)	NULL	Free-form text used for more explanation when CPS_ICL_CODE is "8" for "Other"	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_cps_icl_choices	Yes
IF1853_cps_icl_choices	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_cps_icl_choices	Yes
IF1853_cps_icl_choices	No

Validation(s) of "cps_question_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cps_question_code" Column	
Name	Unique
PK_cps_icl_choices	Yes
IF1848_cps_icl_choices	No

Validation(s) of "cps_icl_code" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "cps icl code" Column	
Name	Unique
PK cps icl choices	Yes
IF1847 cps icl choices	No

Validation(s) of "other icl code text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "dch_birth_match" Picture Object	
<b>Name</b>	dch_birth_match
<b>Comment</b>	Contains information from the DCH system that is used for matching children/parents with the unfit parents list.

Column(s) of "dch_birth_match" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
birth_match_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each DCH_BIRTH_MATCH record. It is used in-lieu-of DCH's unique combination of DCH_EXTRACT_ID and DCH_CHILD_ID.	Yes	No
dch_extract_id	VARCHAR2(9)	NULL	Database generated sequence number from the DCH system that is only unique when combined with DCH_CHILD_ID.	No	No
dch_child_id	VARCHAR2(9)	NULL	DCH identifier for the child that is only unique when combined with DCH_EXTRACT_ID.	No	No
child_first_name	VARCHAR2(50)	NULL	Child's first name.	No	No
child_middle_name	VARCHAR2(50)	NULL	Child's middle name (or initial).	No	No
child_last_name	VARCHAR2(50)	NULL	Child's last name.	No	No
child_name_suffix	VARCHAR2(6)	NULL	Contains name suffix codes; e.g. Jr., Sr., II, III, etc.	No	No
child_dob	VARCHAR2(10)	NULL	Child's date of birth.	No	No
child_gender_ind	VARCHAR2(1)	NULL	Child's gender (M: Male, F: Female).	No	No
birthplace_hospital_name	VARCHAR2(40)	NULL	Hospital's name where the child was born.	No	No
hospital_code	NUMBER(3)	NULL	DCH code for hospitals.	No	No
mother_first_name	VARCHAR2(50)	NULL	Mother's first name.	No	No
mother_middle_name	VARCHAR2(50)	NULL	Mother's middle name (or initial).	No	No
mother_last_name	VARCHAR2(50)	NULL	Mother's last name.	No	No
mother_ssn	NUMBER(9)	NULL	Mother's social security number.	No	No
mother_dob	VARCHAR2(10)	NULL	Mother's date of birth.	No	No
mother_maiden_name	VARCHAR2(50)	NULL	Mother's maiden name.	No	No
mother_street	VARCHAR2(25)	NULL	Street name for the mother's address.	No	No
mother_city	VARCHAR2(50)	NULL	City for the mother's (parsed) address.	No	No
mother_state	VARCHAR2(2)	NULL	State for the mother's parsed address.	No	No
mother_zip	VARCHAR2(10)	NULL	Five or nine digit zip code for the mother's (parsed) address.	No	No
mother_residence_county_no	NUMBER(2)	NULL	County code for the county where the mother resides.	No	No

mother_street_number	VARCHAR2(10)	NULL	Street number for the mother's (parsed) address.	No	No
mother_street_dir	VARCHAR2(10)	NULL	Street direction for the mother's (parsed) address.	No	No
mother_street_name	VARCHAR2(30)	NULL	Street name for the mother's (parsed) address.	No	No
mother_street_type	VARCHAR2(10)	NULL	Street type (e.g. Ave., Dr., etc.) for the mother's (parsed) address.	No	No
mother_street_post_dir	VARCHAR2(10)	NULL	Street post-direction (e.g. 1st North, where North or N. is the post-direction) for the mother's (parsed) address.	No	No
mother_aprt_number	VARCHAR2(10)	NULL	Apartment number/letter for the mother's (parsed) address.	No	No
father_first_name	VARCHAR2(50)	NULL	Father's first name.	No	No
father_middle_name	VARCHAR2(50)	NULL	Father's middle name (or initial).	No	No
father_last_name	VARCHAR2(50)	NULL	Father's last name.	No	No
father_ssn	NUMBER(9)	NULL	Father's social security number.	No	No
father_dob	VARCHAR2(10)	NULL	Father's date of birth.	No	No
record_create_date	DATE	NULL	Date the DCH_BIRTH_MATCH record was created.	No	No

#### Validation(s) of "birth match id" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "birth match id" Column

Name	Unique
PK_dch_birth_match	Yes

#### Validation(s) of "dch extract id" Column

Constraint Name	Min	Max	Rule

#### Validation(s) of "dch child id" Column

Constraint Name	Min	Max	Rule

#### Validation(s) of "child first name" Column

Constraint Name	Min	Max	Rule

#### Validation(s) of "child middle name" Column

Constraint Name	Min	Max	Rule

#### Validation(s) of "child last name" Column

Constraint Name	Min	Max	Rule

#### Validation(s) of "child name suffix" Column

Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "child dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child gender ind" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "birthplace hospital name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "hospital code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother maiden name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother city" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother state" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother zip" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother residence county no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street number" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "mother street dir" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street type" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street post dir" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother apt number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "central reg abuse neglect" Picture Object	
<b>Name</b>	central reg abuse neglect
<b>Comment</b>	Contains the one or more abuse/neglect codes associated with a CENTRAL REGISTRY record.

Column(s) of "central reg abuse neglect" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
central_registry_id	NUMBER	NOT NULL	Database generated number that uniquely identifies a perpetrator in a CPS complaint/case.	Yes	Yes
abuse_neglect_code	VARCHAR2(2)	NOT NULL	Codes for CPS, abuse and neglect allegations.	Yes	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK central reg abuse neglect	Yes
IF1793 central reg abuse negle	No

Validation(s) of "central registry id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "central registry id" Column	
Name	Unique
PK central reg abuse neglect	Yes
IF1793 central reg abuse negle	No

Validation(s) of "abuse neglect code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "abuse neglect code" Column	
Name	Unique
PK central reg abuse neglect	Yes
IF1794 central reg abuse negle	No



Table(s) of "central reg aka names" Picture Object	
<b>Name</b>	central reg aka names
<b>Comment</b>	Contains information on names used in central registry other than the person's formal name.

Column(s) of "central reg aka names" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
central_registry_id	NUMBER	NOT NULL	Database generated number that uniquely identifies a perpetrator in a CPS complaint/case.	Yes	Yes
aka_person_no	NUMBER	NOT NULL	System generated number that uniquely identifies a person's aka (also known as) name.	Yes	No
first_name	VARCHAR2(30)	NULL	Person's aka first name.	No	No
middle_name	VARCHAR2(30)	NULL	Person's aka middle name or initial.	No	No
last_name	VARCHAR2(30)	NULL	Person's aka last name.	No	No
name_suffix	VARCHAR2(5)	NULL	Person's aka name suffix; e.g. Jr., Sr., etc.	No	No
name	VARCHAR2(30)	NULL	AKA name that is not separated into last, first, middle name; could be youth's street name.	No	No
first_name_soundex	VARCHAR2(30)	NULL	Soundex code for all first names that match the search criteria entered by the user.	No	No
last_name_soundex	VARCHAR2(30)	NULL	Soundex code for all last names that match the search criteria entered by the user.	No	No
customer_id	NUMBER(12)	NULL	Assist/CIS/CIMS identification number for the DHS customer.	No	No
cis_case_no	VARCHAR2(30)	NULL	CIS/ASSIST/CIMS case number.	No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique

PK central reg aka names	Yes
IF1791 central reg aka names	No

Validation(s) of "central registry id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "central registry id" Column	
Name	Unique
PK central reg aka names	Yes
IF1791 central reg aka names	No

Validation(s) of "aka person no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "aka person no" Column	
Name	Unique
PK central reg aka names	Yes

Validation(s) of "first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "name suffix" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "first name soundex" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last name soundex" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "customer id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cis case no" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps request type codes" Picture Object	
<b>Name</b>	cps request type codes
<b>Comment</b>	Contains codes and descriptions for the type of CPS request, for which a worker needs approval from a supervisor.

Column(s) of "cps request type codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
request_type_code	VARCHAR2(4)	NOT NULL	Contains codes for the type of CPS request, for which a worker needs approval from a supervisor.	Yes	No
description	VARCHAR2(100)	NULL	Explanation of REQUEST_TYPE_CODE.	No	No
end_date	DATE	NULL	Date on which a REQUEST_TYPE_CODE is no longer valid for use in the application. NULL values are still used.	No	No

Validation(s) of "request type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "request type code" Column	
Name	Unique
PK cps request type codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps requests" Picture Object	
<b>Name</b>	cps_requests
<b>Comment</b>	Contains information about requests and approvals of requests for extensions or actions from the worker, needing approval by a supervisor.

Column(s) of "cps_requests" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
request_type_code	VARCHAR2(4)	NOT NULL	Contains codes for the type of CPS request, for which a worker needs approval from a supervisor.	Yes	Yes
request_date	DATE	NOT NULL	Date on which the request is created.	Yes	No
requested_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
request_text	VARCHAR2(4000)	NULL	Free-form text explaining the reason for a request.	No	No
request_days_ind	NUMBER(2)	NULL	Indicator for the defined number of days (2, 7, 15, or 30) requested for the extension as identified by the REQUEST_TYPE_CODE.	No	No
supervisor_approved_ind	VARCHAR2(1)	NULL	Indicates whether the supervisor has approved the request or not.	No	No
reviewed_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
approved_date	DATE	NULL	Date on which the request was approved.	No	No
approved_text	VARCHAR2(4000)	NULL	Free-form text regarding the approval; written by the approver.	No	No
approved_days_ind	NUMBER(2)	NULL	Indicator for the defined number of days (2, 7, 15, or 30) approved for the extension as identified by the REQUEST_TYPE_CODE.	No	No

form_id	NUMBER	NULL	System generated sequence number which uniquely identifies each SDM_FORMS record	No	Yes
---------	--------	------	--	----	-----

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK cps requests	Yes
IF1742 cps requests	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK cps requests	Yes
IF1742 cps requests	No

Validation(s) of "request type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "request type code" Column	
Name	Unique
PK cps requests	Yes
IF1743 cps requests	No

Validation(s) of "request date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "request date" Column	
Name	Unique
PK cps requests	Yes

Validation(s) of "requested by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "requested by worker id" Column	
Name	Unique
IF1749 cps requests	No

Validation(s) of "request text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "request days ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsrqsts_rqstdysind			request_days_ind IN (2, 7, 15, 30)

Valid Value(s) of "ck_cpsrqsts_rqstdysind" Validation		
Data Value	Display Value	Definition
2		2 days
7		7 days
15		15 days

30		30 days
----	--	---------

Validation(s) of "supervisor approved ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsrqsts_supapprvdind			supervisor_approved_ind IN ('Y', 'N')

Valid Value(s) of "ck cpsrqsts supapprvdind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "reviewed by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "reviewed by worker id" Column	
Name	Unique
IF1748 cps_requests	No

Validation(s) of "approved date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "approved text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "approved days ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsrqsts_apprvddysind			approved_days_ind IN (2, 7, 15, 30)

Valid Value(s) of "ck cpsrqsts apprddysind" Validation		
Data Value	Display Value	Definition
2		2 days
7		7 days
15		15 days
30		30 days

Validation(s) of "form id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "form id" Column	
Name	Unique
IF1750 cps_requests	No

Table(s) of "cps documents" Picture Object	
<b>Name</b>	cps_documents
<b>Comment</b>	Contains the image, date the image was created, and a description of the image for any CPS documents that need to be stored.

Column(s) of "cps_documents" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
document_id	NUMBER	NOT NULL	Database generated sequence number to identify each document.	Yes	No
create_date	DATE	NULL	Date on which the document was created in this record.	No	No
document_image	BLOB	NULL	The actual binary long object of the image.	No	No
document_description	VARCHAR2(100)	NULL	Free-form text for a description of the name of the document, and/or how the document is to be used.	No	No
file_extension_cd	VARCHAR2(6)	NULL	Contains codes for the different types of file types; e.g. (Code: Description) BMP: Bitmap, JPG: Joint Photographic Experts Group, GIF: Graphic Interchange Format	No	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_cps_documents	Yes
IF1698_cps_documents	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_cps_documents	Yes
IF1698_cps_documents	No

Validation(s) of "document_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "document id" Column	
Name	Unique
PK_cps_documents	Yes

Validation(s) of "create_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "document_image" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "document_description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "file_extension_cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "file_extension_cd" Column	
Name	Unique
IF1795_cps_documents	No



Table(s) of "expunge reason codes" Picture Object	
<b>Name</b>	expunge reason codes
<b>Comment</b>	Contains codes and descriptions of the codes, for reasons why a central registry case was expunged.

Column(s) of "expunge reason codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
expunge_reason_code	VARCHAR2(1)	NOT NULL	Contains codes for reasons why a central registry case was expunged.	Yes	No
description	VARCHAR2(100)	NULL	Explanation of EXPUNGE_REAS-ON_CODE.	No	No

Validation(s) of "expunge reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "expunge reason code" Column	
Name	Unique
PK expunge reason codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "police departments" Picture Object	
Name	police_departments
Comment	Contains name, address, and phone number information for the police departments in the state.

Column(s) of "police departments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
police_department_id	NUMBER	NOT NULL	System generated sequence number that uniquely identifies each police department, sheriff's office, etc.	Yes	No
county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
police_department_name	VARCHAR2(100)	NULL	Name of the police department, sheriff's office, etc.	No	No
address_line1	VARCHAR2(60)	NULL	Free-form text for the first line of the law enforcement agency's address.	No	No
address_line2	VARCHAR2(60)	NULL	Free-form text for the second line of the law enforcement agency's address.	No	No
city	VARCHAR2(30)	NULL	City portion of the address for the law enforcement agency.	No	No
state_code	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc. Used here for the state portion of the address for the law enforcement agency.	No	Yes
zip	VARCHAR2(10)	NULL	Zipcode portion of the address for the law enforcement agency.	No	No
phone_number	VARCHAR2(10)	NULL	Phone number of the law enforcement agency.	No	No

Validation(s) of "police department id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "police department id" Column	
Name	Unique
PK police_departments	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique

IF1662 police departments	No
---------------------------	----

Validation(s) of "police department name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "address line1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "address line2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "city" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "state code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "state code" Column	
Name	Unique
IF1664 police departments	No

Validation(s) of "zip" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "phone number" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps reqd law enfrcmnt info" Picture Object	
<b>Name</b>	cps reqd law enfrcmnt info
<b>Comment</b>	Contains information on a CPS case or complaint regarding the mandatory reasons for a referral to law enforcement.

Column(s) of "cps reqd law enfrcmnt info" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
reqd law enfrcmnt_code	VARCHAR2(2)	NOT NULL	Contains codes for the mandatory reasons why the CPS case or complaint was referred to law enforcement; (e.g. Code: Description):  1: Sexual abuse referral 2: Serious physical abuse 3: Suspected substance abuse by caretaker etc.	Yes	Yes
results_text	VARCHAR2(2000)	NULL	Free-form text for the results of the CPS case or complaint, after it was referred to law enforcement.	No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK cps reqd law enfrcmnt info	Yes
IF1642 cps reqd law enfrcmnt i	No

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
PK cps reqd law enfrcmnt info	Yes
IF1642 cps reqd law enfrcmnt i	No

Validation(s) of "reqd law enfrcmnt code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "reqd law enfrcmnt code" Column	
Name	Unique

PK cps reqd law enfrcmnt info	Yes
IF1640 cps reqd law enfrcmnt i	No

Validation(s) of "results text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "reqd law enfrcmnt codes" Picture Object	
<b>Name</b>	reqd law enfrcmnt codes
<b>Comment</b>	<p>Contains codes and descriptions for the mandatory reasons why the CPS case or complaint was referred to law enforcement; (e.g. Code: Description):</p> <p>1: Sexual abuse referral  2: Serious physical abuse  3: Suspected substance abuse by caretaker  etc.</p>

Column(s) of "reqd law enfrcmnt codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
reqd_law_enfrcmnt_code	VARCHAR2(2)	NOT NULL	<p>Contains codes for the mandatory reasons why the CPS case or complaint was referred to law enforcement; (e.g. Code: Description):</p> <p>1: Sexual abuse referral  2: Serious physical abuse  3: Suspected substance abuse by caretaker  etc.</p>	Yes	No
description	VARCHAR2(90)	NULL	Explanation of REQD_LAW_ENFRCMNT_CODE.	No	No
end_date	DATE	NULL	Date on which a REQD_LAW_ENFRCMNT_CODE is no longer valid for use.	No	No

Validation(s) of "reqd law enfrcmnt code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "reqd law enfrcmnt code" Column	
Name	Unique
PK reqd law enfrcmnt codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "reqd med exam codes" Picture Object	
<b>Name</b>	reqd med exam codes
<b>Comment</b>	<p>Contains codes and descriptions for the reasons that a child mentioned in a CPS complaint, must have a required medical examination; (e.g. Code: Description):</p> <p>1: Suspected sexual abuse  2: Child appears malnourished or needing medical attention  3: Immobile infant with marks or bruises  etc.</p>

Column(s) of "reqd med exam codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
reqd_med_exam_code	VARCHAR2(2)	NOT NULL	Contains codes for the reasons that a child mentioned in a CPS complaint, must have a required medical examination; (e.g. Code: Description): 1: Suspected sexual abuse 2: Child appears malnourished or needing medical attention 3: Immobile infant with marks or bruises etc.	Yes	No
description	VARCHAR2(170)	NULL	Explanation for REQD_MED_EXA-M_CODE.	No	No
end_date	DATE	NULL	Date on which a REQD_MED_EXA-M_CODE is no longer valid for use in the application. NULL if code is still being used.	No	No

Validation(s) of "reqd med exam code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "reqd med exam code" Column	
Name	Unique
PK reqd med exam codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps med exam info" Picture Object	
<b>Name</b>	cps med exam info
<b>Comment</b>	Contains the required medical exam reasons (via REQD_MED_EXAM_CODE) for the CPS case or complaint.

Column(s) of "cps med exam info" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
reqd_med_exam_code	VARCHAR2(2)	NOT NULL	Contains codes for the reasons that a child mentioned in a CPS complaint, must have a required medical examination; (e.g. Code: Description): 1: Suspected sexual abuse 2: Child appears malnourished or needing medical attention 3: Immobile infant with marks or bruises etc.	Yes	Yes
med_exam_other	VARCHAR2(2000)	NULL	Free-form text for describing the reason for a required medical exam, when the list of medical exam codes does not cover the reason.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK cps med exam info	Yes
IF1638 cps med exam info	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK cps med exam info	Yes
IF1638 cps med exam info	No

Validation(s) of "reqd med exam code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "reqd med exam code" Column	
Name	Unique



PK cps med exam info	Yes
IF1639 cps med exam info	No

Validation(s) of "med exam other" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps assigned districts" Picture Object	
<b>Name</b>	cps assigned districts
<b>Comment</b>	Contains information for the districts that are assigned to a specific CPS case.

Column(s) of "cps assigned districts" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
district_no	NUMBER(2)	NOT NULL	Unique 2 digit district number that county offices have designated for each district.	Yes	Yes
assigned_date	DATE	NULL	Date on which a district was assigned responsibility to the CPS case.	No	No
print_date	DATE	NULL	Date on which the referral or complaint is printed, which mean that the district accepted the referral or complaint.	No	No
print_memo_text	VARCHAR2(4000)	NULL	Comments associated with the district accepting the referral or complaint.	No	No
high_priority_ind	VARCHAR2(1)	NULL	Indicates that (Y) the CPS case assigned to the district is a high priority case; or (N) it is not a high priority case.	No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK cps assigned districts	Yes
IF1610 cps assigned districts	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK cps assigned districts	Yes
IF1610 cps assigned districts	No

Validation(s) of "district no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "district no" Column	
Name	Unique
PK cps assigned districts	Yes
IF1611 cps assigned districts	No

Validation(s) of "assigned date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "print date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "print memo text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "high priority ind" Column			
Constraint Name	Min	Max	Rule
ck cpsassgnddis hipriorityind			high priority ind IN ('Y', 'N')

Valid Value(s) of "ck cpsassgnddis hipriorityind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "supervisor action codes" Picture Object	
<b>Name</b>	supervisor action codes
<b>Comment</b>	Contains codes and descriptions for the five-day packet actions for a supervisor; (i.e. Code: Description): 1 Active transfer 2 Assigned to supervisor 3 Reassigned to worker (rejected by supervisor) 4 Transferred to FC 5 Accepted by FC supervisor 6 Rejected by FC supervisor

Column(s) of "supervisor action codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
supervisor_action_code	VARCHAR2(2)	NOT NULL	Contains codes and for the five-day packet actions for a supervisor; (i.e. Code: Description):  1 Active transfer 2 Assigned to supervisor 3 Reassigned to worker (rejected by supervisor) 4 Transferred to FC 5 Accepted by FC supervisor 6 Rejected by FC supervisor	Yes	No
description	VARCHAR2(100)	NULL	Explanation of SUPERVISOR_ACTION_CODE.	No	No

Validation(s) of "supervisor action code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "supervisor action code" Column	
Name	Unique
PK supervisor action codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "relation to victim codes" Picture Object	
<b>Name</b>	relation to victim codes
<b>Comment</b>	Contains codes descriptions for the perpetrator's relationship to the victim.

Column(s) of "relation to victim codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
relation_to_victim_code	VARCHAR2(2)	NOT NULL	Contains codes for the perpetrator's relationship to the victim.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of RELATION_TO - VICTIM_CODE.	No	No

Validation(s) of "relation to victim code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "relation to victim code" Column	
Name	Unique
PK relation to victim codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "complaint source phone" Picture Object	
<b>Name</b>	complaint source phone
<b>Comment</b>	Contains the link (via PHONE_ID) for the phone numbers associated with the person who made the CPS complaint (complaint source).

Column(s) of "complaint source phone" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
app_seq	NUMBER(1)	NOT NULL	Application generated sequence number that allows for multiple sources for the same complaint.	Yes	Yes
phone_id	NUMBER	NOT NULL	System generated number that uniquely identifies a phone number.	Yes	Yes
primary_ind	VARCHAR2(1)	NULL	Indicates that this is the (P) primary telephone number for the complaint source; or (A) the alternate telephone number.	No	No
extension	VARCHAR2(5)	NULL	The extension of the phone number.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK complaint source phone	Yes
IF1287 complaint source phone	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK complaint source phone	Yes
IF1287 complaint source phone	No

Validation(s) of "app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "app_seq" Column	
Name	Unique
PK complaint source phone	Yes
IF1287 complaint source phone	No

Validation(s) of "phone_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "phone id" Column	
Name	Unique
PK complaint source phone	Yes
IF1284 complaint source phone	No

Validation(s) of "primary ind" Column			
Constraint Name	Min	Max	Rule
ck cmpltsrcph primind			primary ind IN ('P', 'A', 'C')

Valid Value(s) of "ck cmpltsrcph primind" Validation		
Data Value	Display Value	Definition
P		Primary
A		Alternate
C		Cell Phone

Validation(s) of "extension" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps info" Picture Object	
<b>Name</b>	cps_info
<b>Comment</b>	This table has a one-to-one relationship with SWSS_CASE and contains information unique to Children's Protective Services cases (analogous to CFC_INFO, JJ_INFO, AND AD_INFO tables).

Column(s) of "cps_info" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
priority_code	VARCHAR2(1)	NULL	Contains codes for the different levels of priority that a complaint may receive.	No	Yes
rejection_reason_code	VARCHAR2(2)	NULL	Contains codes for the reasons why the complaint was rejected.	No	Yes
complaint_date	DATE	NULL	Date on which the CPS complaint or case was created.	No	No
service_reason_code	VARCHAR2(1)	NULL	Codes for why services are being provided for a case/complaint.	No	Yes
complaint_action_code	VARCHAR2(1)	NULL	Contains codes for types of actions to be taken on a CPS complaint.	No	Yes
complaint_action_date	DATE	NULL	Date of the complaint action.	No	No
action_override_code	VARCHAR2(1)	NULL	Contains codes for types of actions to be taken on a CPS complaint.	No	Yes
action_override_date	DATE	NULL	Date on which the action override occurred.	No	No
action_override_text	VARCHAR2(4000)	NULL	Free-form text associated with the action override.	No	No
action_override_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
agency_code	VARCHAR2(2)	NULL	Contains codes for the agencies to which CPS complaints are referred.	No	Yes
converted_ind	VARCHAR2(1)	NULL	Indicates that (Y) this case or referral was converted from the Mapper system to the new CANS system; or (N/Null) not.	No	No



system_category_code	VARCHAR2(1)	NULL	Contains codes for the level of severity of the disposition of the CPS complaint; i.e. 1 through 5 for Category I through V. Renamed to SYSTEM_CATEGORY_CODE to distinguish it as being what the system generates through the CMS scoring of risks.	No	Yes
override_category_code	VARCHAR2(1)	NULL	Contains codes for the level of severity of the disposition of the CPS complaint; i.e. 1 through 5 for Category I through V. Renamed to OVERRIDE_CATEGORY_CODE for the category code that was overridden by the supervisor.	No	Yes
override_category_date	DATE	NULL	Date on which the category code was overridden.	No	No
override_category_text	VARCHAR2(4000)	NULL	Free-form text for comments associated with the overridden category code.	No	No
override_category_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
disposition_date	DATE	NULL	Date on which the disposition of the case was decided.	No	No
close_code_ind	VARCHAR2(1)	NULL	Indicates that the case was closed for either (I) Investigation only; or (S) Services were provided.	No	No
goal_status_code	NUMBER(2)	NULL	Codes for the status of the goal; e.g. (Code: Description) 1: Goal achvd-Srvcs cont 2: Goal not achvd-Srvcs cont 3: Goal achvd-Srvcs no longer needed 4: Case term-Srvcs not avail 5: Case term-Client req etc.	No	Yes

court_involv_disp_code	VARCHAR2(1)	NULL	Contains codes that describe the court's involvement in the disposition of the CPS case; e.g. (Code: Description):  1: No court 2: Accept PS recommendation - adjudication and disposition 3: Accept PS recommendation - adjudication only, etc.	No	Yes
non_court_disp_code	VARCHAR2(1)	NULL	Contains codes for disposition reasons when the court is not involved; (e.g. Code: Description):  1: Satisfactory - no referrals 2: Satisfactory - refer to FIA 3: Satisfactory - refer to community agency, etc.	No	Yes
fc_21days_ind	VARCHAR2(1)	NULL	Indicates reasons why the child(ren) was in Foster Care for more than 21 days prior to being removed as (P) Pending; or (O) Other.	No	No
close_after_without_ps_code	VARCHAR2(2)	NULL	Contains codes for reasons why a CPS case was closed; and if it was closed after Protective Services involvement or without Protective Services involvement.	No	Yes
temp_fc_days	NUMBER(3)	NULL	Number of days that child(ren) was in temporary Foster Care.	No	No
prvs_crt_hst_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
escalated_category_code	VARCHAR2(1)	NULL	Contains codes for the level of severity of the disposition of the CPS complaint; i.e. 1 through 5 for Category I through V.	No	Yes
escalated_category_date	DATE	NULL	Date on which the category code was escalated.	No	No
escalated_category_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
supv_approved_ind	VARCHAR2(1)	NULL	Indicates that (Y) the supervisor approved the workers disposition of the case; or (N) not; or NULL.	No	No

supv_approved_date	DATE	NULL	Date on which the supervisor approved the workers disposition on the case.	No	No
supv_approved_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
ninety_day_monitor_ind	VARCHAR2(1)	NULL	Indicates that (C) only CPS case monitoring is to be done for ninety days; or (R) CPS case monitoring is to be done along with referral to Community Services for ninety days.	No	No
priority_code_override_ind	VARCHAR2(1)	NULL	Indicates that (Y) the PRIORITY_CODE was overridden; or (N) not; or NULL.	No	No
priority_cd_ovrrd_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
dictated_findings_ind	VARCHAR2(1)	NULL	Indicates that (Y) the worker has dictated their investigative findings; or (N) not; or NULL.	No	No
dictation_date	DATE	NULL	Date dictation was done.	No	No
program_early_on_ind	VARCHAR2(1)	NULL	Indicates if the Early On program was involved or not.	No	No
program_fam_to_fam_ind	VARCHAR2(1)	NULL	Indicates if the Family to Family (TDM: Team Decision Making) program was involved or not.	No	No
reviewed_history_ind	VARCHAR2(1)	NULL	Indicates if the history for the PS case was reviewed or not.	No	No
child_fatality_ind	VARCHAR2(1)	NULL	Indicates if the PS case involved a child fatality or not.	No	No
number_prior_complaints	NUMBER(3)	NULL	The number of prior complaints for the family.	No	No
converted_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
open_close_ind	VARCHAR2(1)	NULL	Indicates that (Y) the worker wants the opened, Category III case to be closed after the supervisor approves the investigation disposition; or (N) not; or NULL.	No	No

complaint_action_ worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
initial_risk_level_code	VARCHAR2(2)	NULL	Contains abuse, neglect, reassessment, and override codes for rating the potential risk to the child in a CPS case or complaint to remain in their home; (e.g. Code: Description):  AL: Abuse - Low Risk AM: Abuse - Moderate Risk NH: Neglect - High Risk NI: Neglect - Intensive Risk RI: Reassessment - Intensive Risk OM: Override - Moderate Risk etc.	No	Yes
current_risk_level_code	VARCHAR2(2)	NULL	Contains abuse, neglect, reassessment, and override codes for rating the potential risk to the child in a CPS case or complaint to remain in their home; (e.g. Code: Description):  AL: Abuse - Low Risk AM: Abuse - Moderate Risk NH: Neglect - High Risk NI: Neglect - Intensive Risk RI: Reassessment - Intensive Risk OM: Override - Moderate Risk etc.	No	Yes
birth_match_id	NUMBER	NULL	Database sequence number that uniquely identifies each CPS_BIRTH_ MATCH record	No	Yes
disposition_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
disposition_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes

ongoing_worker_lo- ad_no	NUMBER(10)	NULL	Unique identification for the load. It is the concatenation of COUNTY_NO, DISTRICT_NO, SECTION_NO, UNIT_NO and WORKER_NO (in respective order).	No	Yes
-----------------------------	------------	------	---	----	-----

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_cps_info	Yes
IF1279_cps_info	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_cps_info	Yes
IF1279_cps_info	No

Validation(s) of "priority_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "priority_code" Column	
Name	Unique
IF1296_cps_info	No

Validation(s) of "rejection_reason_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rejection_reason_code" Column	
Name	Unique
IF1292_cps_info	No

Validation(s) of "complaint_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "service_reason_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service_reason_code" Column	
Name	Unique
IF1280_cps_info	No

Validation(s) of "complaint_action_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "complaint_action_code" Column	
Name	Unique
IF1297_cps_info	No

Validation(s) of "complaint_action_date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "action override code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "action override code" Column	
Name	Unique
IF1727 cps info	No

Validation(s) of "action override date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "action override text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "action override worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "action override worker id" Column	
Name	Unique
IF1729 cps info	No

Validation(s) of "agency code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "agency code" Column	
Name	Unique
IF1298 cps info	No

Validation(s) of "converted ind" Column			
Constraint Name	Min	Max	Rule
ck cpsinfo cnvrttdind			converted ind IN ('Y', 'N')

Valid Value(s) of "ck cpsinfo cnvrttdind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "system category code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "system category code" Column	
Name	Unique
IF1488 cps info	No

Validation(s) of "override category code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "override category code" Column	
Name	Unique
IF1621 cps info	No

Validation(s) of "override category date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "override category text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "override category worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "override category worker id" Column	
Name	Unique
IF1728 cps info	No

Validation(s) of "disposition date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close code ind" Column			
Constraint Name	Min	Max	Rule
ck cpsinfo closecind			close code ind IN ('I', 'S')

Valid Value(s) of "ck cpsinfo closecind" Validation		
Data Value	Display Value	Definition
I		Investigate only
S		Services provided

Validation(s) of "goal status code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "goal status code" Column	
Name	Unique
IF1628 cps info	No

Validation(s) of "court involv disp code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court involv disp code" Column	
Name	Unique
IF1626 cps info	No

Validation(s) of "non court disp code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "non court disp code" Column	
Name	Unique
IF1627 cps info	No

Validation(s) of "fc 21days ind" Column			
Constraint Name	Min	Max	Rule
ck cpsinfo fc21daysind			fc 21days ind IN ('P', 'O')

Valid Value(s) of "ck cpsinfo fc21daysind" Validation		
Data Value	Display Value	Definition
P		Pending
O		Other

Validation(s) of "close after without ps code" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "close after without ps code" Column	
Name	Unique
IF1625 cps info	No

Validation(s) of "temp fc days" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prvs crt hst comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "prvs crt hst comment id" Column	
Name	Unique
IF1636 cps info	No

Validation(s) of "escalated category code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "escalated category code" Column	
Name	Unique
IF1634 cps info	No

Validation(s) of "escalated category date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "escalated category comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "escalated category comment id" Column	
Name	Unique
IF1629 cps info	No

Validation(s) of "supv approved ind" Column			
Constraint Name	Min	Max	Rule
ck cpsinfo supapprvdind			supv approved ind IN ('Y', 'N')

Valid Value(s) of "ck cpsinfo supapprvdind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "supv approved date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supv approved comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "supv approved comment id" Column	
Name	Unique
IF1643 cps info	No

Validation(s) of "ninety day monitor ind" Column			
Constraint Name	Min	Max	Rule



ck_cpsinfo_nintydymntrind			ninety_day_monitor_ind IN ('C', 'R')
---------------------------	--	--	--------------------------------------

Valid Value(s) of "ck_cpsinfo_nintydymntrind" Validation		
Data Value	Display Value	Definition
C		Ninety Day CPS Only Case Monitoring.
R		Ninety Day CPS Monitoring with Referral to Community Services.

Validation(s) of "priority_code_override_ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsinfo_prioritycdovrrdind			priority_code_override_ind IN ('Y', 'N')

Valid Value(s) of "ck_cpsinfo_prioritycdovrrdind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "priority_cd_ovrrd_comment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "priority_cd_ovrrd_comment_id" Column	
Name	Unique
IF1661_cps_info	No

Validation(s) of "dictated_findings_ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsinfo_dictfndngsind			dictated_findings_ind IN ('Y', 'N')

Valid Value(s) of "ck_cpsinfo_dictfndngsind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "dictation_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "program_early_on_ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsinfo_prgmearlyonind			program_early_on_ind IN ('Y', 'N')

Valid Value(s) of "ck_cpsinfo_prgmearlyonind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "program_fam_to_fam_ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsinfo_prgm_famtofamind			program_fam_to_fam_ind IN ('Y', 'N')

Valid Value(s) of "ck_cpsinfo_prgm_famtofamind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "reviewed_history_ind" Column			
Constraint Name	Min	Max	Rule

ck_cpsinfo_rvwdhstryind			reviewed_history_ind IN ('Y', 'N')
-------------------------	--	--	------------------------------------

Valid Value(s) of "ck_cpsinfo_rvwdhstryind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "child fatality ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsinfo_chldfityind			child fatality ind IN ('Y', 'N')

Valid Value(s) of "ck_cpsinfo_chldfityind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "number prior complaints" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "converted case state" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "converted case state" Column	
Name	Unique
IF1740 cps info	No

Validation(s) of "open close ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsinfo_opnclsind			open_close_ind IN ('Y', 'N')

Valid Value(s) of "ck_cpsinfo_opnclsind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "complaint action worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "complaint action worker id" Column	
Name	Unique
IF1760 cps info	No

Validation(s) of "initial risk level code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "initial risk level code" Column	
Name	Unique
IF1803 cps info	No

Validation(s) of "current risk level code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "current risk level code" Column	
Name	Unique
IF1804 cps info	No

Validation(s) of "birth match id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "birth match id" Column	
Name	Unique
IF1839 cps info	No

Validation(s) of "disposition worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "disposition worker id" Column	
Name	Unique
IF1843 cps info	No

Validation(s) of "disposition county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "disposition county no" Column	
Name	Unique
IF1874 cps info	No

Validation(s) of "ongoing worker load no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ongoing worker load no" Column	
Name	Unique
IF1875 cps info	No

Table(s) of "service reason codes" Picture Object	
<b>Name</b>	service reason codes
<b>Comment</b>	Contains codes and descriptions for the reasons why service is being provided to the case/complaint.

Column(s) of "service reason codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
service_reason_code	VARCHAR2(1)	NOT NULL	Codes for why services are being provided for a case/complaint.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of SERVICE_REASON_CODE.	No	No

Validation(s) of "service reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service reason code" Column	
Name	Unique
PK service reason codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "abuse neglect complaints" Picture Object	
<b>Name</b>	abuse neglect complaints
<b>Comment</b>	Resolves the many-to-many relationship between SWSS_CASE and ABUSE_NEGLECT_CODES. Used in CPS for identifying the many abuse and/or neglect codes associated with a complaint.

Column(s) of "abuse neglect complaints" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
abuse_neglect_code	VARCHAR2(2)	NOT NULL	Codes for CPS, abuse and neglect allegations.	Yes	Yes
at_intake_ind	VARCHAR2(1)	NULL	Indicates that (Y) the abuse or neglect was entered during the Intake phase; or (N/Null) not.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK abuse neglect complaints	Yes
IF1281 abuse neglect complaint	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK abuse neglect complaints	Yes
IF1281 abuse neglect complaint	No

Validation(s) of "abuse neglect code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "abuse neglect code" Column	
Name	Unique
PK abuse neglect complaints	Yes
IF1277 abuse neglect complaint	No

Validation(s) of "at intake ind" Column			
Constraint Name	Min	Max	Rule
ck_absnegcmplnts_atintakeind			at intake ind IN ('Y', 'N')

Valid Value(s) of "ck_absnegcmplnts_atintakeind" Validation		
Data Value	Display Value	Definition
Y		Yes

N		No
---	--	----

Table(s) of "abuse neglect codes" Picture Object	
<b>Name</b>	abuse neglect codes
<b>Comment</b>	Contains codes and descriptions for CPS, abuse and neglect allegations.

Column(s) of "abuse neglect codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
abuse_neglect_code	VARCHAR2(2)	NOT NULL	Codes for CPS, abuse and neglect allegations.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of ABUSE NEGLECT_CODE.	No	No
abuse_neglect_ind	VARCHAR2(1)	NULL	Indicates that the ABUSE NEGLECT_CODE is for (A) abuse or (N) neglect.	No	No

Validation(s) of "abuse neglect code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "abuse neglect code" Column	
Name	Unique
PK_abuse_neglect_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "abuse neglect ind" Column			
Constraint Name	Min	Max	Rule
ck_absnegcds_absnegind			abuse_neglect_ind IN ('A', 'N')

Valid Value(s) of "ck_absnegcds_absnegind" Validation		
Data Value	Display Value	Definition
A		Abuse
N		Neglect

Table(s) of "sdm forms" Picture Object	
Name	sdm_forms
Comment	Contains information for an SDM form which is specific to the form and not directly associated with individual form questions.

Column(s) of "sdm_forms" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
form_id	NUMBER	NOT NULL	System generated sequence number which uniquely identifies each SDM_FORMS record.	Yes	No
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
form_code	VARCHAR2(10)	NULL	Contains codes which identify the SDM forms (e.g. ISP, USP, etc.).	No	Yes
load_no	NUMBER(10)	NULL	Unique identification for the load. It is the concatenation of COUNTY_NO, DISTRICT_NO, SECTION_NO, UNIT_NO and WORKER_NO (in respective order).	No	Yes
begin_date	DATE	NULL	Date on which a worker is assigned to a load.	No	Yes
parent_form_cnty_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
parent_form_id	NUMBER	NULL	System generated sequence number which uniquely identifies each SDM_FORMS record.	No	Yes
image_id	NUMBER	NULL	System generated sequence number to uniquely identify images of SDM forms.	No	Yes
court_image_id	NUMBER	NULL	System generated sequence number to uniquely identify images of SDM forms.	No	Yes
report_date	DATE	NULL	Date on which the SDM form was completed.	No	No
print_date	DATE	NULL	Date on which the SDM form was printed.	No	No



report_period_beg_dt	DATE	NULL	The begin date for the reporting period for the form.	No	No
report_period_end_dt	DATE	NULL	The end date for the reporting period for the form.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or NULL if the record should not be deleted from the database.	No	No
approval_ind	VARCHAR2(1)	NULL	Indicates that (A) the SDM form has been approved; or (N) the SDM form needs revision before approval.	No	No
reviewed_by	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
reviewed_date	DATE	NULL	Date on which the supervisor either approved the SDM form, or sent it back to the worker for revision.	No	No
complete_ind	VARCHAR2(1)	NULL	Identifies the form as (Y) the form is completed; or (N) not; or NULL.	No	No
used_for_rua_ind	VARCHAR2(1)	NULL	Indicates that (Y) the safety assessment form is used for the reunification assessment (RUA), rather than for the child or children who are still in the home; or (N) not; or NULL.	No	No
ra_abuse_score	NUMBER(2)	NULL	Risk assessment score based on answers to abuse questions.	No	No
ra_neglect_score	NUMBER(2)	NULL	Risk assessment score based on answers to neglect questions.	No	No
reassessment_score	NUMBER(2)	NULL	Overall reassessment score.	No	No
risk_level_code	VARCHAR2(2)	NULL	Contains abuse, neglect, reassessment, and override codes for rating the potential risk to the child in a CPS case or complaint to remain in their home; (e.g. Code: Description):  AL: Abuse - Low Risk AM: Abuse - Moderate Risk NH: Neglect - High Risk NI: Neglect - Intensive Risk RI: Reassessment - Intensive Risk OM: Override - Moderate Risk	No	Yes

			etc.		
override_risk_level_code	VARCHAR2(2)	NULL	Contains abuse, neglect, reassessment, and override codes for rating the potential risk to the child in a CPS case or complaint to remain in their home; (e.g. Code: Description):  AL: Abuse - Low Risk AM: Abuse - Moderate Risk NH: Neglect - High Risk NI: Neglect - Intensive Risk RI: Reassessment - Intensive Risk OM: Override - Moderate Risk etc.	No	Yes
override_reason_code	VARCHAR2(1)	NULL	Contains codes for reasons why a risk level was overridden.	No	Yes
override_reason	VARCHAR2(500)	NULL	Free form text to explain the choice of OVERRIDE_REASON_CODE.	No	No
override_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
finalized_by_ind	VARCHAR2(1)	NULL	Indicates that the form was finalized by either F (FIA - Family Independence Agency), C (CPA - Child Placing Agency), or NULL.	No	No
sp_addendum_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
number_of_signature_lines	NUMBER(2)	NULL	Contains the number of signature lines that the application needs to generate dynamically, when they print a specific form.	No	No
last_screen	NUMBER(2)	NULL	Identifies the number of the last screen the user was on before leaving a specific form for a case. This is used for navigational purposes, so that the user can get back to the screen when they need to exit a form and perform other work.	No	No

sdm_exception_code	VARCHAR2(1)	NULL	Contains codes for exceptions to standard practices (i. e. service period continuity, assessments with limited data) relating to service plans and family reunification assessments.	No	Yes
contact_period_begin_date	DATE	NULL	Begin date for a contact reporting period (may be different than mandatory reporting periods for specific types of contacts).	No	No
contact_period_end_date	DATE	NULL	End date for a contact reporting period (may be different than mandatory reporting periods for specific types of contacts).	No	No
addendum_reason_code	NUMBER(1)	NULL		No	Yes
addendum_reason_other_text	VARCHAR2(200)	NULL		No	No
supervisor_review_text	VARCHAR2(4000)	NULL		No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
pk_sdm_forms	Yes
IF1186_sdm_forms	No

Validation(s) of "form_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "form_id" Column	
Name	Unique
pk_sdm_forms	Yes

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF1186_sdm_forms	No

Validation(s) of "form_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "form_code" Column	
Name	Unique
IF1169_sdm_forms	No

Validation(s) of "load_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "load_no" Column	
Name	Unique

IF1150 sdm forms	No
------------------	----

Validation(s) of "begin date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "begin date" Column	
Name	Unique
IF1150 sdm forms	No

Validation(s) of "parent form cnty no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "parent form cnty no" Column	
Name	Unique
IF1162 sdm forms	No

Validation(s) of "parent form id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "parent form id" Column	
Name	Unique
IF1162 sdm forms	No

Validation(s) of "image id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "image id" Column	
Name	Unique
IF1181 sdm forms	No

Validation(s) of "court image id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court image id" Column	
Name	Unique
IF1733 sdm forms	No

Validation(s) of "report date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "print date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "report period beg dt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "report period end dt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck sdmfrms phydel			physical delete IN ('Y')

Valid Value(s) of "ck sdmfrms phydel" Validation		
Data Value	Display Value	Definition

Y		Yes
---	--	-----

Validation(s) of "approval ind" Column			
Constraint Name	Min	Max	Rule
ck sdmfrms apprvlind			approval ind IN ('A', 'N')

Valid Value(s) of "ck sdmfrms apprvlind" Validation		
Data Value	Display Value	Definition
A		Approved
N		Needs revision

Validation(s) of "reviewed by" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "reviewed by" Column	
Name	Unique
IF1201 sdm forms	No

Validation(s) of "reviewed date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "complete ind" Column			
Constraint Name	Min	Max	Rule
ck sdmfrms cmpltind			complete ind IN ('Y', 'N')

Valid Value(s) of "ck sdmfrms cmpltind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "used for rua ind" Column			
Constraint Name	Min	Max	Rule
ck sdmfrms usedforruaind			used for rua ind IN ('Y', 'N')

Valid Value(s) of "ck sdmfrms usedforruaind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "ra abuse score" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ra neglect score" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "reassessment score" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "risk level code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "risk level code" Column	
Name	Unique
IF1485 sdm forms	No

Validation(s) of "override risk level code" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "override risk level code" Column	
Name	Unique
IF1484 sdm forms	No

Validation(s) of "override reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "override reason code" Column	
Name	Unique
IF1486 sdm forms	No

Validation(s) of "override reason" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "override worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "override worker id" Column	
Name	Unique
IF1487 sdm forms	No

Validation(s) of "finalized by ind" Column			
Constraint Name	Min	Max	Rule
ck sdmfrms finlzbyind			finalized by ind IN ('C', 'F')

Valid Value(s) of "ck sdmfrms finlzbyind" Validation		
Data Value	Display Value	Definition
C		CPA (Child Placing Agency)
F		FIA (Family Independence Agency)

Validation(s) of "sp addendum comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sp addendum comment id" Column	
Name	Unique
IF1684 sdm forms	No

Validation(s) of "number of signature lines" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last screen" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "sdm exception code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sdm exception code" Column	
Name	Unique
IF1751 sdm forms	No

Validation(s) of "contact period begin date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "contact period end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "addendum reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "addendum reason code" Column	
Name	Unique
IF1752 sdm forms	No

Validation(s) of "addendum reason other text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supervisor review text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "fiveday_packet" Picture Object	
Name	fiveday_packet
Comment	Identified by a system generated sequence number to uniquely identify each Five-day Packet; also contains the print date for the Five-day Packet.

Column(s) of "fiveday_packet" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
fiveday_pkt_id	NUMBER	NOT NULL	System generated number that uniquely identifies each Five-day Packet	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
supvsr_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
placement_id	NUMBER	NULL	System generated number for identifying each placement.	No	Yes
conversion_origin_ind	VARCHAR2(1)	NULL	Indicates that this case was (Y) converted into SWSS from an external system such as CIS; or (N) not converted, but a new case generated within SWSS.	No	No
print_dt	DATE	NULL	Date on which the Five-day Packet was printed.	No	No
med_auth_ind	VARCHAR2(1)	NULL	Indicates that (Y) the new Foster Parents have been given the medical authorization card; or (N) not; or NULL.	No	No
supervisor_action_code	VARCHAR2(2)	NULL	Contains codes and for the five-day packet actions for a supervisor; (i.e. Code: Description):  1 Active transfer 2 Assigned to supervisor 3 Reassigned to worker (rejected by	No	Yes



			supervisor) 4 Transferred to FC 5 Accepted by FC supervisor 6 Rejected by FC supervisor		
supervisor_comment	VARCHAR2(4000)	NULL	Free-form text for a supervisor's comments related to the Five-Day Packet.	No	No

Validation(s) of "fiveday_pkt_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "fiveday_pkt_id" Column	
Name	Unique
PK_fiveday_packet	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_fiveday_packet	Yes
IF1605_fiveday_packet	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF1605_fiveday_packet	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
IF1605_fiveday_packet	No

Validation(s) of "worker_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "worker_id" Column	
Name	Unique
IF1606_fiveday_packet	No

Validation(s) of "supvsr_worker_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "supvsr_worker_id" Column	
Name	Unique
IF1607_fiveday_packet	No

Validation(s) of "placement_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placement_id" Column	
Name	Unique

IF1608_fiveday_packet	No
-----------------------	----

Validation(s) of "conversion_origin_ind" Column			
Constraint Name	Min	Max	Rule
ck_fdp_convorgind			conversion_origin_ind IN ('Y', 'N')

Valid Value(s) of "ck_fdp_convorgind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "print_dt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "med_auth_ind" Column			
Constraint Name	Min	Max	Rule
ck_fdp_medauthind			med_auth_ind IN ('Y', 'N')

Valid Value(s) of "ck_fdp_medauthind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "supervisor_action_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "supervisor_action_code" Column	
Name	Unique
IF1609_fiveday_packet	No

Validation(s) of "supervisor_comment" Column			
Constraint Name	Min	Max	Rule

Table(s) of "info call counts" Picture Object	
<b>Name</b>	info call counts
<b>Comment</b>	Contains counts of information calls for each county, by month.

Column(s) of "info call counts" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
end_month_date	DATE	NOT NULL	The date on which the reporting of information calls for that month, stops.	Yes	No
info_call_count	NUMBER	NULL	Application generated sequence number to keep track of all the information calls for each month, for each county office.	No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK info call counts	Yes
IF1481 info call counts	No

Validation(s) of "end month date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "end month date" Column	
Name	Unique
PK info call counts	Yes

Validation(s) of "info call count" Column			
Constraint Name	Min	Max	Rule

Table(s) of "court" Picture Object	
<b>Name</b>	court
<b>Comment</b>	Identifies a court by a number and a name.

Column(s) of "court" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
court_no	NUMBER(4)	NOT NULL	Codes for the courts; e.g. (Code: Description) 1: Unknown Court 986: Out of State Court 1051: Ingham County Probate Court etc.	Yes	No
address_id	NUMBER	NULL	System generated number that uniquely identifies an address.	No	Yes
county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
court_name	VARCHAR2(100)	NULL	Name of the court associated with the COURT_NO.	No	No
phone_id	NUMBER	NULL	System generated number that uniquely identifies a phone number.	No	Yes

Validation(s) of "court_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court_no" Column	
Name	Unique
PK_court	Yes

Validation(s) of "address_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "address_id" Column	
Name	Unique
IF1017_court	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
IF1016_court	No

Validation(s) of "court_name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "phone id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone id" Column	
Name	Unique
IF1686 court	No

Table(s) of "goal status" Picture Object	
Name	goal_status
Comment	Contains codes and descriptions for status of goals.

Column(s) of "goal status" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
goal_status_code	NUMBER(2)	NOT NULL	Codes for the status of the goal; e.g. (Code: Description) 1: Goal achvd-Srvcs cont 2: Goal not achvd-Srvcs cont 3: Goal achvd-Srvcs no longer needed 4: Case term-Srvcs not avail 5: Case term-Client req etc.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of GOAL_STATUS_CODE.	No	No
cps_ind	VARCHAR2(1)	NULL	Indicates that (Y) the GOAL_STATUS_CODE is used for CPS; or (N) not; or NULL.	No	No

Validation(s) of "goal status code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "goal status code" Column	
Name	Unique
PK_goal_status	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cps_ind" Column			
Constraint Name	Min	Max	Rule
ck_gs_cpsind			cps_ind IN ('Y', 'N')

Valid Value(s) of "ck_gs_cpsind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "fiveday_packet_comments" Picture Object	
<b>Name</b>	fiveday_packet_comments
<b>Comment</b>	A Fiveday Packet contains information which is due within five days of a case transferring from one program or placement to another program or placement. Identified by FIVEDAY_PKT_ID, COMMENT_ID, and COUNTY_NO; also contains WORKER_ID of the worker who made the comment, date, etc.

Column(s) of "fiveday_packet_comments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
fiveday_pkt_id	NUMBER	NOT NULL	System generated number that uniquely identifies each Five-day Packet	Yes	Yes
comment_id	NUMBER	NOT NULL	System generated number that uniquely identifies each comment.	Yes	Yes
review_date	DATE	NULL	Date on which the worker enters a comment for the Five-day Packet.	No	No
ps_transfer_ind	VARCHAR2(1)	NULL	Indicates that (Y) the Five-day Packet was transferred from Protective Services; or (N) not	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_fiveday_packet_comments	Yes
IF759_fiveday_packet_comments	No

Validation(s) of "fiveday_pkt_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "fiveday_pkt_id" Column	
Name	Unique
PK_fiveday_packet_comments	Yes
IF838_fiveday_packet_comments	No

Validation(s) of "comment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_id" Column	
Name	Unique
PK_fiveday_packet_comments	Yes
IF759_fiveday_packet_comments	No

Validation(s) of "review_date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "ps transfer ind" Column			
Constraint Name	Min	Max	Rule
ck fdpcmmnts pstransind			ps transfer ind IN ('Y', 'N')

Valid Value(s) of "ck fdpcmmnts pstransind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No



Table(s) of "complaint source address" Picture Object	
<b>Name</b>	complaint source address
<b>Comment</b>	Contains the link (via ADDRESS_ID) for the addresses associated with the person who made the CPS complaint (complaint source).

Column(s) of "complaint source address" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
app_seq	NUMBER(1)	NOT NULL	Application generated sequence number that allows for multiple sources for the same complaint	Yes	Yes
address_id	NUMBER	NOT NULL	System generated number that uniquely identifies an address.	Yes	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK complaint source address	Yes
IF1288 complaint source address	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK complaint source address	Yes
IF1288 complaint source address	No

Validation(s) of "app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "app_seq" Column	
Name	Unique
PK complaint source address	Yes
IF1288 complaint source address	No

Validation(s) of "address_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "address_id" Column	
Name	Unique

PK complaint source address	Yes
IF1285 complaint source address	No

Table(s) of "preponderance details" Picture Object	
Name	preponderance details
Comment	Contains the perpetrator's relation to the victim and the associated neglect/abuse.

Column(s) of "preponderance details" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
child_person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
app_seq	NUMBER(2)	NOT NULL	Application generated sequence number that allows for multiple PREPONDERANCE_DETAILS records for each child.	Yes	No
abuse_neglect_code	VARCHAR2(2)	NULL	Codes for CPS, abuse and neglect allegations.	No	Yes
perp_person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
unknown_ind	VARCHAR2(1)	NULL	Indicates that (Y) the perpetrator is unknown (i.e. perp_person_id is NULL); or NULL.	No	No
relation_to_victim_code	VARCHAR2(2)	NULL	Contains codes for the perpetrator's relationship to the victim.	No	Yes
other_relation_desc- ription	VARCHAR2(30)	NULL	Free-form text to describe the relationship of the perpetrator to the victim, when RELATION_TO - VICTIM_CODE is one of the various "Other" values.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK preponderance details	Yes
IF1518 preponderance details	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "log_id" Column	
Name	Unique
PK preponderance details	Yes
IF1518 preponderance details	No

Validation(s) of "child_person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child_person_id" Column	
Name	Unique
PK preponderance details	Yes
IF1518 preponderance details	No

Validation(s) of "app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "app_seq" Column	
Name	Unique
PK preponderance details	Yes

Validation(s) of "abuse_neglect_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "abuse_neglect_code" Column	
Name	Unique
IF1520 preponderance details	No

Validation(s) of "perp_person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "perp_person_id" Column	
Name	Unique
IF1519 preponderance details	No

Validation(s) of "unknown_ind" Column			
Constraint Name	Min	Max	Rule
ck preponddetls unknwnind			unknown_ind IN ('Y')

Valid Value(s) of "ck_preponddetls_unknwnind" Validation		
Data Value	Display Value	Definition
Y		Yes

Validation(s) of "relation_to_victim_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "relation_to_victim_code" Column	
Name	Unique
IF1604 preponderance details	No

Validation(s) of "other_relation_description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "district" Picture Object	
Name	district
Comment	Contains district information identified by COUNTY NO and DISTRICT NO.

Column(s) of "district" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
district_no	NUMBER(2)	NOT NULL	Unique 2 digit district number that county offices have designated for each district.	Yes	No
district_name	VARCHAR2(50)	NULL	Name of the district.	No	No
wayne_zone_no	NUMBER(2)	NULL	County assigned number that uniquely identifies each zone within Wayne county; not to be confused with state zones.	No	Yes
valid_district_ind	VARCHAR2(1)	NULL	Identifies a district as being a (Y) valid district to be used in a load number; or (N) not valid for load number usage.	No	No
adult_ind	VARCHAR2(1)	NULL	Indicates that (Y) a district is valid for use in Adult Services; or (N) not.	No	No
cps_ind	VARCHAR2(1)	NULL	Indicates that (Y) the district processes CPS complaints/ cases; or (N or NULL) not.	No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK_district	Yes
IF1_district	No

Validation(s) of "district no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "district no" Column	
Name	Unique
PK_district	Yes

Validation(s) of "district name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "wayne zone no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "wayne zone no" Column	
Name	Unique
IF797_district	No

Validation(s) of "valid district ind" Column			
Constraint Name	Min	Max	Rule
ck_dis_valdisind			valid_district_ind IN ('Y', 'N')

Valid Value(s) of "ck_dis_valdisind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "adult ind" Column			
Constraint Name	Min	Max	Rule
ck_dis_adultind			adult_ind IN ('Y', 'N')

Valid Value(s) of "ck_dis_adultind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "cps ind" Column			
Constraint Name	Min	Max	Rule
ck_dis_cpsind			cps_ind IN ('Y', 'N')

Valid Value(s) of "ck_dis_cpsind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "county" Picture Object	
<b>Name</b>	county
<b>Comment</b>	List of all the counties in the state of Michigan by county number and name. County number 0 is used for school purposes in all counties and county number 84 is used for the central office.

Column(s) of "county" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	No
zone_no	NUMBER(2)	NULL	A DHS assigned number that uniquely identifies an area within the state. Zones contain one or more counties.	No	Yes
county_name	VARCHAR2(30)	NULL	Name of the county.	No	No
shelter_area_no	VARCHAR2(1)	NULL	A number (1-6) used to group counties into areas for payments in LOA-2.	No	Yes
load_conv_opt	VARCHAR2(1)	NULL	The option that each county chose from ASSIST, when converting an 8 digit load number to a 10 digit load number. Values are zero through four.	No	No
as_conv_cmpl_ind	VARCHAR2(1)	NULL	Indicates that (Y) this county has been converted to the new ASCAP application; or (N) not	No	No
index_code	VARCHAR2(5)	NULL	Internal financial code for the county.	No	No
program_cost_account	VARCHAR2(5)	NULL	Internal financial code for the county.	No	No
medicaid_provider_id	VARCHAR2(7)	NULL	The provider identifier for medicaid for each county (used by ASCAP)	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK county	Yes

Validation(s) of "zone_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "zone_no" Column	
Name	Unique
IF297 county	No

Validation(s) of "county_name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "shelter area no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "shelter area no" Column	
Name	Unique
IF731 county	No

Validation(s) of "load conv opt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "as conv cml ind" Column			
Constraint Name	Min	Max	Rule
ck cnty asconvcmlind			as conv cml ind IN ('Y', 'N')

Valid Value(s) of "ck cnty asconvcmlind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "index code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "program cost account" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "medicaid provider id" Column			
Constraint Name	Min	Max	Rule



Table(s) of "worker" Picture Object	
Name	worker
Comment	Identifies FIA workers by a SWSS generated WORKER_ID along with their name, social security number, active indicator, and email address.

Column(s) of "worker" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
worker_id	NUMBER	NOT NULL	System generated number that uniquely identifies each worker.	Yes	No
first_name	VARCHAR2(30)	NULL	First name of the worker.	No	No
middle_name	VARCHAR2(30)	NULL	Middle name or initial of the worker.	No	No
last_name	VARCHAR2(30)	NULL	Last name of the worker.	No	No
name_suffix	VARCHAR2(5)	NULL	Name suffix of the worker.	No	Yes
worker_name	VARCHAR2(100)	NULL	Free-form text for the worker's entire name.	No	No
ssn	VARCHAR2(10)	NULL	Worker's social security number.	No	No
active_ind	VARCHAR2(1)	NULL	Indicates that a worker is (A) active or (I) inactive.	No	No
email_address	VARCHAR2(100)	NULL	Electronic mail address for the worker.	No	No

Validation(s) of "worker_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "worker_id" Column	
Name	Unique
PK_worker	Yes

Validation(s) of "first_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "middle_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "name_suffix" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "name_suffix" Column	
Name	Unique
IF1598_worker	No

Validation(s) of "worker_name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "active ind" Column			
Constraint Name	Min	Max	Rule
ck wr actind			active ind IN ('A', 'I')

Valid Value(s) of "ck wr actind" Validation		
Data Value	Display Value	Definition
A		Active
I		Inactive

Validation(s) of "email address" Column			
Constraint Name	Min	Max	Rule

Table(s) of "comment type" Picture Object	
<b>Name</b>	comment type
<b>Comment</b>	Contains codes and descriptions which define items or objects, for which comments are captured; along with maximum length, update indicator, and general comments indicator.

Column(s) of "comment type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
comment_type	VARCHAR2(10)	NOT NULL	Codes for types of comments; e.g. (Code: Description) MAREHIST: MARE child history, or special conditions to consider in a placement. MAREED: MARE academic functioning, behavior in classroom and peer relations. etc.	Yes	No
description	VARCHAR2(4000)	NULL	Explanation of COMMENT_TYPE.	No	No
max_len	NUMBER	NULL	Specifies the maximum length for the TEXT column in the COMMENTS table.	No	No
update_ind	VARCHAR2(1)	NOT NULL	Indicates whether a comment is (U) updatable or only (A) appendable.	No	No
general_comments	VARCHAR2(1)	NULL	This is an indicator for use in the comments screen as a filter for restricting the display to the user of certain types of comments. (Y) restricts the display; (N) does not.	No	No
program_ind	VARCHAR2(1)	NULL	Identifies the programs that use specific comment types (for use in the lists of values by each program) as F for FAJ; C for CPS; and B for both FAJ and CPS.	No	No

Validation(s) of "comment type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment type" Column	
Name	Unique
PK_comment_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "max_len" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "update_ind" Column			
Constraint Name	Min	Max	Rule

ck ct updtind			update ind IN ('U', 'A')
---------------	--	--	--------------------------

Valid Value(s) of "ck ct updtind" Validation		
Data Value	Display Value	Definition
U		Updatable
A		Appendable

Validation(s) of "general comments" Column			
Constraint Name	Min	Max	Rule
ck ct gencomm			general comments IN ('Y', 'N')

Valid Value(s) of "ck ct gencomm" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "program ind" Column			
Constraint Name	Min	Max	Rule
ck ct progind			program ind IN ('F', 'C', 'B')

Valid Value(s) of "ck ct progind" Validation		
Data Value	Display Value	Definition
F		FAJ
C		CPS
B		Both

Table(s) of "comments" Picture Object	
<b>Name</b>	comments
<b>Comment</b>	Stores the actual comment along with the case to which it belongs, the worker who entered and/or modified it and appropriate dates.

Column(s) of "comments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
comment_id	NUMBER	NOT NULL	System generated number that uniquely identifies each comment.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
comment_type	VARCHAR2(10)	NULL	Codes for types of comments; e.g. (Code: Description) MAREHIST: MARE child history, or special conditions to consider in a placement. MAREED: MARE academic functioning, behavior in classroom and peer relations. etc.	No	Yes
date_entered	DATE	NULL	Date on which the comment is entered.	No	No
text_clob	CLOB	NULL	Text which can accomodate longer narratives with formatting.	No	No
text	VARCHAR2(4000)	NULL	The comment text entered by the user.	No	No
entered_by_login_name	VARCHAR2(20)	NULL	Login name of the person entering the comment.	No	No
modified_by_login_name	VARCHAR2(20)	NULL	Login name of the person modifying the comment.	No	No

modified_date	DATE	NULL	The date on which the comment was modified.	No	No
---------------	------	------	---	----	----

Validation(s) of "comment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_id" Column	
Name	Unique
PK_comments	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_comments	Yes
IF779_comments	No

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
IF1750_comments	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
IF1750_comments	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF779_comments	No

Validation(s) of "comment_type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_type" Column	
Name	Unique
IF163_comments	No

Validation(s) of "date_entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "text_clob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "text" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "entered by login name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by login name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "swss case" Picture Object	
<b>Name</b>	swss case
<b>Comment</b>	Contains information pertaining to Childrens Protective Service (CPS) referrals, CPS cases, Child Foster Care (CFC) cases, Adoption (ADPT) cases, Juvenile Justice (JJ, otherwise called Delinquency) cases; uniquely identified by a system generated sequence number (LOG_ID).

Column(s) of "swss case" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	No
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
refer_person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
ref_source_code	NUMBER(2)	NULL	Codes for referral source (case was created from this source); i.e. (Code: Description) 1: Protect Srvc 2: Court (except CPS) 3: Voluntary release 4: OTI 5: Adoption disrupted 6: Voluntary placement	No	Yes
primary_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
create_date	DATE	NULL	Date on which the case was created in SWSS.	No	No
accept_date	DATE	NULL	Date on which Foster Care supervisor accepted case.	No	No
register_date	DATE	NULL	Date on which the case was registered; case is considered registered when the FIA-133 is printed.	No	No



open_date	DATE	NULL	Date on which case was opened in SWSS; case is considered open when the FIA-5S has been printed.	No	No
close_date	DATE	NULL	Date on which the case was closed.	No	No
close_date_entered	DATE	NULL	Date on which the worker entered the CLOSE_DATE (AFCARS element).	No	No
cis_case_no	VARCHAR2(30)	NULL	Case number assigned by CIS/ ASSIST.	No	No
case_name	VARCHAR2(45)	NULL	Name of primary grantee - for Foster Care/Adoption/Juvenile Justice, this is the child; for Protective Services this is the primary caretaker.	No	No
close_code	VARCHAR2(2)	NULL	Codes for reasons why a case closed; e.g. (Code: Description) 01: Adoption confirmed 02: Adoption disrupted 03: Placed for Adoption 05: Married etc.	No	Yes
refer_notify	VARCHAR2(2)	NULL	Indicates that (Y) the referral source wants to be notified of the referral's disposition; or (N) not. Used for Protective Services referrals.	No	No
residence_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
residence_district	NUMBER(2)	NULL	Unique 2 digit district number that county offices have designated for each district.	No	Yes
latest_legal_status	NUMBER(2)	NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	No	Yes

program_code	VARCHAR2(4)	NOT NULL	Codes for the SWSS programs; i.e. (Code: Description) REF: CPS Referral ADPT: Adoption CFC: Foster Care CPS: Children's Protective Services JJ: Juvenile Justice ADSB: Adoption Subsidy AS: Adult Services PREV: Prevention GRD: Guardianship	No	Yes
child_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
latest_living_arrangement	VARCHAR2(2)	NULL	Codes to describe the living arrangement; e.g. (Code: Description) 01: Own home 02: Relative Home (lic. or unlic.) 03: Legal Guardian 04: Adoptive home 05: Family Foster Home etc.	No	Yes
program_status	NUMBER(1)	NULL	Identifies that the status of the case is (1) closed or (2) active.	No	No
swss_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
eligibility_code	VARCHAR2(2)	NULL	Codes to describe the type of eligibility for the child; e.g. (Code: Description) 01: FIP 02: SSI Recipient 03: Ind/Fam Prot Srv 04: Inc Scale 1 - MA 05: Inc Scale 1 - NonMA etc.	No	Yes
funding_source_elig_code	VARCHAR2(2)	NULL	Codes to indicate the funding source; i.e. (Code: Description) 01: Own/Adoptive Family 02: TITLE IV E 03: Co. Child Care Funds 04: SWBC/State Facility 05: Ltd. Term/Emergency 06: Self Supporting	No	Yes

conv_fund_src_cd	VARCHAR2(2)	NULL	Codes to indicate the funding source; i.e. (Code: Description) 01: Own/Adoptive Family 02: TITLE IV E 03: Co. Child Care Funds 04: SWBC/State Facility 05: Ltd. Term/Emergency 06: Self Supporting	No	Yes
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
withdrawal_date	DATE	NULL	Date on which the case registration was withdrawn.	No	No
ma_withdrawal_date	DATE	NULL	Date on which Medicaid registration was withdrawn from the case.	No	No
ma_type	VARCHAR2(1)	NULL	Identifies that the Medicaid type is (1) Title IV E or (2) Department ward.	No	No
ma_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
denial_code	NUMBER(3)	NULL	Codes for denial reasons for withdrawing registration from a SWSS case; e.g. (Code: Description) 0: Approved/Completed 102: Failed institutional status reqmt 109: Client does not meet residency reqmt 217: Failed to provide required verfs 224: Already active for program benefits etc.	No	Yes

ma_denial_code	NUMBER(3)	NULL	Codes for denial reasons for withdrawing registration from a SWSS case; e.g. (Code: Description) 0: Approved/ Completed 102: Failed institutional status reqmt 109: Client does not meet residency reqmt 217: Failed to provide required verfs 224: Already active for program benefits etc.	No	Yes
ma_other_case	VARCHAR2(1)	NULL	Indicates that (Y) the client is enrolled in another Medicaid case; or (N) not.	No	No
case_state_at_closing	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
transfer_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
transfer_to_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
transfer_from_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
transferring_sup_load	NUMBER(10)	NULL	Unique identification for the load. It is the concatenation of COUNTY_NO, DISTRICT_NO, SECTION_NO, UNIT_NO and WORKER_NO (in respective order).	No	Yes

transfer_date	DATE	NULL	Date on which the case transfer occurred.	No	No
high_profile_ind	VARCHAR2(1)	NOT NULL	Indicates that (Y) the case has limited user access; or (N) not. Possible types of cases having limited access are: employee cases, cases that have sensitive medical data such as HIV, or cases involving politicians, etc.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database	No	No
birth_cert_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the birth certificate was given to the youth at case closing; or (N) not; or Null.	No	No
ss_card_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the social security card was given to the youth at case closing; or (N) not; or Null.	No	No
med_passpt_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the medical passport was given to the youth at case closing; or (N) not; or Null.	No	No
aftercare_pamph_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the aftercare services pamphlet was given to the youth at case closing; or (N) not; or Null.	No	No
state_of_origin	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	No	Yes
mycu_approval_ind	VARCHAR2(1)	NULL	Indicates that (Y) approval from the Missing Youth Central Unit (MYCU) has been given to include the child for this case, on the missing children web page; or (N) not; or null	No	No
mycu_approval_date	DATE	NULL	The date on which approval from the Missing Youth Central Unit (MYCU) was received so that the missing child can be included on the missing child web page	No	No

country_of_origin	VARCHAR2(50)	NULL	Free-form text for the name of the country from which the case was transferred to Michigan.	No	No
fis_fip_load_no	NUMBER(10)	NULL	Unique identification for the load. It is the concatenation of COUNTY_NO, DISTRICT_NO, SECTION_NO, UNIT_NO and WORKER_NO (in respective order).	No	Yes
fis_fip_cims_case_number	VARCHAR2(30)	NULL	The CIMS case number for the FIS/FIP case. It is used to contact the FIS/FIP worker if a child is removed from a home during a CPS investigation.	No	No
bridges_conversion_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case (log_id) was converted to Bridges (rather than CIMS/ASSIST), when Bridges was implemented in production.	No	No
bridges_case_number	NUMBER	NULL	The case number that relates to the SWSS_CASE.LOG_ID, from the Bridges system.	No	No
num_guard_prev_priors	NUMBER(2)	NULL	The number of previous referrals to Prevention and Guardianship programs for a child.	No	No
yit_eligible_ind	VARCHAR2(1)	NULL	Identifies as (Y) the youth is eligible for Youth In Transition (YIT) services; or (N) not.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK swss case	Yes
NU swss case 1	No
IF436 swss case	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK swss case	Yes

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique

NU swss case 1	No
NU swss case	No
XIF1104swss case	No

Validation(s) of "refer person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "refer person id" Column	
Name	Unique
IF937 swss case	No

Validation(s) of "ref source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ref source code" Column	
Name	Unique
IF492 swss case	No

Validation(s) of "primary worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary worker id" Column	
Name	Unique
IF349 swss case	No

Validation(s) of "create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "accept date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "register date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "open date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cis case no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cis case no" Column	
Name	Unique
NU swss case 2	No

Validation(s) of "case name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "close code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "close code" Column	
Name	Unique
IF491 swss case	No

Validation(s) of "refer notify" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "residence county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "residence county" Column	
Name	Unique
IF703 swss case	No

Validation(s) of "residence district" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "residence district" Column	
Name	Unique
IF703 swss case	No

Validation(s) of "latest legal status" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "latest legal status" Column	
Name	Unique
IF861 swss case	No

Validation(s) of "program code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "program code" Column	
Name	Unique
IF783 swss case	No

Validation(s) of "child id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child id" Column	
Name	Unique
IF935 swss case	No

Validation(s) of "latest living arrangement" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "latest living arrangement" Column	
Name	Unique
IF860 swss case	No

Validation(s) of "program status" Column			
Constraint Name	Min	Max	Rule



ck scase progstat			program status IN (2, 1)
-------------------	--	--	--------------------------

Valid Value(s) of "ck scase progstat" Validation		
Data Value	Display Value	Definition
2		Active
1		Closed

Validation(s) of "swss case state" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "swss case state" Column	
Name	Unique
IF784 swss case	No

Validation(s) of "eligibility code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "eligibility code" Column	
Name	Unique
IF806 swss case	No

Validation(s) of "funding source elig code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding source elig code" Column	
Name	Unique
IF807 swss case	No

Validation(s) of "conv fund src cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "conv fund src cd" Column	
Name	Unique
IF1124 swss case	No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "withdrawal date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma withdrawal date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma type" Column			
Constraint Name	Min	Max	Rule
ck scase matype			ma type IN (1, 2)

Valid Value(s) of "ck scase matype" Validation		
Data Value	Display Value	Definition
1		Title IV E = eligibility code 13
2		Department ward = eligibility code 6

Validation(s) of "ma case state" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "ma case state" Column			
Name	Unique		
IF864 swss case	No		

Validation(s) of "denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "denial code" Column			
Name	Unique		
IF865 swss case	No		

Validation(s) of "ma denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ma denial code" Column			
Name	Unique		
IF866 swss case	No		

Validation(s) of "ma other case" Column			
Constraint Name	Min	Max	Rule
ck scase maothor			ma other case IN ('Y', 'N')

Valid Value(s) of "ck scase maothor" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "case state at closing" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "case state at closing" Column			
Name	Unique		
IF1022 swss case	No		

Validation(s) of "transfer case state" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer case state" Column			
Name	Unique		
IF1090 swss case	No		

Validation(s) of "transfer to county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer to county" Column			
Name	Unique		
IF1092 swss case	No		

Validation(s) of "transfer from county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer from county" Column			
Name	Unique		

IF1093 swss case	No
------------------	----

Validation(s) of "transferring sup load" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transferring sup load" Column	
Name	Unique
IF1094 swss case	No

Validation(s) of "transfer date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "high profile ind" Column			
Constraint Name	Min	Max	Rule
ck_scase_highprofind			high_profile_ind IN ('Y', 'N')

Valid Value(s) of "ck_scase_highprofind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck_scase_phydel			physical_delete IN ('Y', 'N')

Valid Value(s) of "ck_scase_phydel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "birth cert given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_brthcertgivnyth			birth_cert_given_youth IN ('N', 'Y')

Valid Value(s) of "ck_scase_brthcertgivnyth" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "ss card given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_sscrdgivnyth			ss_card_given_youth IN ('Y', 'N')

Valid Value(s) of "ck_scase_sscrdgivnyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "med passpt given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_medpssprtgivnyth			med_passpt_given_youth IN ('Y', 'N')

Valid Value(s) of "ck_scase_medpssprtgivnyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "aftercare pamph given youth" Column			
Constraint Name	Min	Max	Rule

ck_scase_aftcarpamgivyth			aftercare_pamph_given_youth IN ('Y', 'N')
--------------------------	--	--	---

Valid Value(s) of "ck_scase_aftcarpamgivyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "state_of_origin" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "state_of_origin" Column	
Name	Unique
IF1246 swss case	No

Validation(s) of "mycu_approval_ind" Column			
Constraint Name	Min	Max	Rule
ck_scase_mycuapprvlind			mycu_approval_ind IN ('Y', 'N')

Valid Value(s) of "ck_scase_mycuapprvlind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "mycu_approval_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "country_of_origin" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "fis_fip_load_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "fis_fip_load_no" Column	
Name	Unique
IF1711 swss case	No

Validation(s) of "fis_fip_cims_case_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "bridges_conversion_ind" Column			
Constraint Name	Min	Max	Rule
ck_scase_brdgsconvind			bridges_conversion_ind IN ('Y')

Valid Value(s) of "ck_scase_brdgsconvind" Validation		
Data Value	Display Value	Definition
Y		Yes

Validation(s) of "bridges_case_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "num_guard_prev_priors" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "yit_eligible_ind" Column			
Constraint Name	Min	Max	Rule

ck_scase_yiteligind_2104989609		yit_eligible_ind IN ('Y', 'N')
--------------------------------	--	--------------------------------

Valid Value(s) of "ck_scase_yiteligind_2104989609" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Table(s) of "info calls" Picture Object	
<b>Name</b>	info_calls
<b>Comment</b>	Contains information about information calls; e.g. caller's name, case name, worker's load number, and text about the nature of the call.

Column(s) of "info_calls" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
info_call_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each INFO_CALL record	Yes	No
load_no	NUMBER(10)	NULL	Unique identification for the load. It is the concatenation of COUNTY_NO, DISTRICT_NO, SECTION_NO, UNIT_NO and WORKER_NO (in respective order).	No	Yes
call_date	DATE	NULL	Date on which the information call was handled by a worker.	No	No
caller_name	VARCHAR2(100)	NULL	Information caller's name.	No	No
case_name	VARCHAR2(100)	NULL	Case name (if applicable) for the information call.	No	No
call_text	VARCHAR2(800)	NULL	Free-form text, used by the worker, for documenting any pertinent information about the call	No	No

Validation(s) of "info_call_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "info_call_id" Column	
Name	Unique
PK_info_calls	Yes

Validation(s) of "load_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "load_no" Column	
Name	Unique
IF1480_info_calls	No

Validation(s) of "call_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "caller_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "case_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "call_text" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Table(s) of "race" Picture Object	
<b>Name</b>	race
<b>Comment</b>	Contains codes and descriptions for racial origin.

Column(s) of "race" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
race_code	VARCHAR2(2)	NOT NULL	Codes for racial origin; i.e. (Code: Description) 1: White 2: Black or African American 3: American Indian/ Alaskan Native 4: Asian 5: Nat Hawaiian/ Pacific Islander 6: Unable to Determine	Yes	No
description	VARCHAR2(30)	NULL	Explanation of RACE_CODE.	No	No

Validation(s) of "race code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "race code" Column	
Name	Unique
PK_race	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule



Table(s) of "relation_types" Picture Object	
<b>Name</b>	relation_types
<b>Comment</b>	Contains codes and descriptions for the way any two people are related in a case.

Column(s) of "relation_types" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
relation_type	VARCHAR2(2)	NOT NULL	Codes for types of relations; e.g. (Code: Description) AC: Adopted Child AP: Adoptive Parent AS: Adoptive Sibling AU: Aunt/Uncle BP: Biological Parent etc.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of RELATION_TYPE.	No	No
cfc_box_code	VARCHAR2(1)	NULL	Codes (1, 2, 3) used in the SWSS application for relation types.	No	No
ad_box_code	VARCHAR2(1)	NULL	Codes (1, 2, 3) used in the SWSS application for relation types.	No	No

Validation(s) of "relation_type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "relation_type" Column	
Name	Unique
PK relation_types	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cfc_box_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ad_box_code" Column			
Constraint Name	Min	Max	Rule

Table(s) of "location codes" Picture Object	
<b>Name</b>	location_codes
<b>Comment</b>	Contains codes and descriptions for places where the contact took place for use in CONTACTS; and for where the verification of a child's well being took place for use in GROUP_PERSON.

Column(s) of "location_codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
location_code	VARCHAR2(3)	NOT NULL	Contains codes for places where the contact took place for use in CONTACTS; and for where the verification of a child's well being took place for use in GROUP_PERSON.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of LOCATION_CODE.	No	No

Validation(s) of "location_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "location_code" Column	
Name	Unique
PK location_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "complaint sources" Picture Object	
<b>Name</b>	complaint_sources
<b>Comment</b>	Contains information about the person who initiated the CPS complaint (e.g. name, phone, whether it was an anonymous call or not, etc.).

Column(s) of "complaint sources" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
app_seq	NUMBER(1)	NOT NULL	Application generated sequence number that allows for multiple sources for the same complaint.	Yes	No
contact_meth_code	VARCHAR2(2)	NULL	Contains codes for how the complaint source would like to be contacted with information regarding the complaint.	No	Yes
last_name	VARCHAR2(30)	NULL	Person's last name who initiated the CPS complaint.	No	No
first_name	VARCHAR2(30)	NULL	Person's first name who initiated the CPS complaint.	No	No
name_suffix	VARCHAR2(3)	NULL	Person's name suffix (e.g. Jr., III, etc.) who initiated the CPS complaint.	No	No
middle_name	VARCHAR2(30)	NULL	Person's middle name who initiated the CPS complaint.	No	No
notification_print_date	DATE	NULL	Date on which the notification to the complainant was printed.	No	No
crtrkr_name_print_ind	VARCHAR2(1)	NULL	Indicates if the caretaker's name should be printed on the notification or not.	No	No
complaint_src_code	VARCHAR2(3)	NULL	Contains codes for the source of the CPS complaint.	No	Yes
fia3200_requested_ind	VARCHAR2(1)	NULL	Indicates that (Y) the FIA3200 was requested; or (N) not; or NULL.	No	No
comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
last_name_soundex	VARCHAR2(4)	NULL	Soundex code for the complainant's last name.	No	No

first_name_soundex	VARCHAR2(4)	NULL	Soundex code for the complainant's first name.	No	No
--------------------	-------------	------	--	----	----

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK complaint sources	Yes
IF1283 complaint sources	No

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
PK complaint sources	Yes
IF1283 complaint sources	No

Validation(s) of "app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "app seq" Column	
Name	Unique
PK complaint sources	Yes

Validation(s) of "contact meth code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact meth code" Column	
Name	Unique
IF1294 complaint sources	No

Validation(s) of "last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "name suffix" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "notification print date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "crtkr name print ind" Column			
Constraint Name	Min	Max	Rule
ck_cmplntsrsrcs_crtkrmmprntind			crtkr_name_print_ind IN ('Y', 'N')

Valid Value(s) of "ck_emplntsrcs_crtkrnmprntind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "complaint_src_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "complaint_src_code" Column	
Name	Unique
IF1646_complaint_sources	No

Validation(s) of "fia3200_requested_ind" Column			
Constraint Name	Min	Max	Rule
ck_emplntsrcs_fia3200rqstdind			fia3200_requested_ind IN ('Y', 'N')

Valid Value(s) of "ck_emplntsrcs_fia3200rqstdind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "comment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_id" Column	
Name	Unique
IF1670_complaint_sources	No

Validation(s) of "last_name_soundex" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "first_name_soundex" Column			
Constraint Name	Min	Max	Rule

Table(s) of "rejection reason codes" Picture Object	
<b>Name</b>	rejection reason codes
<b>Comment</b>	Contains codes and descriptions for the reasons why the complaint was rejected.

Column(s) of "rejection reason codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
rejection_reason_code	VARCHAR2(2)	NOT NULL	Contains codes for the reasons why the complaint was rejected.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of REJECTION_REASON_CODE.	No	No

Validation(s) of "rejection reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rejection reason code" Column	
Name	Unique
PK rejection reason codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "complaint source codes" Picture Object	
<b>Name</b>	complaint source codes
<b>Comment</b>	Contains codes and descriptions for the source of the CPS complaint.

Column(s) of "complaint source codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
complaint_src_code	VARCHAR2(3)	NOT NULL	Contains codes for the source of the CPS complaint.	Yes	No
description	VARCHAR2(60)	NULL	Explanation of COMPLAINT_SRC_CODE.	No	No

Validation(s) of "complaint src code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "complaint src code" Column	
Name	Unique
PK complaint source codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "contact method codes" Picture Object	
<b>Name</b>	contact method codes
<b>Comment</b>	Contains codes and descriptions for how the complaint source would like to be contacted with information regarding the complaint.

Column(s) of "contact method codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
contact_method_code	VARCHAR2(2)	NOT NULL	Contains codes for how the complaint source would like to be contacted with information regarding the complaint.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of CONTACT_MET-HOD_CODE.	No	No

Validation(s) of "contact method code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact method code" Column	
Name	Unique
PK contact method codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule



Table(s) of "vpo_codes" Picture Object	
<b>Name</b>	vpo_codes
<b>Comment</b>	Contains codes and descriptions for the roles a person may be identified as in a CPS complaint/case.

Column(s) of "vpo_codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
vpo_code	VARCHAR2(1)	NOT NULL	Contains codes for the roles a person may be identified as in a CPS complaint/case	Yes	No
description	VARCHAR2(30)	NULL	Explanation of VPO_CODE.	No	No

Validation(s) of "vpo_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "vpo_code" Column	
Name	Unique
PK vpo_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "priority_codes" Picture Object	
<b>Name</b>	priority_codes
<b>Comment</b>	Contains codes and descriptions for the different levels of priority that a complaint may receive.

Column(s) of "priority_codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
priority_code	VARCHAR2(1)	NOT NULL	Contains codes for the different levels of priority that a complaint may receive.	Yes	No
description	VARCHAR2(60)	NULL	Explanation of PRIORITY_CODE	No	No

Validation(s) of "priority_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "priority_code" Column	
Name	Unique
PK_priority_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "complaint action codes" Picture Object	
<b>Name</b>	complaint action codes
<b>Comment</b>	Contains codes and descriptions for the actions to be taken on a CPS complaint.

Column(s) of "complaint action codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
complaint_action_code	VARCHAR2(1)	NOT NULL	Contains codes for types of actions to be taken on a CPS complaint.	Yes	No
description	VARCHAR2(60)	NULL	Explanation of COMPLAINT_ACTION_CODE.	No	No

Validation(s) of "complaint action code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "complaint action code" Column	
Name	Unique
PK complaint action codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "refer to agencies" Picture Object	
<b>Name</b>	refer to agencies
<b>Comment</b>	Contains codes and descriptions for agencies to which CPS complaints are referred.

Column(s) of "refer to agencies" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
agency_code	VARCHAR2(2)	NOT NULL	Contains codes for the agencies to which CPS complaints are referred	Yes	No
description	VARCHAR2(50)	NULL	EXPLANATION of AGENCY_CODE.	No	No

Validation(s) of "agency code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "agency code" Column	
Name	Unique
PK refer to agencies	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "len_codes" Picture Object	
<b>Name</b>	len_codes
<b>Comment</b>	Contains codes and descriptions for reasons a complaint was referred to law enforcement.

Column(s) of "len_codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
len_code	VARCHAR2(2)	NOT NULL	Contains codes for reasons why a complaint was referred to law enforcement	Yes	No
description	VARCHAR2(100)	NULL	Explanation of LEN_CODE.	No	No

Validation(s) of "len_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "len_code" Column	
Name	Unique
PK len_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps len" Picture Object	
<b>Name</b>	cps len
<b>Comment</b>	Contains links (via LEN_CODE) for all the reasons the identified CPS complaint was referred to Law Enforcement.

Column(s) of "cps len" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
len_code	VARCHAR2(2)	NOT NULL	Contains codes for reasons why a complaint was referred to law enforcement	Yes	Yes
verbal_report_date	DATE	NULL	Date on which the CPS case was verbally reported to the law enforcement agency	No	No
police_department_id	NUMBER	NULL	System generated sequence number that uniquely identifies each police department, sheriff's office, etc.	No	Yes
rep_id	NUMBER	NULL	System generated number that uniquely identifies a legal representative.	No	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK cps len	Yes
IF1300 cps len	No

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
PK cps len	Yes
IF1300 cps len	No

Validation(s) of "len code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "len code" Column	
Name	Unique
PK cps len	Yes

IF1299 cps len	No
----------------	----

Validation(s) of "verbal report date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "police department id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "police department id" Column	
Name	Unique
IF1663 cps len	No

Validation(s) of "rep id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rep id" Column	
Name	Unique
IF1685 cps len	No

Table(s) of "cps_questions" Picture Object	
<b>Name</b>	cps_questions
<b>Comment</b>	Contains codes and questions for the questions asked throughout the various CANS modules.

Column(s) of "cps_questions" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
cps_question_code	VARCHAR2(20)	NOT NULL	Contains codes for the CPS questions that are asked throughout the various CANS modules.	Yes	No
description	VARCHAR2(300)	NULL	Explanation of CPS_QUESTION_CODE.	No	No

Validation(s) of "cps_question_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cps_question_code" Column	
Name	Unique
PK_cps_questions	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule



Table(s) of "cps answers" Picture Object	
<b>Name</b>	cps answers
<b>Comment</b>	Contains the answers and associated link to the COMMENTS table for the CPS questions.

Column(s) of "cps answers" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
cps_question_code	VARCHAR2(20)	NOT NULL	Contains codes for the CPS questions that are asked throughout the various CANS modules.	Yes	Yes
answer_ind	VARCHAR2(2)	NULL	Indicates that (Y) the answer to the CPS question is yes; (N) no; (U) unknown; or (NA) not applicable.	No	No
text	CLOB	NULL	Contains comments specifically related to a CPS_QUESTION_CODE and ANSWER_IND.	No	No
associated_date	DATE	NULL	A date associated with the ANSWER_IND. Some questions, depending how answered, will ask for a date if the answer is for example "Yes".	No	No
supervisor_approved_ind	VARCHAR2(1)	NULL	Indicates that (Y) the supervisor approved or (N) disapproved of the answer to a CPS_QUESTION_CODE.	No	No
supervisor_approved_text	VARCHAR2(400)	NULL	Free form text related to the supervisor's approval or disapproval of a CPS_QUESTION_CODE.	No	No
supervisor_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK cps answers	Yes
IF1336 cps answers	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "log_id" Column	
Name	Unique
PK_cps_answers	Yes
IF1336_cps_answers	No

Validation(s) of "cps_question_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cps_question_code" Column	
Name	Unique
PK_cps_answers	Yes
IF1337_cps_answers	No

Validation(s) of "answer_ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsanswrs_answrind			answer_ind IN ('Y', 'N', 'U', 'NA')

Valid Value(s) of "ck_cpsanswrs_answrind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
U		Unknown
NA		Not Applicable

Validation(s) of "text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "associated_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supervisor_approved_ind" Column			
Constraint Name	Min	Max	Rule
ck_cpsanswrs_supaprvidind			supervisor_approved_ind IN ('Y', 'N')

Valid Value(s) of "ck_cpsanswrs_supaprvidind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "supervisor_approved_text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supervisor_worker_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "supervisor_worker_id" Column	
Name	Unique
IF1878_cps_answers	No

Table(s) of "how verified codes" Picture Object	
<b>Name</b>	how verified codes
<b>Comment</b>	Contains codes and descriptions for how a child's well being is verified.

Column(s) of "how verified codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
how_verified_code	VARCHAR2(1)	NOT NULL	Contains codes for how the child's well being is verified.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of HOW VERIFIED - CODE.	No	No

Validation(s) of "how verified code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "how verified code" Column	
Name	Unique
PK how verified codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps risk level codes" Picture Object	
<b>Name</b>	cps risk level codes
<b>Comment</b>	Contains codes, descriptions, and low and high scores for the abuse, neglect, reassessment, and override codes for rating the potential risk to the child in a CPS case or complaint to remain in their home; (e.g. Code: Description):  AL: Abuse - Low Risk AM: Abuse - Moderate Risk NH: Neglect - High Risk NI: Neglect - Intensive Risk RI: Reassessment - Intensive Risk OM: Override - Moderate Risk etc.

Column(s) of "cps risk level codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
risk_level_code	VARCHAR2(2)	NOT NULL	Contains abuse, neglect, reassessment, and override codes for rating the potential risk to the child in a CPS case or complaint to remain in their home; (e.g. Code: Description):  AL: Abuse - Low Risk AM: Abuse - Moderate Risk NH: Neglect - High Risk NI: Neglect - Intensive Risk RI: Reassessment - Intensive Risk OM: Override - Moderate Risk etc.	Yes	No
description	VARCHAR2(40)	NULL	Explanation of RISK_LEVEL_CODE.	No	No
low_score	NUMBER(2)	NULL	The low score associated with a specific RISK_LEVEL_CODE.	No	No
high_score	NUMBER(2)	NULL	The high score associated with a specific RISK_LEVEL_CODE.	No	No
rating	NUMBER(1)	NULL	A numerical rating assigned to each RISK_LEVEL_CODE, used in calculating the overall risk	No	No

Validation(s) of "risk level code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "risk level code" Column	
Name	Unique
PK cps risk level codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "low score" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "high score" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "rating" Column			
Constraint Name	Min	Max	Rule

Table(s) of "override reason codes" Picture Object	
<b>Name</b>	override reason codes
<b>Comment</b>	Contains codes and descriptions for reasons that a risk level was overridden.

Column(s) of "override reason codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
override_reason_code	VARCHAR2(1)	NOT NULL	Contains codes for reasons why a risk level was overridden.	Yes	No
description	VARCHAR2(100)	NULL	Explanation of OVERRIDE_REASON_CODE.	No	No

Validation(s) of "override reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "override reason code" Column	
Name	Unique
PK override reason codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "category_codes" Picture Object	
<b>Name</b>	category_codes
<b>Comment</b>	Contains codes and descriptions for the level of severity of the disposition of the CPS complaint.

Column(s) of "category_codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
category_code	VARCHAR2(1)	NOT NULL	Contains codes for the level of severity of the disposition of the CPS complaint; i.e. 1 through 5 for Category I through V.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of CATEGORY_CODE.	No	No

Validation(s) of "category_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "category_code" Column	
Name	Unique
PK_category_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "central_registry" Picture Object	
Name	central_registry
Comment	Contains substantiated information, which identifies the perpetrator in the CPS complaint/case and the child who was affected by the perpetrator.

Column(s) of "central_registry" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
central_registry_id	NUMBER	NOT NULL	Database generated number that uniquely identifies a perpetrator in a CPS complaint/case.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
address_id	NUMBER	NULL	System generated number that uniquely identifies an address.	No	Yes
name	VARCHAR2(50)	NULL	Name of the perpetrator.	No	No
converted_ind	VARCHAR2(1)	NULL	Indicates that (Y) the record was converted from the legacy Central Registry application/database; or (N) not; or NULL.	No	No
due_process_ltr_print_date	DATE	NULL	Date on which the due process letter was printed.	No	No
certified_mail_rcvd_date	DATE	NULL	Date on which FIA received the return receipt from a certified letter sent to the perpetrator.	No	No
last_name	VARCHAR2(30)	NULL	Perpetrator's last name.	No	No
last_name_soundex	VARCHAR2(30)	NULL	Soundex code for last name.	No	No
first_name	VARCHAR2(30)	NULL	Perpetrator's first name.	No	No
first_name_soundex	VARCHAR2(30)	NULL	Soundex code for first name.	No	No
middle_name	VARCHAR2(30)	NULL	Perpetrator's middle name.	No	No
name_suffix	VARCHAR2(5)	NULL	Contains name suffix codes; e.g. Jr., Sr., II, III, etc.	No	Yes
license_number	VARCHAR2(20)	NULL	Unique number from the DCIS system identifying a license.	No	No



create_date	DATE	NULL	Date on which a Central Registry record was created.	No	No
created_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. Re-named from WORKER_ID for the worker who created the Central Registry record.	No	Yes
expunge_reason_code	VARCHAR2(1)	NULL	Contains codes for reasons why a central registry case was expunged.	No	Yes
expungement_reason	VARCHAR2(4000)	NULL	Free-form text for an explanation of the reason(s) for the expungement.	No	No
expunged_date	DATE	NULL	Date on which the perpetrator record was expunged.	No	No
expunged_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. Re-named from WORKER_ID for the worker who expunged the Central Registry record.	No	Yes
expunge_notice_print_date	DATE	NULL	Date on which the expunge notice was printed.	No	No
date_of_birth	DATE	NULL	Perpetrator's date of birth.	No	No
ssn	VARCHAR2(10)	NULL	Perpetrator's social security number.	No	No
gender	VARCHAR2(1)	NULL	Perpetrator's gender.	No	No
complaint_date	DATE	NULL	Date of the original abuse/neglect complaint.	No	No
race_code	VARCHAR2(2)	NULL	Codes for racial origin; i.e. (Code: Description) 1: White 2: Black or African American 3: American Indian/Alaskan Native 4: Asian 5: Nat Hawaiian/Pacific Islander 6: Unable to Determine	No	Yes
customer_id	NUMBER(12)	NULL	Assist/CIS/CIMS identification number for the DHS customer.	No	No
cis_case_no	VARCHAR2(30)	NULL	CIS/ASSIST/CIMS case number.	No	No
role_code	NUMBER(2)	NULL	An abuse/neglect code that is used to identify maltreatment against the child.	No	No
license_entry_ind	VARCHAR2(1)	NULL	Indicates as "Y" if the perpetrator is a licensed provider.	No	No

entered_by_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
nickname_soundex	VARCHAR2(30)	NULL	Soundex code for the perpetrator's nickname.	No	No
load_no	NUMBER(10)	NULL	Eight-digit load number from PSMIS.	No	No
modified_date	DATE	NULL	Date on which the record was modified.	No	No
modified_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
special_investigation_num	VARCHAR2(12)	NULL		No	No
dp_print_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes

#### Validation(s) of "central registry id" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "central registry id" Column

Name	Unique
PK central registry	Yes

#### Validation(s) of "county no" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "county no" Column

Name	Unique
PK central registry	Yes
IF1522 central registry	No

#### Validation(s) of "log id" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "log id" Column

Name	Unique
IF1521 central registry	No

#### Validation(s) of "person id" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "person id" Column

Name	Unique
IF1522 central registry	No

#### Validation(s) of "address id" Column

Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "address id" Column	
Name	Unique
IF1675 central registry	No

Validation(s) of "name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "converted ind" Column			
Constraint Name	Min	Max	Rule
ck centralreg cnvrtind			converted ind IN ('Y', 'N')

Valid Value(s) of "ck centralreg cnvrtind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "due process ltr prnt date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "certified mail rcvd date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last name soundex" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "first name soundex" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "name suffix" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "name suffix" Column	
Name	Unique
IF1796 central registry	No

Validation(s) of "license number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "create date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "created by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "created by worker id" Column	
Name	Unique
IF1656 central registry	No

Validation(s) of "expunge reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "expunge reason code" Column	
Name	Unique
IF1668 central registry	No

Validation(s) of "expungement reason" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "expunged date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "expunged by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "expunged by worker id" Column	
Name	Unique
IF1657 central registry	No

Validation(s) of "expunge notice print date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "date of birth" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "gender" Column			
Constraint Name	Min	Max	Rule
ck centralreg_gndr			gender IN ('M', 'F')

Valid Value(s) of "ck centralreg_gndr" Validation		
Data Value	Display Value	Definition
M		Male
F		Female

Validation(s) of "complaint date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "race code" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "race code" Column	
Name	Unique
IF1792 central registry	No

Validation(s) of "customer id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cis case no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "role code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "license entry ind" Column			
Constraint Name	Min	Max	Rule
ck centralreg lensentryind			license entry ind IN ('Y')

Valid Value(s) of "ck centralreg lensentryind" Validation		
Data Value	Display Value	Definition
Y		Yes

Validation(s) of "entered by county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "entered by county no" Column	
Name	Unique
IF1814 central registry	No

Validation(s) of "nickname soundex" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "load no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "modified by worker id" Column	
Name	Unique
IF1842 central registry	No

Validation(s) of "special investigation num" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dp print worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "dp print worker id" Column	
Name	Unique

IF1843 central registry	No
-------------------------	----

Table(s) of "potential plcmnts" Picture Object	
<b>Name</b>	potential plcmnts
<b>Comment</b>	Contains links to potential, placement providers for specified children; and the provider's relationship to the child.

Column(s) of "potential plcmnts" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
potential_prov_id	NUMBER	NOT NULL	Database generated number to uniquely identify a potential, placement provider for a child.	Yes	Yes
prov_relation_type	VARCHAR2(2)	NULL	Codes for types of relations; e.g. (Code: Description) AC: Adopted Child AP: Adoptive Parent AS: Adoptive Sibling AU: Aunt/Uncle BP: Biological Parent etc.	No	Yes
alert_text	VARCHAR2(2000)	NULL	Contains information that the worker enters about the potential provider (s).	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_potential_plcmnts	Yes
IF1576_potential_plcmnts	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_potential_plcmnts	Yes
IF1576_potential_plcmnts	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "person id" Column	
Name	Unique
PK potential plcmnts	Yes
IF1576 potential plcmnts	No

Validation(s) of "potential prov id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "potential prov id" Column	
Name	Unique
PK potential plcmnts	Yes
IF1577 potential plcmnts	No

Validation(s) of "prov relation type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "prov relation type" Column	
Name	Unique
IF1580 potential plcmnts	No

Validation(s) of "alert text" Column			
Constraint Name	Min	Max	Rule



Table(s) of "potential provs" Picture Object	
Name	potential provs
Comment	Contains information about the potential provider; e.g. name, gender, address, etc.

Column(s) of "potential provs" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
potential_prov_id	NUMBER	NOT NULL	Database generated number to uniquely identify a potential, placement provider for a child	Yes	No
last_name	VARCHAR2(30)	NULL	Provider's last name.	No	No
first_name	VARCHAR2(30)	NULL	Provider's first name.	No	No
middle_name	VARCHAR2(30)	NULL	Provider's middle name or initial.	No	No
sex	VARCHAR2(1)	NULL	Provider's gender; i. e. (F) Female or (M) Male.	No	No
date_of_birth	DATE	NULL	Provider's date of birth.	No	No
ssn_fedtaxid	VARCHAR2(10)	NULL	Provider's social security number or federal tax identification number.	No	No
hispanic_ethnicity	VARCHAR2(1)	NULL	Indicates that (Y) the person is of hispanic ethnicity; or (N) not.	No	No
marital_status	VARCHAR2(1)	NULL	Codes specifying the person's marital status; i.e. (M) married, (S) single, (D) divorced, (W) widowed, (L) legally separated, and (U) unknown.	No	No
address_line1	VARCHAR2(30)	NULL	Free-form text for the first line of a potential provider's address.	No	No
address_line2	VARCHAR2(30)	NULL	Free-form text for the second line of a potential provider's address.	No	No
city	VARCHAR2(30)	NULL	The city name for the potential provider's address.	No	No
state_code	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	No	Yes

zip	VARCHAR2(10)	NULL	Postal zip code.	No	No
zip_plus	VARCHAR2(10)	NULL	Zip plus code; i.e. currently the four digits after the main, five-digit zip code.	No	No
country	VARCHAR2(30)	NULL	Name of the country.	No	No
province	VARCHAR2(30)	NULL	Canadian province name.	No	No
phone_no	VARCHAR2(15)	NULL	Phone number for the potential provider.	No	No
alt_phone_no	VARCHAR2(15)	NULL	Alternate phone number for the potential provider.	No	No

Validation(s) of "potential prov id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "potential prov id" Column	
Name	Unique
PK potential provs	Yes

Validation(s) of "last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "sex" Column			
Constraint Name	Min	Max	Rule
ck_gp_sex1			sex IN ('M', 'F')

Valid Value(s) of "ck_gp_sex1" Validation		
Data Value	Display Value	Definition
M		Male
F		Female

Validation(s) of "date of birth" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ssn fedtaxid" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "hispanic ethnicity" Column			
Constraint Name	Min	Max	Rule
ck_potlprovs_hispethnic			hispanic ethnicity IN ('Y', 'N')

Valid Value(s) of "ck_potlprovs_hispethnic" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "marital status" Column			
Constraint Name	Min	Max	Rule

ck_ptntlprov_maritstat			marital_status IN ('S', 'D', 'W', 'M', 'L', 'U')
------------------------	--	--	--

Valid Value(s) of "ck_ptntlprov_maritstat" Validation		
Data Value	Display Value	Definition
S		Single
D		Divorced
W		Widowed
M		Married
L		Legally separated
U		Unknown

Validation(s) of "address_line1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "address_line2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "city" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "state_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "state_code" Column	
Name	Unique
IF1581_potential_provs	No

Validation(s) of "zip" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "zip_plus" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "country" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "province" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "phone_no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "alt_phone_no" Column			
Constraint Name	Min	Max	Rule

Table(s) of "potential prov races" Picture Object	
<b>Name</b>	potential prov races
<b>Comment</b>	Contains information about a potential, placement provider's race or multiple races.

Column(s) of "potential prov races" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
potential_prov_id	NUMBER	NOT NULL	Database generated number to uniquely identify a potential, placement provider for a child	Yes	Yes
race_code	VARCHAR2(2)	NOT NULL	Codes for racial origin; i.e. (Code: Description) 1: White 2: Black or African American 3: American Indian/Alaskan Native 4: Asian 5: Nat Hawaiian/Pacific Islander 6: Unable to Determine	Yes	Yes
race_order_no	NUMBER(2)	NULL	Order in which the person identifies their race when they identify more than one RACE_CODE.	No	No

Validation(s) of "potential prov id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "potential prov id" Column	
Name	Unique
PK potential prov races	Yes
IF1578 potential prov races	No

Validation(s) of "race code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "race code" Column	
Name	Unique
PK potential prov races	Yes
IF1579 potential prov races	No

Validation(s) of "race order no" Column			
Constraint Name	Min	Max	Rule

Table(s) of "name suffix codes" Picture Object	
<b>Name</b>	name suffix codes
<b>Comment</b>	Contains name suffix codes; e.g. Jr., Sr., II, III, etc.

Column(s) of "name suffix codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
name_suffix	VARCHAR2(5)	NOT NULL	Contains name suffix codes; e.g. Jr., Sr., II, III, etc.	Yes	No

Validation(s) of "name suffix" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "name suffix" Column	
Name	Unique
PK_name_suffix_codes	Yes

Table(s) of "court involv disp codes" Picture Object	
<b>Name</b>	court involv disp codes
<b>Comment</b>	<p>Contains codes and descriptions that describe the court's involvement in the disposition of the CPS case; e.g. (Code: Description):</p> <p>1: No court  2: Accept PS recommendation - adjudication and disposition  3: Accept PS recommendation - adjudication only, etc.</p>

Column(s) of "court involv disp codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
court_involv_disp_code	VARCHAR2(1)	NOT NULL	<p>Contains codes that describe the court's involvement in the disposition of the CPS case; e.g. (Code: Description):</p> <p>1: No court  2: Accept PS recommendation - adjudication and disposition  3: Accept PS recommendation - adjudication only, etc.</p>	Yes	No
description	VARCHAR2(60)	NULL	Explanation of COURT_INVOLV-_DISP_CODE.	No	No

Validation(s) of "court involv disp code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court involv disp code" Column	
Name	Unique
PK court involv disp codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "non court disp codes" Picture Object	
<b>Name</b>	non court disp codes
<b>Comment</b>	Contains codes and descriptions for disposition reasons when the court is not involved; (e.g. Code: Description:):  1: Satisfactory - no referrals 2: Satisfactory - refer to FIA 3: Satisfactory - refer to community agency, etc.

Column(s) of "non court disp codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
non_court_disp_code	VARCHAR2(1)	NOT NULL	Contains codes for disposition reasons when the court is not involved; (e.g. Code: Description:):  1: Satisfactory - no referrals 2: Satisfactory - refer to FIA 3: Satisfactory - refer to community agency, etc.	Yes	No
description	VARCHAR2(70)	NULL	Explanation of NON_COURT_DISP_CODE.	No	No

Validation(s) of "non court disp code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "non court disp code" Column	
Name	Unique
PK non court disp codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "close after without ps cds" Picture Object	
<b>Name</b>	close after without ps cds
<b>Comment</b>	Contains codes and descriptions for reasons why a CPS case was closed; and if it was closed after Protective Services involvement or without Protective Services involvement.

Column(s) of "close after without ps cds" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
close_after_without-ps_code	VARCHAR2(2)	NOT NULL	Contains codes for reasons why a CPS case was closed; and if it was closed after Protective Services involvement or without Protective Services involvement.	Yes	No
description	VARCHAR2(70)	NULL	Explanation of CLOSE_AFTER - WITHOUT_PS_CODE.	No	No
close_ind	VARCHAR2(2)	NULL	Indicates if the case was closed after ongoing PS (A), without ongoing PS (WO), or both (B).	No	No

Validation(s) of "close after without ps code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "close after without ps code" Column	
Name	Unique
PK close after without ps cds	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close ind" Column			
Constraint Name	Min	Max	Rule
ck clsaftwops closeind			close_ind IN ('A', 'WO', 'B')

Valid Value(s) of "ck clsaftwops closeind" Validation		
Data Value	Display Value	Definition
A		Case closed after ongoing PS
WO		Case closed without ongoing PS
B		Value used for (Both) close after and without ongoing PS



Table(s) of "cps jc forms" Picture Object	
<b>Name</b>	cps jc forms
<b>Comment</b>	Contains information about a CPS petition which is related to a CPS complaint.

Column(s) of "cps jc forms" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
jc_forms_app_seq	NUMBER(2)	NOT NULL	An application generated sequence to identify all the petitions, or other JC forms associated with a CPS complaint.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
jc_form_code	VARCHAR2(6)	NULL	Contains codes for the different JC Forms.	No	Yes
supplement_ind	VARCHAR2(1)	NULL	Indicates that (Y) this is a supplement petition; or (N) not; or NULL.	No	No
filed_date	DATE	NULL	Date on which the CPS petition was filed.	No	No
court_case_no	VARCHAR2(30)	NULL	The court's assigned case number for the CPS petition.	No	No
court_no	NUMBER(4)	NULL	Codes for the courts; e.g. (Code: Description) 1: Unknown Court 986: Out of State Court 1051: Ingham County Probate Court etc.	No	Yes
court_phone_no	VARCHAR2(20)	NULL	The phone number for the court with jurisdiction for the CPS petition.	No	No
tribe_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child(ren) is a member of, or is eligible to be a member of an American Indian Tribe or Band; or (N) not; or NULL.	No	No

other_court_ind	VARCHAR2(1)	NULL	Indicates that the minor(s) is (Y) subject to the prior continuing jurisdiction of another court; or (N) not; or NULL.	No	No
other_court_name	VARCHAR2(50)	NULL	Free-form text for the name of the court which has prior continuing jurisdiction over the minor(s).	No	No
other_court_case_no	VARCHAR2(30)	NULL	Case number from the court which has prior continuing jurisdiction over the minor(s).	No	No
other_court_judge	VARCHAR2(50)	NULL	Name of the judge for the court which has prior continuing jurisdiction over the minor(s).	No	No
pending_ind	VARCHAR2(1)	NULL	Indicates that (Y) the petition is pending; or (N) not; or NULL.	No	No
minor_custody	VARCHAR2(200)	NULL	Free-form text to indicate where the child(ren) is residing.	No	No
attached_alleg_ind	VARCHAR2(1)	NULL	Indicates that (Y) there are attached allegations accompanying the petition; or (N) not; or NULL.	No	No
petition_id	NUMBER	NULL	System generated number that uniquely identifies a court petition.	No	Yes

Validation(s) of "jc forms app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jc forms app seq" Column	
Name	Unique
PK cps jc forms	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK cps jc forms	Yes
IF1765 cps jc forms	No

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
PK cps jc forms	Yes
IF1766 cps jc forms	No

Validation(s) of "jc form code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jc form code" Column	
Name	Unique

IF1764 cps jc forms	No
---------------------	----

Validation(s) of "supplement ind" Column			
Constraint Name	Min	Max	Rule
ck jcfrms supplmntind			supplement ind IN ('Y', 'N')

Valid Value(s) of "ck jcfrms supplmntind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "filed date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "court case no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "court no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court no" Column	
Name	Unique
IF1761 cps jc forms	No

Validation(s) of "court phone no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "tribe ind" Column			
Constraint Name	Min	Max	Rule
ck jcfrms tribeind			tribe ind IN ('Y', 'N')

Valid Value(s) of "ck jcfrms tribeind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "other court ind" Column			
Constraint Name	Min	Max	Rule
ck jcfrms othrcrtind			other court ind IN ('Y', 'N')

Valid Value(s) of "ck jcfrms othrcrtind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "other court name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "other court case no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "other court judge" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pending ind" Column			
Constraint Name	Min	Max	Rule

ck jcfrms petitionind			pending_ind IN ('Y', 'N')
-----------------------	--	--	---------------------------

Valid Value(s) of "ck jcfrms petitionind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "minor_custody" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "attached_alleg_ind" Column			
Constraint Name	Min	Max	Rule
ck jcfrms attchdallegind			attached_alleg_ind IN ('Y', 'N')

Valid Value(s) of "ck jcfrms attchdallegind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "petition_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "petition_id" Column	
Name	Unique
IF1765 cps jc forms	No

Table(s) of "cps reasonable effort codes" Picture Object	
<b>Name</b>	cps reasonable effort codes
<b>Comment</b>	Contains codes and descriptions for reasons why reasonable efforts to keep the child in their home were not practical; (e.g. Code: Description):  3: Battering, torture or other severe physical abuse 4: Loss or serious impairment 5: Life threatening injury etc.

Column(s) of "cps reasonable effort codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
reasonable_effort_code	VARCHAR2(2)	NOT NULL	Contains codes for reasons why reasonable efforts to keep the child in their home were not practical; (e.g. Code: Description):  3: Battering, torture or other severe physical abuse 4: Loss or serious impairment 5: Life threatening injury etc.	Yes	No
description	VARCHAR2(130)	NULL	Explanation of REASONABLE_EFFORT_CODE.	No	No
end_date	DATE	NULL	Date on which a REASONABLE_EFFORT_CODE is no longer valid for use	No	No

Validation(s) of "reasonable effort code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "reasonable effort code" Column	
Name	Unique
PK_cps_reasonable_effort_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps reasonable efforts" Picture Object	
<b>Name</b>	cps reasonable efforts
<b>Comment</b>	Contains information for the CPS case or complaint regarding the reasons why reasonable efforts were not practical to return the child to their home; and the worker's requests to the court for a CPS petition.

Column(s) of "cps reasonable efforts" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
jc_forms_app_seq	NUMBER(2)	NOT NULL	An application generated sequence to identify all the petitions, or other JC forms associated with a CPS complaint.	Yes	Yes
jc_request_code	VARCHAR2(2)	NOT NULL	Contains codes for the worker's request to the court for the CPS petition, or other requests; (e.g. Code: Description):  1: Review the information and make an appropriate decision. 2: Authorize this petition and issue an order removing the child from the home. etc.	Yes	Yes
reasonable_effort_code	VARCHAR2(2)	NOT NULL	Contains codes for reasons why reasonable efforts to keep the child in their home were not practical; (e.g. Code: Description):  3: Battering, torture or other severe physical abuse 4: Loss or serious impairment 5: Life threatening injury etc.	Yes	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_cps_reasonable_efforts	Yes
IF1755_cps_reasonable_efforts	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "log_id" Column	
Name	Unique
PK cps reasonable efforts	Yes
IF1755 cps reasonable efforts	No

Validation(s) of "jc forms app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jc forms app seq" Column	
Name	Unique
PK cps reasonable efforts	Yes
IF1755 cps reasonable efforts	No

Validation(s) of "jc request code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jc request code" Column	
Name	Unique
PK cps reasonable efforts	Yes
IF1755 cps reasonable efforts	No

Validation(s) of "reasonable effort code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "reasonable effort code" Column	
Name	Unique
PK cps reasonable efforts	Yes
IF1754 cps reasonable efforts	No

Table(s) of "cps jc request codes" Picture Object	
<b>Name</b>	cps jc request codes
<b>Comment</b>	<p>Contains codes and descriptions for the worker's request to the court for the CPS petition; (e.g. Code: Description):</p> <p>1: Review the information and make an appropriate decision.  2: Authorize this petition and issue an order removing the child from the home.  etc.</p>

Column(s) of "cps jc request codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
jc_request_code	VARCHAR2(2)	NOT NULL	<p>Contains codes for the worker's request to the court for the CPS petition; (e.g. Code: Description):</p> <p>1: Review the information and make an appropriate decision.  2: Authorize this petition and issue an order removing the child from the home.  etc.</p>	Yes	No
description	VARCHAR2(100)	NULL	Explanation of CPS_JC04_REQU-EST_CODE.	No	No
jc_form_code	VARCHAR2(6)	NULL	Contains codes for the different JC Forms.	No	Yes

Validation(s) of "jc request code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jc request code" Column	
Name	Unique
PK_cps_jc_request_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "jc form code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jc form code" Column	
Name	Unique
IF1771_cps_jc_request_codes	No



Table(s) of "cps jc requests" Picture Object	
<b>Name</b>	cps jc requests
<b>Comment</b>	Contains information about the agency's request to the court for a CPS petition.

Column(s) of "cps jc requests" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
jc_forms_app_seq	NUMBER(2)	NOT NULL	An application generated sequence to identify all the petitions, or other JC forms associated with a CPS complaint.	Yes	Yes
jc_request_code	VARCHAR2(2)	NOT NULL	Contains codes for the worker's request to the court for the CPS petition, or other requests; (e.g. Code: Description):  1: Review the information and make an appropriate decision. 2: Authorize this petition and issue an order removing the child from the home. etc.	Yes	Yes
answer_ind	VARCHAR2(1)	NULL	Contains the answers for the questions regarding the CPS petition or other JC forms. Indicates that (Y) the answer is Yes; or (N) the answer is No; or NULL.	No	No
answer_text	CLOB	NULL	Free-form text for additional comments relating to an answer for a question on a CPS petition.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK cps jc requests	Yes
IF1756 cps jc requests	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique

PK cps jc requests	Yes
IF1756 cps jc requests	No

Validation(s) of "jc forms app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jc forms app seq" Column	
Name	Unique
PK cps jc requests	Yes
IF1756 cps jc requests	No

Validation(s) of "jc request code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jc request code" Column	
Name	Unique
PK cps jc requests	Yes
IF1757 cps jc requests	No

Validation(s) of "answer ind" Column			
Constraint Name	Min	Max	Rule
ck cpsjcrqsts answrind			answer ind IN ('Y', 'N')

Valid Value(s) of "ck cpsjcrqsts answrind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "answer text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps jc members" Picture Object	
<b>Name</b>	cps jc members
<b>Comment</b>	Contains the links to identify all the children, the mom, the dad, and the guardian associated with a CPS_IC_FORMS record.

Column(s) of "cps jc members" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
jc_forms_app_seq	NUMBER(2)	NOT NULL	An application generated sequence to identify all the petitions, or other JC forms associated with a CPS complaint.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
member_ind	VARCHAR2(1)	NULL	Indicates that the member on the JC form is a (C) Child; (M) Mother; (F) Father; or (O) Other relative.	No	No
putative_ind	VARCHAR2(1)	NULL	Indicates that (Y) the father is considered to be the putative father; or (N) not; or NULL.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK cps jc members	Yes
IF1762 cps jc members	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK cps jc members	Yes
IF1762 cps jc members	No

Validation(s) of "jc_forms_app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jc_forms_app_seq" Column	
Name	Unique

PK cps jc members	Yes
IF1762 cps jc members	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
PK cps jc members	Yes
IF1763 cps jc members	No

Validation(s) of "member ind" Column			
Constraint Name	Min	Max	Rule
ck_jcmembers_memberind			member_ind IN ('C', 'F', 'M', 'O', 'G')

Valid Value(s) of "ck_jcmembers_memberind" Validation		
Data Value	Display Value	Definition
C		Child
F		Father
M		Mother
O		Other Relative
G		Guardian

Validation(s) of "putative ind" Column			
Constraint Name	Min	Max	Rule
ck_jcmembers_putativ_922254471			putative_ind IN ('Y', 'N')

Valid Value(s) of "ck_jcmembers_putativ_922254471" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "jc form codes" Picture Object	
<b>Name</b>	jc form codes
<b>Comment</b>	Contains codes and descriptions for the different JC forms.

Column(s) of "jc form codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
jc_form_code	VARCHAR2(6)	NOT NULL	Contains codes for the different JC Forms.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of JC_FORM_CODES.	No	No
end_date	DATE	NULL	Date on which, a JC_FORM_CODE is no longer valid for use in the application.	No	No

Validation(s) of "jc form code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jc form code" Column	
Name	Unique
PK jc form codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps jc form comments" Picture Object	
<b>Name</b>	cps jc form comments
<b>Comment</b>	Contains links to all JC forms for a CPS case and the associated comments.

Column(s) of "cps jc form comments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
jc_forms_app_seq	NUMBER(2)	NOT NULL	An application generated sequence to identify all the petitions, or other JC forms associated with a CPS complaint.	Yes	Yes
jc_form_comment_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number, used in combination with all other primary-key members to uniquely identify all comments (via COMMENT_ID) for a CPS case and specific JC form	Yes	No
comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK cps jc form comments	Yes
IF1767 cps jc form comments	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK cps jc form comments	Yes
IF1767 cps jc form comments	No

Validation(s) of "jc_forms_app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jc_forms_app_seq" Column	
Name	Unique
PK cps jc form comments	Yes

IF1767 cps jc form comments	No
-----------------------------	----

Validation(s) of "jc form comment app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jc form comment app seq" Column	
Name	Unique
PK cps jc form comments	Yes

Validation(s) of "comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment id" Column	
Name	Unique
IF1768 cps jc form comments	No

Table(s) of "cps birth match" Picture Object	
<b>Name</b>	cps birth match
<b>Comment</b>	Contains information from DCH_BIRTH_MATCH, along with additional DHS information that is used for matching children/parents with the unfit parents list.

Column(s) of "cps birth match" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
birth_match_id	NUMBER	NOT NULL	Database sequence number that uniquely identifies each CPS_BIRTH_MATCH record	Yes	No
dch_extract_id	VARCHAR2(9)	NULL	Database sequence number from the DCH system that in combination with DCH_CHILD_ID, uniquely identifies the DCH records.	No	No
dch_child_id	VARCHAR2(9)	NULL	Database sequence number that identifies the child from the DCH system; used in combination with DCH_EXTRACT_ID to uniquely identify a DCH record.	No	No
child_name	VARCHAR2(35)	NULL	Non-parsed, full name of the child.	No	No
child_first_name	VARCHAR2(50)	NULL	Child's first name.	No	No
child_middle_name	VARCHAR2(50)	NULL	Child's middle name (or initial).	No	No
child_last_name	VARCHAR2(50)	NULL	Child's last name.	No	No
child_name_suffix	VARCHAR2(6)	NULL	Contains name suffix codes; e.g. Jr., Sr., II, III, etc.	No	Yes
child_dob	VARCHAR2(10)	NULL	Child's date of birth.	No	No
child_gender_ind	VARCHAR2(1)	NULL	Child's gender (M: Male, F: Female).	No	No
birthplace_hospital_name	VARCHAR2(40)	NULL	Hospital's name where the child was born.	No	No
hospital_code	NUMBER(3)	NULL	DCH code for hospitals.	No	No
mother_name	VARCHAR2(20)	NULL	Non-parsed, full name of the mother.	No	No
mother_first_name	VARCHAR2(50)	NULL	Mother's first name.	No	No
mother_middle_name	VARCHAR2(50)	NULL	Mother's middle name (or initial).	No	No
mother_last_name	VARCHAR2(50)	NULL	Mother's last name.	No	No
mother_ssn	NUMBER(9)	NULL	Mother's social security number.	No	No
mother_dob	VARCHAR2(10)	NULL	Mother's date of birth.	No	No
mother_maiden_name	VARCHAR2(50)	NULL	Mother's maiden name.	No	No
mother_street	VARCHAR2(25)	NULL	Street name for the mother's address.	No	No
mother_street_number	VARCHAR2(10)	NULL	Street number for the mother's (parsed) address.	No	No
mother_street_dir	VARCHAR2(10)	NULL	Street direction for the mother's (parsed) address.	No	No
mother_street_name	VARCHAR2(30)	NULL	Street name for the mother's (parsed) address.	No	No



mother_street_type	VARCHAR2(10)	NULL	Street type (e.g. Ave., Dr., etc.) for the mother's (parsed) address.	No	No
mother_street_post_dir	VARCHAR2(10)	NULL	Street post-direction (e.g. 1st North, where North or N. is the post-direction) for the mother's (parsed) address.	No	No
mother_apt_number	VARCHAR2(10)	NULL	Apartment number/ letter for the mother's (parsed) address.	No	No
mother_city	VARCHAR2(50)	NULL	City for the mother's (parsed) address.	No	No
mother_state	VARCHAR2(2)	NULL	State for the mother's (parsed) address.	No	No
mother_zip	VARCHAR2(10)	NULL	Five or nine digit zip code for the mother's (parsed) address.	No	No
mother_residence - county_no	NUMBER(2)	NULL	County code for the county where the mother resides.	No	No
mother_match_ind	VARCHAR2(1)	NULL	Indicates that the mother was matched/not matched by the following indicators: S: SSN; N: Name and date of birth; and X: No match.	No	No
mother_add_method_code	VARCHAR2(2)	NULL	Codes for the route that the system used for reasons a person is put on the unfit parents list	No	Yes
mother_add_reason	VARCHAR2(500)	NULL	Free-form text for reasons why the mother was added to the unfit parents list.	No	No
mother_unfit_parent_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each CPS_UNFIT_PARENTS record.	No	Yes
mother_recipient_id	VARCHAR2(12)	NULL	ASSIST/CIMS identifying number for the mother.	No	No
mother_ps_role_code	NUMBER(2)	NULL	Role code from PSMIS for the mother.	No	No
mother_ps_county_no	NUMBER(2)	NULL	County code associated with the PSMIS case that is associated with the mother.	No	No
mother_ps_case_number	VARCHAR2(9)	NULL	PSMIS case number associated with the mother.	No	No
mother_referral_date	DATE	NULL	Referral date from PSMIS; or the complaint date for the new SWSS CPS system.	No	No
mother_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central	No	Yes

			office.		
mother_log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
father_name	VARCHAR2(20)	NULL	Non-parsed, full name of the father.	No	No
father_first_name	VARCHAR2(50)	NULL	Father's first name.	No	No
father_middle_name	VARCHAR2(50)	NULL	Father's middle name (or initial).	No	No
father_last_name	VARCHAR2(50)	NULL	Father's last name.	No	No
father_ssn	NUMBER(9)	NULL	Father's social security number.	No	No
father_dob	VARCHAR2(10)	NULL	Father's date of birth.	No	No
father_add_method_code	VARCHAR2(2)	NULL	Codes for the route that the system used for reasons a person is put on the unfit parents list.	No	Yes
father_match_ind	VARCHAR2(1)	NULL	Indicates that the father was matched/ not matched by the following indicators: S: SSN; N: Name and date of birth; and X: No match.	No	No
father_add_reason	VARCHAR2(500)	NULL	Free-form text for reasons why the father was added to the unfit parents list.	No	No
father_unfit_parent_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each CPS_UNFIT_PARENTS record.	No	Yes
father_recipient_id	VARCHAR2(12)	NULL	ASSIST/CIMS identifying number for the father.	No	No
father_ps_role_code	NUMBER(2)	NULL	Role code from PSMIS for the father.	No	No
father_ps_county_no	NUMBER(2)	NULL	County code associated with the PSMIS case that is associated with the father.	No	No
father_ps_case_number	VARCHAR2(9)	NULL	PSMIS case number associated with the father.	No	No
father_referral_date	DATE	NULL	Referral date from PSMIS; or the complaint date for the new SWSS CPS system.	No	No
father_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes

father_log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
record_create_date	DATE	NULL	Date on which the record was created on the DCH table (DCH_BIRTH_MATCH)	No	No
match_made_date	DATE	NULL	Date on which a match was made between the unfit parent and the birth record parent.	No	No

Validation(s) of "birth match id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "birth match id" Column	
Name	Unique
PK_cps_birth_match	Yes

Validation(s) of "dch extract id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dch child id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child name suffix" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child name suffix" Column	
Name	Unique
IF1800_cps_birth_match	No

Validation(s) of "child dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child gender ind" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "birthplace hospital name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "hospital code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother maiden name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street dir" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street type" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother street post dir" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother apt number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother city" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "mother state" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother zip" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother residence county no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother match ind" Column			
Constraint Name	Min	Max	Rule
ck_brthmtch_mthrmitchind			mother_match_ind IN ('S', 'N', 'X')

Valid Value(s) of "ck brthmtch mthrmitchind" Validation		
Data Value	Display Value	Definition
S		SSN match
N		Name and date of birth match
X		No match

Validation(s) of "mother add method code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mother add method code" Column	
Name	Unique
IF1805 cps birth match	No

Validation(s) of "mother add reason" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother unfit parent id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mother unfit parent id" Column	
Name	Unique
IF1810 cps birth match	No

Validation(s) of "mother recipient id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother ps role code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother ps county no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother ps case number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mother referral date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "mother county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mother county no" Column	
Name	Unique
IF1813 cps birth match	No

Validation(s) of "mother log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mother log id" Column	
Name	Unique
IF1813 cps birth match	No

Validation(s) of "father name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father add method code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "father add method code" Column	
Name	Unique
IF1806 cps birth match	No

Validation(s) of "father match ind" Column			
Constraint Name	Min	Max	Rule
ck_brthmtch_fthrmitchind			father_match_ind IN ('S', 'N', 'X')

Valid Value(s) of "ck brthmtch fthrmitchind" Validation		
Data Value	Display Value	Definition
S		SSN match
N		Name match
X		No match

Validation(s) of "father add reason" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "father unfit parent id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "father unfit parent id" Column	
Name	Unique
IF1811 cps birth match	No

Validation(s) of "father recipient id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father ps role code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father ps county no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father ps case number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father referral date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "father county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "father county no" Column	
Name	Unique
IF1812 cps birth match	No

Validation(s) of "father log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "father log id" Column	
Name	Unique
IF1812 cps birth match	No

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "match made date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps unfit parents" Picture Object	
<b>Name</b>	cps unfit parents
<b>Comment</b>	Contains information on parents who are determined to be unfit to care for their child.

Column(s) of "cps unfit parents" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
unfit_parent_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each CPS_UNFIT_PARENTS record.	Yes	No
add_method_code	VARCHAR2(2)	NULL	Codes for the route that the system used for reasons a person is put on the unfit parents list.	No	Yes
add_date	DATE	NULL	Date on which a parent was added to the unfit parents list.	No	No
add_reason	VARCHAR2(500)	NULL	Free-form text for reasons why the parent was added to the unfit parents list.	No	No
delete_reason_code	VARCHAR2(2)	NULL	Contains codes for why someone was logically deleted from the unfit parent list.	No	Yes
logical_delete_date	DATE	NULL	Date on which a record was logically deleted (i.e. the parent was deleted so the match does not use it anymore and prevents them from being added on again; but it still resides on the database).	No	No
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
person_id	NUMBER(7)	NULL	SWSS CPS identifier for the parent.	No	No
parent_ssn	NUMBER(9)	NULL	Parent's social security number.	No	No
parent_name	VARCHAR2(20)	NULL	Parent's full name (non-parsed).	No	No
parent_first_name	VARCHAR2(30)	NULL	Parent's first name.	No	No
parent_middle_name	VARCHAR2(30)	NULL	Parent's middle name (or initial).	No	No
parent_last_name	VARCHAR2(30)	NULL	Parent's last name.	No	No
parent_dob	DATE	NULL	Parent's date of birth.	No	No
parent_recipient_id	NUMBER(12)	NULL	ASSIST/CIMS identifying number for the parent.	No	No



parent_role_code	NUMBER(2)	NULL	Role code from PSMIS for the parent.	No	No
case_number	VARCHAR2(9)	NULL	PSMIS case number associated with the parent.	No	No
referral_date	DATE	NULL	Referral date from PSMIS; or the complaint date for the new SWSS CPS system	No	No
ps_county_no	NUMBER(2)	NULL	County number from the PSMIS conversion.	No	No

#### Validation(s) of "unfit parent id" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "unfit parent id" Column

Name	Unique
PK cps unfit parents	Yes

#### Validation(s) of "add method code" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "add method code" Column

Name	Unique
IF1807 cps unfit parents	No

#### Validation(s) of "add date" Column

Constraint Name	Min	Max	Rule

#### Validation(s) of "add reason" Column

Constraint Name	Min	Max	Rule

#### Validation(s) of "delete reason code" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "delete reason code" Column

Name	Unique
IF1808 cps unfit parents	No

#### Validation(s) of "logical delete date" Column

Constraint Name	Min	Max	Rule

#### Validation(s) of "log id" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "log id" Column

Name	Unique
IF1809 cps unfit parents	No

#### Validation(s) of "county no" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "county no" Column

Name	Unique
------	--------

IF1809 cps unfit parents	No
--------------------------	----

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent recipient id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent role code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "case number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "referral date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ps county no" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps add method codes" Picture Object	
<b>Name</b>	cps add method codes
<b>Comment</b>	Contains codes and descriptions for the route that the system used for reasons a person is put on the unfit parents list.

Column(s) of "cps add method codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
add_method_code	VARCHAR2(2)	NOT NULL	Codes for the route that the system used for reasons a person is put on the unfit parents list	Yes	No
description	VARCHAR2(70)	NULL	Explanation of ADD_METHOD_CODE.	No	No
end_date	DATE	NULL	Date on which an ADD_METHOD_CODE is no longer valid for use in the application.	No	No

Validation(s) of "add method code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "add method code" Column	
Name	Unique
PK cps add method codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps delete reason codes" Picture Object	
<b>Name</b>	cps delete reason codes
<b>Comment</b>	Contains codes and descriptions for why someone was logically deleted from the unfit parent list.

Column(s) of "cps delete reason codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
delete_reason_code	VARCHAR2(2)	NOT NULL	Contains codes for why someone was logically deleted from the unfit parent list	Yes	No
description	VARCHAR2(60)	NULL	Explanation of DELETE_REASON_CODE.	No	No
end_date	DATE	NULL	Date on which a DELETE_REASON_CODE is no longer valid for use in the application.	No	No

Validation(s) of "delete reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "delete reason code" Column	
Name	Unique
PK cps delete reason codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "nicknames" Picture Object	
<b>Name</b>	nicknames
<b>Comment</b>	Nickname and name abbreviations from a CIMS report/process.

Column(s) of "nicknames" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
name_abbreviation	VARCHAR2(4)	NULL	An abbreviation for a person's name as used in CIMS.	No	No
column_a_soundex	VARCHAR2(4)	NULL	Soundex from a CIMS report for a person's name.	No	No
nickname	VARCHAR2(4)	NULL	Four-letter abbreviation for a person's nickname as found in CIMS.	No	No
column_b_soundex	VARCHAR2(4)	NULL	Soundex from a CIMS report for a person's name.	No	No

Validation(s) of "name abbreviation" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "column a soundex" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "nickname" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "column b soundex" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cdr child fatalities" Picture Object	
Name	cdr child fatalities
Comment	Contains information about a child's death; or multiple children's death.

Column(s) of "cdr child fatalities" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
child_fatality_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number to allow for multiple records for each cps case	Yes	No
hospital_id	NUMBER	NULL	Database generated sequence number that uniquely identifies a hospital.	No	Yes
other_agency_text	VARCHAR2(4000)	NULL	Free-form text for identifying other agencies that were involved in the report of the child's death.	No	No
circumstance_comment	CLOB	NULL	Free-form text to explain the circumstances of the child's death.	No	No
dhs_report_date	DATE	NULL	Date on which the DHS report was completed.	No	No
supervising_role_code	VARCHAR2(2)	NULL	Contains codes for the perpetrator's relationship to the victim.	No	Yes
water_body_code	NUMBER(2)	NULL	Contains codes for general types of water bodies (e.g. pond, lake, etc.) where a child's death occurred.	No	Yes
event_location_code	NUMBER(2)	NULL	Contains codes for where a child's death occurred.	No	Yes
other_location_text	VARCHAR2(100)	NULL	Free-form text for further explanation, when "Other" is chosen for either WATER_BODY_CODE, or EVENT_LOCATION_CODE.	No	No
adopted_children_in_home	NUMBER(2)	NULL	The number of adopted children in the home.	No	No
police_notification_comment	VARCHAR2(4000)	NULL	Free-form text for comments associated with notifying the police regarding a child's death.	No	No

coroner_name	VARCHAR2(100)	NULL	Free-form text for the name of the coroner.	No	No
autopsy_results	VARCHAR2(4000)	NULL	Free-form text for the results of the autopsy.	No	No
media_comment	VARCHAR2(4000)	NULL	Free-form text for information given to the media regarding the child's death.	No	No
supervising_comment	VARCHAR2(4000)	NULL	Free-form text for comments about the supervision of the child.	No	No
inadequate_supv_comment	VARCHAR2(4000)	NULL	Free-form text for comments about any inadequate supervision of the child.	No	No
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
institution_contact_first_name	VARCHAR2(30)	NULL		No	No
institution_contact_last_name	VARCHAR2(30)	NULL		No	No
institution_contact_phone	NUMBER(10)	NULL		No	No
incident_occurred_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
incident occurred text	VARCHAR2(200)	NULL		No	No
num_children_in_home_at_death	NUMBER(2)	NULL		No	No
person_in_charge_first_name	VARCHAR2(30)	NULL		No	No
person_in_charge_mid_name	VARCHAR2(30)	NULL		No	No
person_in_charge_last_name	VARCHAR2(30)	NULL		No	No
facility_type_code	NUMBER(2)	NULL		No	Yes
other_facility_type_text	VARCHAR2(100)	NULL	Description of a facility that is described as 'Other' in the facility_type_codes table.	No	No

licensing_consultant_name	VARCHAR2(60)	NULL		No	No
submitted_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
submitted by date	DATE	NULL		No	No
supvsr_review_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
supvsr review date	DATE	NULL		No	No
supvsr review ind	VARCHAR2(1)	NULL		No	No
supvsr review text	VARCHAR2(4000)	NULL		No	No
treating_person_facility_name	VARCHAR2(100)	NULL		No	No
treating_person_facility_phone	NUMBER(10)	NULL		No	No
institution name	VARCHAR2(100)	NULL		No	No
institution_license_number	VARCHAR2(20)	NULL		No	No
institution_address_line1	VARCHAR2(60)	NULL		No	No
institution_address_line2	VARCHAR2(60)	NULL		No	No
institution city	VARCHAR2(30)	NULL		No	No
institution_state_code	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	No	Yes
institution zip	VARCHAR2(10)	NULL		No	No
official death code	NUMBER(2)	NULL		No	Yes
cps_info_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
cps_info_log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
cps notification date	DATE	NULL		No	No
out of state ind	VARCHAR2(1)	NULL		No	No
record create date	DATE	NULL		No	No

#### Validation(s) of "county no" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "county no" Column

Name	Unique
PK cdr child fatalities	Yes
IF1874 cdr child fatalities	No

#### Validation(s) of "log\_id" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "log\_id" Column

Name	Unique
------	--------



PK cdr child fatalities	Yes
IF1874 cdr child fatalities	No

Validation(s) of "child fatality app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child fatality app seq" Column	
Name	Unique
PK cdr child fatalities	Yes

Validation(s) of "hospital id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "hospital id" Column	
Name	Unique
IF1863 cdr child fatalities	No

Validation(s) of "other agency text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "circumstance comment" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dhs report date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supervising role code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "supervising role code" Column	
Name	Unique
IF1868 cdr child fatalities	No

Validation(s) of "water body code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "water body code" Column	
Name	Unique
IF1867 cdr child fatalities	No

Validation(s) of "event location code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "event location code" Column	
Name	Unique
IF1866 cdr child fatalities	No

Validation(s) of "other location text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adopted children in home" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "police notification comment" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "coroner name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "autopsy results" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "media comment" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supervising comment" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "inadequate supv comment" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column	
Name	Unique
IF1869 cdr child fatalities	No

Validation(s) of "provider type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider type" Column	
Name	Unique
IF1869 cdr child fatalities	No

Validation(s) of "institution contact first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution contact last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution contact phone" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "incident occurred county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "incident occurred county no" Column	
Name	Unique
IF1870 cdr child fatalities	No

Validation(s) of "incident occurred text" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "num children in home at death" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "person in charge first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "person in charge mid name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "person in charge last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "facility type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "facility type code" Column	
Name	Unique
IF1871 cdr child fatalities	No

Validation(s) of "other facility type text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "licensing consultant name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "submitted by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "submitted by worker id" Column	
Name	Unique
IF1873 cdr child fatalities	No

Validation(s) of "submitted by date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supvsr review worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "supvsr review worker id" Column	
Name	Unique
IF1872 cdr child fatalities	No

Validation(s) of "supvsr review date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supvsr review ind" Column			
Constraint Name	Min	Max	Rule
ck chldflts spvrwi 413584056			supvsr review ind IN ('Y', 'N')

Valid Value(s) of "ck chldflts spvrwi 413584056" Validation		
Data Value	Display Value	Definition

Y	Y	Yes
N	N	No

Validation(s) of "supvsr review text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "treating person facility name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "treating person facility phone" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution license number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution address line1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution address line2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution city" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "institution state code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "institution state code" Column	
Name	Unique
IF1875 cdr child fatalities	No

Validation(s) of "institution zip" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "official death code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "official death code" Column	
Name	Unique
IF1876 cdr child fatalities	No

Validation(s) of "cps info county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cps info county no" Column	
Name	Unique

IF1877 cdr child fatalities	No
-----------------------------	----

Validation(s) of "cps info log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cps info log id" Column	
Name	Unique
IF1877 cdr child fatalities	No

Validation(s) of "cps notification date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "out of state ind" Column			
Constraint Name	Min	Max	Rule
ck chldflts outstin 975059139			out of state ind IN ('Y')

Valid Value(s) of "ck chldflts outstin 975059139" Validation		
Data Value	Display Value	Definition
Y	Y	Yes

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cps police notifications" Picture Object	
Name	cps police notifications
Comment	Contains links to CPS_CHILD_FATALITIES and POLICE_DEPARTMENTS tables to identify all law enforcement agencies that were notified and involved in a child's or children's death.

Column(s) of "cps police notifications" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
child_fatality_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number to allow for multiple records for each cps case	Yes	Yes
police_department_id	NUMBER	NOT NULL	System generated sequence number that uniquely identifies each police department, sheriff's office, etc.	Yes	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_cps_police_notifications	Yes
IF1850_cps_police_notification	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_cps_police_notifications	Yes
IF1850_cps_police_notification	No

Validation(s) of "child_fatality_app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child_fatality_app_seq" Column	
Name	Unique
PK_cps_police_notifications	Yes
IF1850_cps_police_notification	No

Validation(s) of "police_department_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "police_department_id" Column	
Name	Unique

PK cps police notifications	Yes
IF1849 cps police notification	No

Table(s) of "cps transfers" Picture Object	
<b>Name</b>	cps transfers
<b>Comment</b>	Contains links to FIVEDAY_PACKET and CPS_QUESTIONS tables for those items to verify with transfers from CPS to Foster Care or Adoption.

Column(s) of "cps transfers" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
fiveday_pkt_id	NUMBER	NOT NULL	System generated number that uniquely identifies each Five-day Packet	Yes	Yes
cps_question_code	VARCHAR2(20)	NOT NULL	Contains codes for the CPS questions that are asked throughout the various CANS modules.	Yes	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK cps transfers	Yes
IF1854 cps transfers	No

Validation(s) of "fiveday pkt id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "fiveday pkt id" Column	
Name	Unique
PK cps transfers	Yes
IF1854 cps transfers	No

Validation(s) of "cps question code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cps question code" Column	
Name	Unique
PK cps transfers	Yes
IF1856 cps transfers	No



Table(s) of "cdr event location codes" Picture Object	
<b>Name</b>	cdr event location codes
<b>Comment</b>	Contains codes and descriptions for where a child's death occurred.

Column(s) of "cdr event location codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
event_location_code	NUMBER(2)	NOT NULL	Contains codes for where a child's death occurred.	Yes	No
description	VARCHAR2(60)	NULL	Explanation of EVENT_LOCATION_CODE.	No	No
end_date	DATE	NULL	Date on which a code is no longer displayed in the list of values; but remains in the table to accomodate previous use in a related, data table. Some codes, when end-dated, may also be converted to a different code in data tables; and remain in this code table for historic reasons.	No	No

Validation(s) of "event location code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "event location code" Column	
Name	Unique
PK cdr event location codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cdr water body codes" Picture Object	
<b>Name</b>	cdr water body codes
<b>Comment</b>	Contains codes and descriptions for bodies of water where a child's death has occurred.

Column(s) of "cdr water body codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
water_body_code	NUMBER(2)	NOT NULL	Contains codes for general types of water bodies (e.g. pond, lake, etc.) where a child's death occurred.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of WATER_BODY_CODE.	No	No
end_date	DATE	NULL	Date on which a code is no longer displayed in the list of values; but remains in the table to accomodate previous use in a related, data table. Some codes, when end-dated, may also be converted to a different code in data tables; and remain in this code table for historic reasons.	No	No

Validation(s) of "water body code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "water body code" Column	
Name	Unique
PK cdr water body codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cdr child fatality programs" Picture Object	
<b>Name</b>	cdr child fatality programs
<b>Comment</b>	Contains links to CDR_CHILD_FATALITIES and PROGRAM tables to allow for multiple programs associated with the child's death.

Column(s) of "cdr child fatality programs" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
child_fatality_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number to allow for multiple records for each cps case.	Yes	Yes
program_code	VARCHAR2(4)	NOT NULL	Codes for the SWSS programs; i.e. (Code: Description) REF: CPS Referral ADPT: Adoption CFC: Foster Care CPS: Children's Protective Services JJ: Juvenile Justice ADSB: Adoption Subsidy AS: Adult Services PREV: Prevention GRD: Guardianship	Yes	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK cdr child fatality programs	Yes
IF1871 cdr child fatality prog	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK cdr child fatality programs	Yes
IF1871 cdr child fatality prog	No

Validation(s) of "child_fatality_app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child_fatality_app_seq" Column	
Name	Unique
PK cdr child fatality programs	Yes
IF1871 cdr child fatality prog	No

Validation(s) of "program_code" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "program code" Column	
Name	Unique
PK cdr child fatality programs	Yes
IF1870 cdr child fatality prog	No

Table(s) of "central_registry_match" Picture Object	
Name	central_registry_match
Comment	

Column(s) of "central_registry_match" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
central_registry_id	NUMBER	NOT NULL	Unique identifier from the swss. central_registry table (i.e. central_registry. central_registry_id)	Yes	No
provider_id	NUMBER	NOT NULL	PROVIDER_ID from SWSS (via Model Payments) for Day Care Providers.	Yes	No
source_match_ind	NUMBER(1)	NULL	Indicates (0) the match is valid; (-1) should be broken; and (1) re-established	No	No
create_date	DATE	NULL	Date on which the record was created.	No	No
modified_date	DATE	NULL	Date on which the record was modified.	No	No
expunged_ind	NUMBER(1)	NULL		No	No

Validation(s) of "central_registry_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "central_registry_id" Column	
Name	Unique
PK central_registry_match	Yes

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
PK central_registry_match	Yes

Validation(s) of "source_match_ind" Column			
Constraint Name	Min	Max	Rule
ck_cntrlrgmtch_srcm_1503313295			source_match_ind IN (0, 1, -1)

Valid Value(s) of "ck_cntrlrgmtch_srcm_1503313295" Validation		
Data Value	Display Value	Definition
0	0	Valid
1	1	Re-established
-1	-1	Should be broken

Validation(s) of "create_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "expunged_ind" Column			
Constraint Name	Min	Max	Rule
ck_cntrlrgmtch_expng_838975959			expunged_ind IN (0, -1)

Valid Value(s) of "ck_cntrlrgmtch_expng_838975959" Validation		
Data Value	Display Value	Definition

0	0	
-1		

Table(s) of "cent reg dw extract logs" Picture Object	
<b>Name</b>	cent reg dw extract logs
<b>Comment</b>	

Column(s) of "cent reg dw extract logs" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
cent_reg_dw_extract_log_id	NUMBER	NOT NULL		Yes	No
system_job_name	VARCHAR2(70)	NOT NULL		No	No
job_name	VARCHAR2(70)	NOT NULL		No	No
step_alias_name	VARCHAR2(70)	NOT NULL		No	No
step_start_time	DATE	NOT NULL		No	No
step_stop_time	DATE	NULL		No	No
step_status_code	VARCHAR2(1)	NOT NULL		No	No
dw_commit_date	DATE	NULL		No	No
last_batch_sequence_id	NUMBER(10)	NULL		No	No
close_of_business_date	DATE	NULL		No	No

Validation(s) of "cent reg dw extract log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cent reg dw extract log id" Column	
Name	Unique
PK cent reg dw extract logs	Yes

Validation(s) of "system_job_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "job_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "step_alias_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "step_start_time" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "step_stop_time" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "step_status_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dw_commit_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last_batch_sequence_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close_of_business_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cent reg gbl tmp step date" Picture Object	
<b>Name</b>	cent reg gbl tmp step date
<b>Comment</b>	

Column(s) of "cent reg gbl tmp step date" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
cent_reg_dw_extra-ct_log_id	NUMBER	NOT NULL		Yes	No
starting_business_date	DATE	NULL		No	No
ending_business_date	DATE	NULL		No	No
last_batch_sequence_id	NUMBER(10)	NULL		No	No

Validation(s) of "cent reg dw extract log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cent reg dw extract log id" Column	
Name	Unique
PK cent reg gbl tmp step date	Yes


Validation(s) of "starting_business_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ending_business_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last_batch_sequence_id" Column			
Constraint Name	Min	Max	Rule



## funding / physical



Table(s) of "parent work history" Picture Object	
<b>Name</b>	parent work history
<b>Comment</b>	Contains information on the parents' employment history; used for funding determinations.

Column(s) of "parent work history" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
employment_no	NUMBER	NOT NULL	System generated number that uniquely identifies each occurrence of a parent's work history.	Yes	No
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
emp_start_date	DATE	NULL	Starting date of this occurrence of the parent's employment.	No	No
emp_end_date	DATE	NULL	Ending date of this occurrence of the parent's employment.	No	No
employer_name	VARCHAR2(20)	NULL	Name of the employer for this occurrence of the parent's employment.	No	No

Validation(s) of "employment no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "employment no" Column	
Name	Unique
PK parent work history	Yes

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
IF1078 parent work history	No

Validation(s) of "emp start date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "emp end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "employer name" Column			
Constraint Name	Min	Max	Rule

Table(s) of "funding questions" Picture Object	
<b>Name</b>	funding_questions
<b>Comment</b>	Contains codes and descriptions for questions that are generally enquired upon while doing a funding determination (Initial or re-determination).

Column(s) of "funding_questions" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
funding_quest_code	VARCHAR2(12)	NOT NULL	Codes for the funding questions which are generally enquired upon at the time of funding eligibility determination; e.g. (Code: Description) I_IVE_ELIG: Is youth eligible for TITLE IV E funding based on information so far? I_IVE_EX: Is youth eligible except for current placement or court order limitations? R_C6: Is youth ADC-FC eligible based on answers to questions 1-5, section C? U_1: Is there an unfinished determination on this log number? etc.	Yes	No
description	VARCHAR2(500)	NULL	Explanation of FUNDING_QUESTION_CODE.	No	No
brief_desc	VARCHAR2(50)	NULL	Brief explanation of FUNDING_QUESTION_CODE used for display purposes on application form.	No	No

Validation(s) of "funding_quest_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding_quest_code" Column	
Name	Unique
PK_funding_questions	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "brief_desc" Column			
Constraint Name	Min	Max	Rule

Table(s) of "income asset type" Picture Object	
<b>Name</b>	income asset type
<b>Comment</b>	Contains codes and descriptions for types of income or assets; e.g. 1 SSB Social Security Benefits 1 VB Veteran's Benefits 1 CCP Circuit Court Ordered Parental Support 1 JVP Juvenile Court Ordered Parental Support, etc.

Column(s) of "income asset type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
income_asset_type_code	VARCHAR2(5)	NOT NULL	Codes for the income or asset types; e.g. (Code: Description) 1 SSB: Social Security Benefits 1 VB: Veteran's Benefits 1 CCP: Circuit Court Ordered Parental Support A_VH1: Primary Vehicle A_VH2: Vehicle 2 etc.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of INCOME_ASSET_-TYPE_CODE.	No	No
brief_desc	VARCHAR2(30)	NULL	Brief explanation of INCOME_ASSET_-TYPE_CODE used for display purposes on the application form.	No	No

Validation(s) of "income asset type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "income asset type code" Column	
Name	Unique
PK_income_asset_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "brief_desc" Column			
Constraint Name	Min	Max	Rule

Table(s) of "funding answers" Picture Object	
Name	funding_answers
Comment	Contains the corresponding answers for each question asked in a funding eligibility determination.

Column(s) of "funding answers" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
funding_no	NUMBER	NOT NULL	A system generated number that uniquely identifies each funding determination.	Yes	Yes
funding_quest_code	VARCHAR2(12)	NOT NULL	Codes for the funding questions which are generally enquired upon at the time of funding eligibility determination; e.g. (Code: Description) I_IVE_ELIG: Is youth eligible for TITLE IV E funding based on information so far? I_IVE_EX: Is youth eligible except for current placement or court order limitations? R_C6: Is youth ADC-FC eligible based on answers to questions 1-5, section C? U_1: Is there an unfinished determination on this log number? etc.	Yes	Yes
answer	VARCHAR2(300)	NULL	Answer for the funding question; usually a Y or N, but could be more descriptive for certain funding questions.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
incapacity_type_code	NUMBER(1)	NULL	Contains codes for the type of incapacity for the person; used for funding	No	Yes
associated_date	DATE	NULL	A date associated with the ANSWER or ANSWER_IND. Some questions, depending how answered, will ask for a date if the answer is for example "Yes".	No	No

answer_ind	VARCHAR2(1)	NULL	Indicates (Y) yes, (N) no, or (U) unknown as the answer to a particular FUNDING QUEST CODE.	No	No
------------	-------------	------	---	----	----

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK_funding_answers	Yes
NU_funding_answers	No
XIF538funding_answers	No

Validation(s) of "funding no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding no" Column	
Name	Unique
PK_funding_answers	Yes
NU_funding_answers	No
XIF538funding_answers	No

Validation(s) of "funding quest code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding quest code" Column	
Name	Unique
PK_funding_answers	Yes
IF546_funding_answers	No

Validation(s) of "answer" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "incapacity type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "incapacity type code" Column	
Name	Unique
IF1752_funding_answers	No

Validation(s) of "associated date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "answer ind" Column			
Constraint Name	Min	Max	Rule
ck_fa_answrind			answer_ind IN ('Y', 'N', 'U')

Valid Value(s) of "ck_fa_answrind" Validation		
Data Value	Display Value	Definition
Y		Yes

N		No
U		Unknown

Table(s) of "income asset" Picture Object	
Name	income asset
Comment	Contains an answer of yes, no, or unknown for every type of income or asset for each case member; along with the dollar amount if the answer is yes.

Column(s) of "income asset" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
income_asset_seq_no	NUMBER	NOT NULL	System generated number that uniquely identifies each occurrence of income and asset information for a person or a funding group.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
funding_no	NUMBER	NULL	A system generated number that uniquely identifies each funding determination.	No	Yes
income_asset_type_code	VARCHAR2(5)	NULL	Codes for the income or asset types; e.g. (Code: Description) I_SSB: Social Security Benefits I_VB: Veteran's Benefits I_CCP: Circuit Court Ordered Parental Support A_VH1: Primary Vehicle A_VH2: Vehicle 2 etc.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
change_date	DATE	NOT NULL	Date on which income or asset information may change.	No	No
amount	NUMBER(10,2)	NULL	Dollar amount for the asset or income.	No	No
claim_docket_no	VARCHAR2(10)	NULL	Claim number or docket number for income in certain income categories.	No	No
check_date	DATE	NULL	Check date for earned income data.	No	No
other_name	VARCHAR2(50)	NULL	In case the asset or income does not fall in a pre-defined category, this is the description when	No	No



			INCOME_ASSET_- TYPE_CODE is I_OTH (other) or A_OTH.		
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
answer_ind	VARCHAR2(1)	NULL	Indicates that (Y) a specific individual (by PERSON_ID) has income or assets as identified by INCOME_ASSET_- TYPE_CODE; or (N) not; or NULL.	No	No

Validation(s) of "income asset seq no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "income asset seq no" Column	
Name	Unique
PK_income_asset	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK_income_asset	Yes
NU_income_asset	No
IF984_income_asset	No

Validation(s) of "funding no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding no" Column	
Name	Unique
IF984_income_asset	No

Validation(s) of "income asset type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "income asset type code" Column	
Name	Unique
IF544_income_asset	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
NU_income_asset	No
XIF985income_asset	No

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique

NU income asset	No
XIF985income asset	No

Validation(s) of "change date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "claim docket no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "check date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "other name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "answer ind" Column			
Constraint Name	Min	Max	Rule
ck ia answrind			answer ind IN ('Y', 'N', 'U')

Valid Value(s) of "ck ia answrind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
U		Unknown

Table(s) of "funding determination" Picture Object	
<b>Name</b>	funding_determination
<b>Comment</b>	Contains information for each funding eligibility determination. Identified by a system generated sequence number (FUNDING_NO).

Column(s) of "funding determination" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
funding_no	NUMBER	NOT NULL	A system generated number that uniquely identifies each funding determination	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
child_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
determ_date	DATE	NULL	Date on which the funding determination is made. This is NOT the same as FUNDING_DETERMINATION_EFFECTIVE_MONTH.	No	No
no_grp_members	NUMBER	NULL	Number of persons in the family group in order to calculate income to compare with "need standard" for the budget (funding determination) specific to the shelter area.	No	No
dt_left_home	DATE	NULL	Date on which the child left home if he/she did not live with specified relative for a period six months prior to date the petition for removal was filed.	No	No
effective_month	DATE	NULL	Calendar month for which this budget (funding determination) is being carried out. All income figures are for this effective month.	No	No
initial_ind	VARCHAR2(1)	NULL	Indicates the status and type of this funding determination; i.e. (I) initial, (U) unfinished initial, (R) redetermination, and (V) unfinished redetermination.	No	No

title_4e_eligible	VARCHAR2(1)	NULL	Indicates that (Y) Title IVE funding eligibility is applicable; or (N) not.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
conversion_origin_ind	VARCHAR2(1)	NULL	Indicates that this case was (Y) converted into SWSS from an external system such as CIS; or (N) not converted, but a new case generated within SWSS.	No	No
hearing_request_ind	VARCHAR2(1)	NULL	Indicates that (Y), the client has requested an administrative hearing to continue Title IVE funding which was cancelled; or (N) not.	No	No
hearing_request_date	DATE	NULL	Date on which the client has requested an administrative hearing (must be within 11 days of most recent funding determination).	No	No
resolved_ind	VARCHAR2(1)	NULL	Indicates that (Y), the administrative hearing has been resolved; or (N) not.	No	No
resolved_date	DATE	NULL	Date on which the administrative hearing was resolved.	No	No
admin_decision_ind	VARCHAR2(1)	NULL	Indicates that (Y), yes Title IVE funding continues; or (N) not.	No	No
conv_valid_date	DATE	NULL	Date on which the worker validates the converted, initial, funding determination for converted cases.	No	No
funding_redet_date	DATE	NULL	Date on which funding redetermination is either due or has been done.	No	No
logical_delete	VARCHAR2(1)	NULL	Indicates that (Y) the record remains in the database, but will not be displayed on the screen; or (N; NULL) will display on the screen.	No	No

Validation(s) of "funding_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding_no" Column	
Name	Unique
PK_funding_determination	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "county no" Column	
Name	Unique
PK funding determination	Yes
NU funding determination	No
XIF537funding determination	No

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
NU funding determination	No
XIF537funding determination	No

Validation(s) of "child id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child id" Column	
Name	Unique
NU funding determination	No
XIF537funding determination	No

Validation(s) of "determ date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "no grp members" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dt left home" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "effective month" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "initial ind" Column			
Constraint Name	Min	Max	Rule
ck fd initind			initial ind IN ('I', 'U', 'R', 'V')

Valid Value(s) of "ck fd initind" Validation		
Data Value	Display Value	Definition
I		Initial funding determination
U		Unfinished initial funding determination
R		Redetermination of funding
V		Unfinished redetermination of funding

Validation(s) of "title 4e eligible" Column			
Constraint Name	Min	Max	Rule
ck fd title4elig			title 4e eligible IN ('Y', 'N')

Valid Value(s) of "ck fd title4elig" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "conversion origin ind" Column			
Constraint Name	Min	Max	Rule
ck_fd_convorgind			conversion_origin_ind IN ('Y', 'N')

Valid Value(s) of "ck fd convorgind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "hearing request ind" Column			
Constraint Name	Min	Max	Rule
ck_fd_hrngrqstind			hearing_request_ind IN ('Y', 'N')

Valid Value(s) of "ck fd hrngrqstind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "hearing request date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "resolved ind" Column			
Constraint Name	Min	Max	Rule
ck_fd_rslvdind			resolved_ind IN ('Y', 'N')

Valid Value(s) of "ck fd rslvdind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "resolved date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "admin decision ind" Column			
Constraint Name	Min	Max	Rule
ck_fd_admnscsnind			admin_decision_ind IN ('Y', 'N')

Valid Value(s) of "ck fd admnscsnind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "conv valid date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "funding redet date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "logical delete" Column			
Constraint Name	Min	Max	Rule
ck_fd_logdelete			logical_delete IN ('Y', 'N')

Valid Value(s) of "ck fd logdelete" Validation		
Data Value	Display Value	Definition
Y		Yes

N		No
---	--	----

Table(s) of "case person" Picture Object	
<b>Name</b>	case_person
<b>Comment</b>	Contains all members (children, parents, relatives, others, but not providers) of a case. Data elements are specific to all members as they relate to a child, but does not include data about a child other than his/her LOG_ID and PERSON_ID.

Column(s) of "case person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
person_status	VARCHAR2(1)	NULL	Person's status in this case; i.e. (A) active or (I) inactive.	No	No
sib_grp_id	NUMBER	NOT NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
previous_relation	VARCHAR2(2)	NULL	Codes for types of relations; e.g. (Code: Description) AC: Adopted Child AP: Adoptive Parent AS: Adoptive Sibling AU: Aunt/Uncle BP: Biological Parent etc.	No	Yes
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes



provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
have_custody	VARCHAR2(1)	NULL	Indicates if this person (Y) had custody of the child at time of removal; or (N) not.	No	No
lived_with_child	VARCHAR2(1)	NULL	Indicates that this person (Y) lived with the child at time of removal; or (N) not.	No	No
shows_interest	VARCHAR2(1)	NULL	Indicates that (Y) this person shows interest in the child; or (N) not.	No	No
shows_interest_text	VARCHAR2(80)	NULL	Free-form text for an explanation of why the person does or does not show interest in the child	No	No
emergency_contact	VARCHAR2(1)	NULL	Indicates that (Y) the person is an emergency contact for the child; or (N) not.	No	No
legal_parent	VARCHAR2(1)	NULL	Indicates that the person (Y) is the child's legal parent; or (N) not.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
prev_legal_parent	VARCHAR2(1)	NULL	Indicates that (Y) this person is the previous legal parent; or (N) not.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database.	No	No
payee_ind	VARCHAR2(1)	NULL	Indicates if the person in the case is the payee or not.	No	No
qualified_sib_ind	VARCHAR2(1)	NULL	Indicates if the person is qualified for reunification or not.	No	No
complaint_member_ind	VARCHAR2(1)	NULL	Indicates that (Y) the member was identified as part of the case at the time of the CPS complaint; or (N/ NULL) not.	No	No

letter_to_tip	VARCHAR2(1)	NULL	Indicates that (Y) a letter has been sent to the Tuition Incentive Program (TIP); or (N) not.	No	No
diploma	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their diploma; or (N) not.	No	No
diploma_endorsed	VARCHAR2(1)	NULL	Indicates that (Y) the child has passed all high school MEAP tests with appropriate scores, so their diploma was endorsed by the state of Michigan; or (N) not.	No	No
ged_received	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their GED; or (N) not.	No	No
primary_doctor_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
primary_doctor_provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
primary_dentist_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

primary_dentist_prov_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
parent_on_len_ind	VARCHAR2(1)	NULL	Identifies that (Y) the person for this record is listed as the parent on the law enforcement notification; or (N) not; or NULL.	No	No
complaint_source_ind	VARCHAR2(1)	NULL	Indicates that (Y) this person is the source of the complaint in CPS; or (N) not; or NULL.	No	No
non_custodial_parent_ind	VARCHAR2(1)	NULL	Indicates that (Y) a person identified in this record, is a non-custodial parent; or (N) not; or NULL.	No	No
adsub_inactive_ind	VARCHAR2(1)	NULL	Indicates if adoption subsidy for this person is inactive.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK case person	Yes
NU case person	No
IF485 case person	No

Validation(s) of "person_status" Column			
Constraint Name	Min	Max	Rule
ck_cp_persstat			person_status IN ('D', 'A', 'I')

Valid Value(s) of "ck_cp_persstat" Validation		
Data Value	Display Value	Definition
D		Deceased
A		Active
I		Inactive

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
NU case person	No
IF1102 case person	No

Validation(s) of "previous_relation" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "previous_relation" Column	
Name	Unique
IF427 case person	No

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
IF404 case person	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp10			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp10" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider_type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique
IF404 case person	No

Validation(s) of "have_custody" Column			
Constraint Name	Min	Max	Rule
ck_cp_havecust			have_custody IN ('Y', 'N')

Valid Value(s) of "ck_cp_havecust" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "lived_with_child" Column			
Constraint Name	Min	Max	Rule
ck_cp_livwch			lived_with_child IN ('Y', 'N')

Valid Value(s) of "ck_cp_livwch" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "shows_interest" Column			
Constraint Name	Min	Max	Rule
ck_cp_showint			shows_interest IN ('Y', 'N')

Valid Value(s) of "ck_cp_showint" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "shows interest text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "emergency contact" Column			
Constraint Name	Min	Max	Rule
ck cp emergcont			emergency contact IN ('Y', 'N')

Valid Value(s) of "ck cp emergcont" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "legal parent" Column			
Constraint Name	Min	Max	Rule
ck cp legpar			legal parent IN ('Y', 'N')

Valid Value(s) of "ck cp legpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prev legal parent" Column			
Constraint Name	Min	Max	Rule
ck cp prevlegpar			prev legal parent IN ('Y', 'N')

Valid Value(s) of "ck cp prevlegpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck cp phydel			physical delete IN ('Y', 'N')

Valid Value(s) of "ck cp phydel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "payee ind" Column			
Constraint Name	Min	Max	Rule
ck cp payeeind			payee ind IN ('Y', 'N')

Valid Value(s) of "ck cp payeeind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "qualified sib ind" Column			
Constraint Name	Min	Max	Rule
ck cp qualsibind			qualified sib ind IN ('Y', 'N')

Valid Value(s) of "ck cp qualsibind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "complaint_member_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntmembind			complaint_member_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntmembind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "letter_to_tip" Column			
Constraint Name	Min	Max	Rule
ck_cp_lettpt			letter_to_tip IN ('Y', 'N')

Valid Value(s) of "ck_cp_lettpt" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma" Column			
Constraint Name	Min	Max	Rule
ck_cp_dipl			diploma IN ('Y', 'N')

Valid Value(s) of "ck_cp_dipl" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma_endorsed" Column			
Constraint Name	Min	Max	Rule
ck_cp_diplendors			diploma_endorsed IN ('N', 'Y')

Valid Value(s) of "ck_cp_diplendors" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "ged_received" Column			
Constraint Name	Min	Max	Rule
ck_cp_gedrcvd			ged_received IN ('Y', 'N')

Valid Value(s) of "ck_cp_gedrcvd" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "primary_doctor_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_doctor_id" Column	
Name	Unique
IF1618 case person	No

Validation(s) of "primary_doctor_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp11			primary_doctor_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp11" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_doctor_prov_type" Column	
Name	Unique
IF1618 case_person	No

Validation(s) of "primary_dentist_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_dentist_id" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "primary_dentist_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp12			primary_dentist_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp12" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_dentist_prov_type" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "parent_on_len_ind" Column			
Constraint Name	Min	Max	Rule
fk_cp_prntonlenind			parent_on_len_ind IN ('Y', 'N')

Valid Value(s) of "fk_cp_prntonlenind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "complaint_source_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntsrcind			complaint_source_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntsrcind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "non_custodial_parent_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_noncstdlprntind			non_custodial_parent_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_noncstdlprntind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "adsub inactive ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_adsbinctvind			adsub_inactive_ind IN ('Y')

Valid Value(s) of "ck_cp_adsbinctvind" Validation		
Data Value	Display Value	Definition
Y		



Table(s) of "person" Picture Object	
<b>Name</b>	person
<b>Comment</b>	Assigns a system generated sequence number for all people associated with the SWSS case. The PERSON_ID data element is originated here for the SWSS case and is the only data element in this table.

Column(s) of "person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
PK_person	Yes

Table(s) of "sib_group" Picture Object	
<b>Name</b>	sib_group
<b>Comment</b>	Generates the SIB_GRP_ID which considers all members of one or more children's cases as one group to avoid the duplication of data. This is especially true in sibling cases. For instance, if two brothers are on different cases and they have the same parents, then the parents' information need not be repeated. The SIB_GRP_ID when combined with the PERSON_ID, as can be seen in the table GROUP_PERSON, achieves this purpose.

Column(s) of "sib_group" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
sib_grp_id	NUMBER	NOT NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	Yes	No
placed_with_sibs_ind	VARCHAR2(2)	NULL	Indicates that (Y) the siblings are placed together; (N) the siblings are not placed together; (NS) there are no siblings; or NULL.	No	No
not_with_sibs_text	VARCHAR2(4000)	NULL	Free-form text for the worker to enter comments regarding decisions not to place the siblings in the same household.	No	No
sib_split_date	DATE	NULL	Date on which the siblings were split up (not placed together).	No	No
sib_split_approval_date	DATE	NULL	Date on which the supervisor approved placing one or more of the siblings in different foster care homes or facilities.	No	No
dcis_variance_ind	VARCHAR2(1)	NULL	Indicates that (Y), Yes there is a Department of Consumer and Industry Services (DCIS) variance on the license to allow placement of siblings apart from each other; or (N) there is not variance; or (NULL).	No	No
dcis_variance_text	VARCHAR2(200)	NULL	Free-form text for any narrative associated with the Department of Consumer and Industry Services (DCIS) variance for the license to place siblings apart from each other.	No	No

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique

PK sib_group	Yes
--------------	-----

Validation(s) of "placed with sibs ind" Column			
Constraint Name	Min	Max	Rule
ck_sgrp_plcdwthsubsind			placed_with_sibs_ind IN ('Y', 'N', 'NS')

Valid Value(s) of "ck_sgrp_plcdwthsubsind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
NS		No Siblings

Validation(s) of "not with sibs text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "sib_split_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "sib_split_approval_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dcis_variance_ind" Column			
Constraint Name	Min	Max	Rule
ck_sgrp_dcisvrncind			dcis_variance_ind IN ('Y', 'N')

Valid Value(s) of "ck_sgrp_dcisvrncind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "dcis_variance_text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "fund work hist" Picture Object	
<b>Name</b>	fund work hist
<b>Comment</b>	Identifies all instances of a parent's employment history as they relate to a funding determination.

Column(s) of "fund work hist" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
funding_no	NUMBER	NOT NULL	A system generated number that uniquely identifies each funding determination.	Yes	Yes
employment_no	NUMBER	NOT NULL	System generated number that uniquely identifies each occurrence of a parent's work history.	Yes	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK fund work hist	Yes
IF1088 fund work hist	No

Validation(s) of "funding no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding no" Column	
Name	Unique
PK fund work hist	Yes
IF1088 fund work hist	No

Validation(s) of "employment no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "employment no" Column	
Name	Unique
PK fund work hist	Yes
IF1087 fund work hist	No

Table(s) of "incapacity type codes" Picture Object	
<b>Name</b>	incapacity type codes
<b>Comment</b>	Contains codes and descriptions for the type of incapacity for the person; used for funding.

Column(s) of "incapacity type codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
incapacity_type_code	NUMBER(1)	NOT NULL	Contains codes for the type of incapacity for the person; used for funding.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of INCAPACITY_TY-PE_CODE.	No	No
end_date	DATE	NULL	Date on which an INCAPACTIY_TY-PE_CODE is no longer valid for use in the application. NULL values are for codes that are still in use.	No	No


Validation(s) of "incapacity type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "incapacity type code" Column	
Name	Unique
PK incapacity type codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

## geography / Display1



Table(s) of "dual county codes" Picture Object	
<b>Name</b>	dual county codes
<b>Comment</b>	Contains the county numbers and name of the dual counties (i.e. counties that have been combined to provide services as one county).

Column(s) of "dual county codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
dual_county_no_1	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
dual_county_no_2	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
dual_county_name	VARCHAR2(30)	NULL	Name of the dual county. All dual county names are named as they occur alphabetically, with a "/" between. The first occurrence in the name is for DUAL_COUNTY_NO_1 and the second occurrence is for DUAL_COUNTY_NO_2.	No	No
end_date	DATE	NULL	Date on which a dual county combination is no longer considered a dual county.	No	No

Validation(s) of "dual county no 1" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "dual county no 1" Column	
Name	Unique
PK dual county codes	Yes
IF1717 dual county codes	No

Validation(s) of "dual county no 2" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "dual county no 2" Column	
Name	Unique
PK dual county codes	Yes
IF1718 dual county codes	No

Validation(s) of "dual county name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--



Table(s) of "district zipcodes" Picture Object	
<b>Name</b>	district zipcodes
<b>Comment</b>	Contains zip codes associated with a county/district office.

Column(s) of "district zipcodes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
district_no	NUMBER(2)	NOT NULL	Unique 2 digit district number that county offices have designated for each district.	Yes	Yes
zipcode	VARCHAR2(5)	NOT NULL	The five-digit zipcode for a city.	Yes	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK_district_zipcodes	Yes
IF1712_district_zipcodes	No

Validation(s) of "district no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "district no" Column	
Name	Unique
PK_district_zipcodes	Yes
IF1712_district_zipcodes	No

Validation(s) of "zipcode" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "zipcode" Column	
Name	Unique
PK_district_zipcodes	Yes
IF1713_district_zipcodes	No

Table(s) of "state" Picture Object	
<b>Name</b>	state
<b>Comment</b>	Contains codes and descriptions for all fifty states, Washington DC, US Territories, and US armed forces.

Column(s) of "state" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
state_code	VARCHAR2(2)	NOT NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	Yes	No
state_name	VARCHAR2(50)	NULL	Name of the state, etc.	No	No

Validation(s) of "state code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "state code" Column	
Name	Unique
PK state	Yes

Validation(s) of "state name" Column			
Constraint Name	Min	Max	Rule

Table(s) of "phone type" Picture Object	
<b>Name</b>	phone_type
<b>Comment</b>	Contains codes and descriptions for types of phone numbers; e.g. P1 Primary Telephone Number P2 Alternate Telephone Number PM Phone at Mailing Address, etc.

Column(s) of "phone_type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
phone_type_code	VARCHAR2(2)	NOT NULL	Codes for the type of phone number; i. e. (Code: Description) P1: Primary Telephone Number P2: Alternate Telephone Number PM: Phone at Mailing Address F: Fax T: TTD Y: YPSI	Yes	No
description	VARCHAR2(30)	NULL	Explanation of the PHONE_TYPE_CODE.	No	No

Validation(s) of "phone_type_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone_type_code" Column	
Name	Unique
PK_phone_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "address_type" Picture Object	
<b>Name</b>	address_type
<b>Comment</b>	Contains codes and descriptions for types of addresses; i.e. P Primary M Mailing

Column(s) of "address_type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
addr_type_code	VARCHAR2(2)	NOT NULL	Codes for the type of address; i.e. (Code: Description) M: Mailing P: Primary	Yes	No
description	VARCHAR2(30)	NULL	Explanation of ADDR_TYPE_CODE.	No	No

Validation(s) of "addr_type_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "addr_type_code" Column	
Name	Unique
PK address_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "wayne zones" Picture Object	
<b>Name</b>	wayne zones
<b>Comment</b>	Contains codes for the zones within Wayne County.

Column(s) of "wayne zones" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
wayne_zone_no	NUMBER(2)	NOT NULL	County assigned number that uniquely identifies each zone within Wayne county; not to be confused with state zones.	Yes	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK wayne zones	Yes
IF615 wayne zones	No

Validation(s) of "wayne zone no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "wayne zone no" Column	
Name	Unique
PK wayne zones	Yes

Table(s) of "address" Picture Object	
Name	address
Comment	Contains address information uniquely identified by a system generated sequence number.

Column(s) of "address" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
address_id	NUMBER	NOT NULL	System generated number that uniquely identifies an address.	Yes	No
line1	VARCHAR2(60)	NULL	Address line 1, 2, 3 and 4 are used for free-form text of an address.	No	No
line2	VARCHAR2(60)	NULL	Address line 1, 2, 3 and 4 are used for free-form text of an address.	No	No
line3	VARCHAR2(60)	NULL	Address line 1, 2, 3 and 4 are used for free-form text of an address.	No	No
line4	VARCHAR2(60)	NULL	Address line 1, 2, 3 and 4 are used for free-form text of an address.	No	No
street_no	VARCHAR2(10)	NULL	Street number.	No	No
street_direction	VARCHAR2(30)	NULL	Direction of the street; i.e. 235 S. Grand Ave; S (for south) is the STREET_DIRECTION	No	No
street_name	VARCHAR2(30)	NULL	Name of the street; e.g. Sycamore, Walnut, etc.	No	No
street_suffix	VARCHAR2(30)	NULL	Street Suffix; e.g. Drive, Blvd, Circle, etc.	No	No
post_direction	VARCHAR2(3)	NULL	A direction after the street name; e.g. 230 6th Street, NW. NW is the post direction.	No	No
unit	VARCHAR2(10)	NULL	Unit for an address; e.g. Apt. 9, Suite 100, etc.	No	No
city	VARCHAR2(30)	NULL	Name of the city.	No	No
state_code	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	No	Yes
zip	VARCHAR2(10)	NULL	Postal zip code.	No	No
zip_plus	VARCHAR2(10)	NULL	Zip plus code; i.e. currently the four digits after the main five digit zip code.	No	No
country	VARCHAR2(30)	NULL	Name of the country.	No	No
province	VARCHAR2(30)	NULL	Canadian province name.	No	No

Validation(s) of "address_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "address id" Column			
Name	Unique		
PK address	Yes		

Validation(s) of "line1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "line2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "line3" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "line4" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "street no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "street direction" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "street name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "street suffix" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "post direction" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "unit" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "city" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "state code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "state code" Column			
Name	Unique		
IF651 address	No		

Validation(s) of "zip" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "zip plus" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "country" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "province" Column			
Constraint Name	Min	Max	Rule



Table(s) of "phone" Picture Object	
Name	phone
Comment	Contains phone numbers uniquely identified by a system generated sequence number.

Column(s) of "phone" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
phone_id	NUMBER	NOT NULL	System generated number that uniquely identifies a phone number.	Yes	No
foreign_phone	VARCHAR2(30)	NULL	The entire foreign phone number.	No	No
area_code	VARCHAR2(5)	NULL	A number, often with 3 digits, assigned to a telephone calling area, as in the United States and Canada; used when placing a call to another area.	No	No
phone_no	VARCHAR2(10)	NULL	The actual phone number; currently seven digits.	No	No

Validation(s) of "phone_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone_id" Column	
Name	Unique
PK_phone	Yes

Validation(s) of "foreign_phone" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "area_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "phone_no" Column			
Constraint Name	Min	Max	Rule

Table(s) of "shelter area" Picture Object	
<b>Name</b>	shelter area
<b>Comment</b>	Contains codes and descriptions for the shelter areas; used for budget determinations in LOA-2.

Column(s) of "shelter area" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
shelter_area_no	VARCHAR2(1)	NOT NULL	A number (1-6) used to group counties into areas for payments in LOA-2.	Yes	No
description	VARCHAR2(20)	NULL	Explanation of the SHELTER_AREA_NO.	No	No

Validation(s) of "shelter area no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "shelter area no" Column	
Name	Unique
PK shelter area	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "district" Picture Object	
Name	district
Comment	Contains district information identified by COUNTY NO and DISTRICT NO.

Column(s) of "district" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
district_no	NUMBER(2)	NOT NULL	Unique 2 digit district number that county offices have designated for each district.	Yes	No
district_name	VARCHAR2(50)	NULL	Name of the district.	No	No
wayne_zone_no	NUMBER(2)	NULL	County assigned number that uniquely identifies each zone within Wayne county; not to be confused with state zones.	No	Yes
valid_district_ind	VARCHAR2(1)	NULL	Identifies a district as being a (Y) valid district to be used in a load number; or (N) not valid for load number usage.	No	No
adult_ind	VARCHAR2(1)	NULL	Indicates that (Y) a district is valid for use in Adult Services; or (N) not.	No	No
cps_ind	VARCHAR2(1)	NULL	Indicates that (Y) the district processes CPS complaints/ cases; or (N or NULL) not.	No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK_district	Yes
IF1_district	No

Validation(s) of "district no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "district no" Column	
Name	Unique
PK_district	Yes

Validation(s) of "district name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "wayne zone no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "wayne zone no" Column	
Name	Unique
IF797_district	No

Validation(s) of "valid district ind" Column			
Constraint Name	Min	Max	Rule
ck_dis_valdisind			valid_district_ind IN ('Y', 'N')

Valid Value(s) of "ck_dis_valdisind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "adult ind" Column			
Constraint Name	Min	Max	Rule
ck_dis_adultind			adult_ind IN ('Y', 'N')

Valid Value(s) of "ck_dis_adultind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "cps ind" Column			
Constraint Name	Min	Max	Rule
ck_dis_cpsind			cps_ind IN ('Y', 'N')

Valid Value(s) of "ck_dis_cpsind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "county" Picture Object	
<b>Name</b>	county
<b>Comment</b>	List of all the counties in the state of Michigan by county number and name. County number 0 is used for school purposes in all counties and county number 84 is used for the central office.

Column(s) of "county" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	No
zone_no	NUMBER(2)	NULL	A DHS assigned number that uniquely identifies an area within the state. Zones contain one or more counties.	No	Yes
county_name	VARCHAR2(30)	NULL	Name of the county.	No	No
shelter_area_no	VARCHAR2(1)	NULL	A number (1-6) used to group counties into areas for payments in LOA-2.	No	Yes
load_conv_opt	VARCHAR2(1)	NULL	The option that each county chose from ASSIST, when converting an 8 digit load number to a 10 digit load number. Values are zero through four.	No	No
as_conv_cmpl_ind	VARCHAR2(1)	NULL	Indicates that (Y) this county has been converted to the new ASCAP application; or (N) not	No	No
index_code	VARCHAR2(5)	NULL	Internal financial code for the county.	No	No
program_cost_account	VARCHAR2(5)	NULL	Internal financial code for the county.	No	No
medicaid_provider_id	VARCHAR2(7)	NULL	The provider identifier for each county (used by ASCAP)	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK county	Yes

Validation(s) of "zone_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "zone_no" Column	
Name	Unique
IF297 county	No

Validation(s) of "county_name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "shelter area no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "shelter area no" Column	
Name	Unique
IF731 county	No

Validation(s) of "load conv opt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "as conv cml ind" Column			
Constraint Name	Min	Max	Rule
ck cnty asconvcmplind			as conv cml ind IN ('Y', 'N')

Valid Value(s) of "ck cnty asconvcmplind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "index code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "program cost account" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "medicaid provider id" Column			
Constraint Name	Min	Max	Rule

Table(s) of "county address" Picture Object	
<b>Name</b>	county address
<b>Comment</b>	Contains the ADDRESS_ID identified by COUNTY_NO and ADDR_TYPE_CODE for county offices.

Column(s) of "county address" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
addr_type_code	VARCHAR2(2)	NOT NULL	Codes for the type of address; i.e. (Code: Description) M: Mailing P: Primary	Yes	Yes
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
address_id	NUMBER	NULL	System generated number that uniquely identifies an address.	No	Yes

Validation(s) of "addr type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "addr type code" Column	
Name	Unique
PK county address	Yes
IF575 county address	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK county address	Yes
IF273 county address	No

Validation(s) of "address id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "address id" Column	
Name	Unique
IF655 county address	No

Table(s) of "county_phone" Picture Object	
<b>Name</b>	county_phone
<b>Comment</b>	Contains the PHONE_ID identified by COUNTY_NO and PHONE_TYPE_CODE for county offices.

Column(s) of "county_phone" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
phone_type_code	VARCHAR2(2)	NOT NULL	Codes for the type of phone number; i. e. (Code: Description) P1: Primary Telephone Number P2: Alternate Telephone Number PM: Phone at Mailing Address F: Fax T: TTD Y: YPSI	Yes	Yes
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
phone_id	NUMBER	NULL	System generated number that uniquely identifies a phone number.	No	Yes
extension	VARCHAR2(5)	NULL	Phone extension for the county identified.	No	No

Validation(s) of "phone_type_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone_type_code" Column	
Name	Unique
PK_county_phone	Yes
IF574_county_phone	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_county_phone	Yes
IF614_county_phone	No

Validation(s) of "phone_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone_id" Column	
Name	Unique
IF653_county_phone	No

Validation(s) of "extension" Column			
Constraint Name	Min	Max	Rule



--	--	--	--

Table(s) of "district address" Picture Object	
<b>Name</b>	district address
<b>Comment</b>	Contains the ADDRESS_ID identified by DISTRICT_NO, COUNTY_NO, and ADDR_TYPE_CODE for district offices.

Column(s) of "district address" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
district_no	NUMBER(2)	NOT NULL	Unique 2 digit district number that county offices have designated for each district.	Yes	Yes
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
addr_type_code	VARCHAR2(2)	NOT NULL	Codes for the type of address; i.e. (Code: Description) M: Mailing P: Primary	Yes	Yes
address_id	NUMBER	NULL	System generated number that uniquely identifies an address.	No	Yes

Validation(s) of "district no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "district no" Column	
Name	Unique
PK district address	Yes
IF275 district address	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK district address	Yes
IF275 district address	No

Validation(s) of "addr type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "addr type code" Column	
Name	Unique
PK district address	Yes
IF576 district address	No

Validation(s) of "address id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "address id" Column	
Name	Unique

IF654 district address	No
------------------------	----

Table(s) of "district phone" Picture Object	
<b>Name</b>	district_phone
<b>Comment</b>	Contains the PHONE_ID identified by DISTRICT_NO, COUNTY_NO, and PHONE_TYPE_CODE for district offices.

Column(s) of "district phone" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
district_no	NUMBER(2)	NOT NULL	Unique 2 digit district number that county offices have designated for each district.	Yes	Yes
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
phone_type_code	VARCHAR2(2)	NOT NULL	Codes for the type of phone number; i. e. (Code: Description) P1: Primary Telephone Number P2: Alternate Telephone Number PM: Phone at Mailing Address F: Fax T: TTD Y: YPSI	Yes	Yes
phone_id	NUMBER	NULL	System generated number that uniquely identifies a phone number.	No	Yes
extension	VARCHAR2(5)	NULL	Phone extension for the district identified.	No	No

Validation(s) of "district no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "district no" Column	
Name	Unique
PK_district_phone	Yes
IF276_district_phone	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK_district_phone	Yes
IF276_district_phone	No

Validation(s) of "phone type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone type code" Column	
Name	Unique

PK district phone	Yes
IF573 district phone	No

Validation(s) of "phone id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone id" Column	
Name	Unique
IF652 district phone	No

Validation(s) of "extension" Column			
Constraint Name	Min	Max	Rule

Table(s) of "state_zones" Picture Object	
<b>Name</b>	state_zones
<b>Comment</b>	Contains codes and descriptions for zones within the state of Michigan. These are called state zones to distinguish them from those in Wayne County (which are called Wayne County Zones).

Column(s) of "state_zones" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
zone_no	NUMBER(2)	NOT NULL	An FIA assigned number that uniquely identifies an area within the state. Zones contain one or more counties.	Yes	No
zone_name	VARCHAR2(30)	NULL	Name of the zones for the State of Michigan; not to be confused with Wayne County Zones.	No	No

Validation(s) of "zone_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "zone_no" Column	
Name	Unique
PK_state_zones	Yes

Validation(s) of "zone_name" Column			
Constraint Name	Min	Max	Rule

Table(s) of "swss zipcode" Picture Object	
<b>Name</b>	swss zipcode
<b>Comment</b>	Contains zip codes and the associated city name for the zip code for use in defaulting a city name in the application when a zip code is entered (or vice versa).


Column(s) of "swss zipcode" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
zipcode	VARCHAR2(5)	NOT NULL	The five-digit zipcode for a city.	Yes	No
city	VARCHAR2(30)	NULL	The name of the city associated with a zip code. If more than one city is associated with a zip code, the name is for the city that the U.S. Postal Service designates as the main city.	No	No

Validation(s) of "zipcode" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "zipcode" Column	
Name	Unique
PK swss zipcode	Yes

Validation(s) of "city" Column			
Constraint Name	Min	Max	Rule

## health / physical





Table(s) of "med visit codes" Picture Object	
<b>Name</b>	med_visit_codes
<b>Comment</b>	Contains codes and descriptions for types of medical visits; e.g.  YM Yearly Medical YD Yearly Dental M Medical, etc.

Column(s) of "med visit codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
med_visit_code	VARCHAR2(2)	NOT NULL	Contains codes for types of medical visits; i.e. (Code: Description)  1 = Dental Treatment 2 = Medical Treatment 3 = Vision 4 = Dental Exam 5 = Medical Exam	Yes	No
description	VARCHAR2(30)	NULL	Explanation of MED_VISIT_CODE.	No	No

Validation(s) of "med visit code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "med visit code" Column	
Name	Unique
pk_med_visit_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "health coverage" Picture Object	
<b>Name</b>	health coverage
<b>Comment</b>	Contains health insurance coverage information with respect to the health insurance policy, people insured, and effective dates.

Column(s) of "health coverage" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
insurance_policy_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each HEALTH_INS_POLICY record.	Yes	Yes
cvg_begin_date	DATE	NOT NULL	Effective date of the child's health insurance coverage.	Yes	No
cvg_end_date	DATE	NULL	Expiration date of the child's health insurance coverage.	No	No
prim_sec_ind	VARCHAR2(1)	NULL	Indicates whether the insurance is (P) primary or (S) secondary.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_health_coverage	Yes
NU_health_coverage	No
XIF678health_coverage	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_health_coverage	Yes
NU_health_coverage	No
XIF678health_coverage	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "person id" Column	
Name	Unique
PK health coverage	Yes
NU health coverage	No
XIF678health coverage	No

Validation(s) of "insurance policy id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "insurance policy id" Column	
Name	Unique
PK health coverage	Yes
IF677 health coverage	No

Validation(s) of "cvg begin date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cvg begin date" Column	
Name	Unique
PK health coverage	Yes

Validation(s) of "cvg end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prim sec ind" Column			
Constraint Name	Min	Max	Rule
ck chc primsecind			prim sec ind IN ('P', 'S')

Valid Value(s) of "ck chc primsecind" Validation		
Data Value	Display Value	Definition
P		Primary
S		Secondary

Table(s) of "medical_visit" Picture Object	
<b>Name</b>	medical_visit
<b>Comment</b>	Contains information on each visit to a medical provider by a person in a case regarding dates, reason for visit, diagnosis and treatment.

Column(s) of "medical_visit" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
med_visit_id	NUMBER()	NOT NULL	System generated sequence number to identify each MEDICAL_VISIT record	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
med_prov_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
med_prov_id	NUMBER	NULL	A system generated number to uniquely identify medical providers.	No	Yes
visit_date	DATE	NULL	Date on which the child visited the medical provider.	No	No
med_visit_code	VARCHAR2(2)	NULL	Contains codes for types of medical visits; i.e. (Code: Description)  1 = Dental Treatment 2 = Medical Treatment 3 = Vision 4 = Dental Exam 5 = Medical Exam	No	Yes

medical_report_type	VARCHAR2(3)	NULL	Codes for types of medical reports received.	No	Yes
report_rcvd_date	DATE	NULL	Date on which the medical report was received.	No	No
diagnosis	VARCHAR2(2000)	NULL	Free-form text for the diagnosis of child's illness.	No	No
reason_for_visit	VARCHAR2(200)	NULL	Reason child was taken to the medical provider.	No	No
treatment	VARCHAR2(2000)	NULL	Treatment the child received.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database.	No	No

Validation(s) of "med visit id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "med visit id" Column	
Name	Unique
PK_medical_visit	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_medical_visit	Yes
XIF174medical_visit	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
XIF174medical_visit	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
XIF174medical_visit	No

Validation(s) of "med_prov_county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "med_prov_county_no" Column	
Name	Unique

IF294 medical visit	No
---------------------	----

Validation(s) of "med prov id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "med prov id" Column	
Name	Unique
IF294 medical visit	No

Validation(s) of "visit date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "med visit code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "med visit code" Column	
Name	Unique
IF1194 medical visit	No

Validation(s) of "medical report type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "medical report type" Column	
Name	Unique
IF350 medical visit	No

Validation(s) of "report rcvd date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "diagnosis" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "reason for visit" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "treatment" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck_mv_phydel			physical delete IN ('Y', 'N')

Valid Value(s) of "ck_mv_phydel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "general medical" Picture Object	
Name	general medical
Comment	Contains information on the child's medical alert (if any); and proof information for physicians, dentists and parents; etc.

Column(s) of "general medical" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
medical_alert_comment	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
medical_alert_ind	VARCHAR2(1)	NULL	Indicates that (Y) a medical alert comment exists for the child; or (N) not.	No	No
phys_proof_type	NUMBER(2)	NULL	Codes specifying type of proof received for yearly medical/dental visits; i.e. (Code: Description) 1: Youth Health Record/Initial Physical 2: Youth Health Record/Yearly Physical 3: Youth Health Record/Yearly Dental 4: Written Doc. from Physician, Dentist, Clinic, Hospital 5: Other	No	Yes
phys_proof_date	DATE	NULL	Date on which the physician's proof was received.	No	No
proof_to_parents	VARCHAR2(1)	NULL	Indicates that (Y) a copy of the last yearly physical was given to the child's parents; or (N) not	No	No
dental_proof_date	DATE	NULL	Date on which dental proof was received.	No	No
dental_proof_type	NUMBER(2)	NULL	Codes specifying type of proof received for yearly medical/dental visits; i.e. (Code: Description) 1: Youth Health Record/Initial Physical	No	Yes

			2: Youth Health Record/Yearly Physical 3: Youth Health Record/Yearly Dental 4: Written Doc. from Physician, Dentist, Clinic, Hospital 5: Other		
--	--	--	---	--	--

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK general medical	Yes
NU general medical	No

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
PK general medical	Yes
NU general medical	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
PK general medical	Yes
NU general medical	No

Validation(s) of "medical alert comment" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "medical alert comment" Column	
Name	Unique
IF879 general medical	No

Validation(s) of "medical alert ind" Column			
Constraint Name	Min	Max	Rule
ck gm medalertind			medical alert ind IN ('Y', 'N')

Valid Value(s) of "ck gm medalertind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "phys proof type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phys proof type" Column	
Name	Unique
IF172 general medical	No

Validation(s) of "phys proof date" Column			
Constraint Name	Min	Max	Rule



--	--	--	--

Validation(s) of "proof to parents" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dental proof date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dental proof type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "dental proof type" Column	
Name	Unique
IF173 general medical	No

Table(s) of "med visit proof" Picture Object	
<b>Name</b>	med visit proof
<b>Comment</b>	Contains codes and descriptions for types of medical or dental documentation.

Column(s) of "med visit proof" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
proof_type	NUMBER(2)	NOT NULL	Codes specifying type of proof received for yearly medical/dental visits; i.e. (Code: Description) 1: Youth Health Record/Initial Physical 2: Youth Health Record/Yearly Physical 3: Youth Health Record/Yearly Dental 4: Written Doc. from Physician, Dentist, Clinic, Hospital 5: Other	Yes	No
proof_text	VARCHAR2(100)	NULL	Explanation of PROOF_TYPE.	No	No

Validation(s) of "proof type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "proof type" Column	
Name	Unique
PK med visit proof	Yes

Validation(s) of "proof text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "person immunization" Picture Object	
Name	person immunization
Comment	Contains information regarding who received a specific type of immunization and on which date.

Column(s) of "person immunization" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
immune_seq	NUMBER	NOT NULL	Application generated number to uniquely identify the records when the immunization type is 'Other' when such records are more than one; other keys being the same.	Yes	No
immunization_type	VARCHAR2(4)	NOT NULL	Codes for types of immunizations; i.e. (Code: Description) D: DTP P: Polio T: TB H: HepB M: MMR O: Other shots	Yes	Yes
immunization_date	DATE	NOT NULL	Date on which child received the immunization.	Yes	No
other_explanation	VARCHAR2(30)	NULL	Explanation, if type of immunization is 'O' (other).	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK person immunization	Yes
NU person immunization	No
XIF169person immunization	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique

PK person immunization	Yes
NU person immunization	No
XIF169person immunization	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
PK person immunization	Yes
NU person immunization	No
XIF169person immunization	No

Validation(s) of "immune seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "immune seq" Column	
Name	Unique
PK person immunization	Yes

Validation(s) of "immunization type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "immunization type" Column	
Name	Unique
PK person immunization	Yes
IF170 person immunization	No

Validation(s) of "immunization date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "immunization date" Column	
Name	Unique
PK person immunization	Yes

Validation(s) of "other explanation" Column			
Constraint Name	Min	Max	Rule

Table(s) of "immunizations" Picture Object	
<b>Name</b>	immunizations
<b>Comment</b>	Contains codes and descriptions for types of immunizations.

Column(s) of "immunizations" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
immunization_type	VARCHAR2(4)	NOT NULL	Codes for types of immunizations; i.e. (Code: Description) D: DTP P: Polio T: TB H: HepB M: MMR O: Other shots	Yes	No
immunization_text	VARCHAR2(30)	NULL	Explanation of IMMUNIZATION- _TYPE.	No	No

Validation(s) of "immunization type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "immunization type" Column	
Name	Unique
PK_immunizations	Yes

Validation(s) of "immunization text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "med condition" Picture Object	
<b>Name</b>	med condition
<b>Comment</b>	Contains information regarding any medical condition the person in the case might have; along with the severity of the condition and whether therapy has been received.

Column(s) of "med condition" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
condition_type	VARCHAR2(1)	NOT NULL	Type of medical condition the child may have; i.e. (P) physical, (E) emotional, (M) mental, and (L) learning.	Yes	No
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
therapy	VARCHAR2(1)	NULL	Indicates that (Y) therapy is being received for this CONDITION_TYPE; or (N) not	No	No
sub_type	VARCHAR2(30)	NULL	Free-form text for further defining the medical CONDITI-ON_TYPE.	No	No
severity	VARCHAR2(1)	NULL	Severity of the medical condition; i.e. (H) high, (L) low, (M) moderate, and (N) none.	No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK med condition	Yes
NU med condition	No
XIF503med condition	No

Validation(s) of "condition_type" Column			
Constraint Name	Min	Max	Rule
ck_mc_condtyp			condition_type IN ('P', 'E', 'M', 'L')

Valid Value(s) of "ck mc condtyp" Validation		
Data Value	Display Value	Definition
P		Physical

E		Emotional
M		Mental
L		Learning

Is In Index(s) of "condition_type" Column	
Name	Unique
PK med condition	Yes

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK med condition	Yes
NU med condition	No
XIF503med condition	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK med condition	Yes
NU med condition	No
XIF503med condition	No

Validation(s) of "therapy" Column			
Constraint Name	Min	Max	Rule
ck mc therapy			therapy IN ('Y', 'N')

Valid Value(s) of "ck mc therapy" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "sub_type" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "severity" Column			
Constraint Name	Min	Max	Rule
ck mc sevrty			severity IN ('N', 'L', 'M', 'H')

Valid Value(s) of "ck mc sevrty" Validation		
Data Value	Display Value	Definition
N		None
L		Low
M		Moderate
H		High

Table(s) of "phone type" Picture Object	
<b>Name</b>	phone_type
<b>Comment</b>	Contains codes and descriptions for types of phone numbers; e.g. P1 Primary Telephone Number P2 Alternate Telephone Number PM Phone at Mailing Address, etc.

Column(s) of "phone_type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
phone_type_code	VARCHAR2(2)	NOT NULL	Codes for the type of phone number; i. e. (Code: Description) P1: Primary Telephone Number P2: Alternate Telephone Number PM: Phone at Mailing Address F: Fax T: TTD Y: YPSI	Yes	No
description	VARCHAR2(30)	NULL	Explanation of the PHONE_TYPE_CODE.	No	No

Validation(s) of "phone_type_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone_type_code" Column	
Name	Unique
PK_phone_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule



Table(s) of "medical report" Picture Object	
<b>Name</b>	medical_report
<b>Comment</b>	Contains codes and descriptions for types of medical reports which are generated based on medical visits.

Column(s) of "medical report" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
medical_report_type	VARCHAR2(3)	NOT NULL	Codes for types of medical reports received.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of MEDICAL_REPORT_TYPE.	No	No

Validation(s) of "medical report type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "medical report type" Column	
Name	Unique
PK_medical_report	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "medicaid history" Picture Object	
<b>Name</b>	medicaid history
<b>Comment</b>	Contains Medicaid information for the person in a case along with dates for storing the history.

Column(s) of "medicaid history" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
begin_date	DATE	NOT NULL	Date on which Medicaid was opened.	Yes	No
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
end_date	DATE	NULL	Date on which Medicaid was closed.	No	No
redeterm_date	DATE	NULL	Month in which Medicaid redetermination is due.	No	No
neg_action_date	DATE	NULL	Date when the case should be closed in CIS.	No	No
neg_action_code	VARCHAR2(3)	NULL	Codes for negative actions to initiate the closure of Medicaid; e.g. (5) youth has reached age 21, (9) youth placed in training school, etc.	No	No
mother_status	NUMBER(2)	NULL	Status of mother; i.e. (3) mother is in the home, (4) mother is dead, (5) mother is not in home, and (99) no support action required.	No	No
father_status	NUMBER(2)	NULL	Status of father; i.e. (3) father is in the home, (4) father is dead, (5) father is not in home, (6) no legal father, and (99) no support action required.	No	No

third_party_code	NUMBER(1)	NULL	Indicates that Medicaid correspondence should be (3) mailed to the local office or (6) mailed to the address on CIS.	No	No
managed_care_code	NUMBER(2)	NULL	Type of managed care child receives, if any; e.g. (0) no managed care, (7) HMO, (11) clinic plan, and (12) physician sponsored plan; etc.	No	No
conversion_origin_ind	VARCHAR2(1)	NULL	Indicates that this case was (Y) converted into SWSS from an external system such as CIS; or (N) not converted, but a new case generated within SWSS.	No	No
last_change_date	DATE	NULL	The date that Medicaid was last updated.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_medicaid_history	Yes
NU_medicaid_history	No
XIF56medicaid_history	No

Validation(s) of "begin_date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "begin_date" Column	
Name	Unique
PK_medicaid_history	Yes

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_medicaid_history	Yes
NU_medicaid_history	No
XIF56medicaid_history	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK_medicaid_history	Yes
NU_medicaid_history	No
XIF56medicaid_history	No

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "redeterm date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "neg action date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "neg action code" Column			
Constraint Name	Min	Max	Rule
ck_mh_negacted			neg_action_code IN (05, 09, 20, 98, 01, 49, 97)

Valid Value(s) of "ck mh negacted" Validation		
Data Value	Display Value	Definition
05		Youth has reached age 21
09		Youth placed in training school
20		Only eligible recipient has died
98		Other Client Notice Closure
01		Child Moved to another state
49		Child approved for SSI-MA open on SSI case
97		Other Immediate Closure

Validation(s) of "mother status" Column			
Constraint Name	Min	Max	Rule
ck_mh_mothstat			mother_status IN (3, 4, 5, 99, 0)

Valid Value(s) of "ck mh mothstat" Validation		
Data Value	Display Value	Definition
3		Mother is in the home
4		Mother is dead
5		Mother is not in home
99		No support action required
0		Youth is over 18; no support action required

Validation(s) of "father status" Column			
Constraint Name	Min	Max	Rule
ck_mh_fathstat			father_status IN (3, 4, 5, 6, 99, 0)

Valid Value(s) of "ck mh fathstat" Validation		
Data Value	Display Value	Definition
3		Father is in the home
4		Father is dead
5		Father is not in the home
6		No legal father
99		No support action required
0		Youth is over 18; no support action required

Validation(s) of "third party code" Column			
Constraint Name	Min	Max	Rule
ck_mh_thirdprtycd			third_party_code IN (6, 9, 3)

Valid Value(s) of "ck mh thirdprtycd" Validation		
Data Value	Display Value	Definition
6		Mail to address on CIS
9		No third party payee
3		Mail to local office

Validation(s) of "managed care code" Column			
Constraint Name	Min	Max	Rule

ck_mh_mgcarecd			managed_care_code IN (0, 7, 11, 12, 88, 8)
----------------	--	--	--

Valid Value(s) of "ck mh mgcarecd" Validation		
Data Value	Display Value	Definition
0		No managed care
7		HMO
11		Clinic plan
12		Physician sponsored plan
88		Dental only
8		CNA

Validation(s) of "conversion_origin_ind" Column			
Constraint Name	Min	Max	Rule
ck_mh_convorgind			conversion_origin_ind IN ('Y', 'N')

Valid Value(s) of "ck mh convorgind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "last_change_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "case person" Picture Object	
<b>Name</b>	case_person
<b>Comment</b>	Contains all members (children, parents, relatives, others, but not providers) of a case. Data elements are specific to all members as they relate to a child, but does not include data about a child other than his/her LOG_ID and PERSON_ID.

Column(s) of "case person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
person_status	VARCHAR2(1)	NULL	Person's status in this case; i.e. (A) active or (I) inactive.	No	No
sib_grp_id	NUMBER	NOT NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
previous_relation	VARCHAR2(2)	NULL	Codes for types of relations; e.g. (Code: Description) AC: Adopted Child AP: Adoptive Parent AS: Adoptive Sibling AU: Aunt/Uncle BP: Biological Parent etc.	No	Yes
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
have_custody	VARCHAR2(1)	NULL	Indicates if this person (Y) had custody of the child at time of removal; or (N) not.	No	No
lived_with_child	VARCHAR2(1)	NULL	Indicates that this person (Y) lived with the child at time of removal; or (N) not.	No	No
shows_interest	VARCHAR2(1)	NULL	Indicates that (Y) this person shows interest in the child; or (N) not.	No	No
shows_interest_text	VARCHAR2(80)	NULL	Free-form text for an explanation of why the person does or does not show interest in the child	No	No
emergency_contact	VARCHAR2(1)	NULL	Indicates that (Y) the person is an emergency contact for the child; or (N) not.	No	No
legal_parent	VARCHAR2(1)	NULL	Indicates that the person (Y) is the child's legal parent; or (N) not.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
prev_legal_parent	VARCHAR2(1)	NULL	Indicates that (Y) this person is the previous legal parent; or (N) not.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database.	No	No
payee_ind	VARCHAR2(1)	NULL	Indicates if the person in the case is the payee or not.	No	No
qualified_sib_ind	VARCHAR2(1)	NULL	Indicates if the person is qualified for reunification or not.	No	No
complaint_member_ind	VARCHAR2(1)	NULL	Indicates that (Y) the member was identified as part of the case at the time of the CPS complaint; or (N/ NULL) not.	No	No

letter_to_tip	VARCHAR2(1)	NULL	Indicates that (Y) a letter has been sent to the Tuition Incentive Program (TIP); or (N) not.	No	No
diploma	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their diploma; or (N) not.	No	No
diploma_endorsed	VARCHAR2(1)	NULL	Indicates that (Y) the child has passed all high school MEAP tests with appropriate scores, so their diploma was endorsed by the state of Michigan; or (N) not.	No	No
ged_received	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their GED; or (N) not.	No	No
primary_doctor_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
primary_doctor_provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
primary_dentist_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes



primary_dentist_prov_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
parent_on_len_ind	VARCHAR2(1)	NULL	Identifies that (Y) the person for this record is listed as the parent on the law enforcement notification; or (N) not; or NULL.	No	No
complaint_source_ind	VARCHAR2(1)	NULL	Indicates that (Y) this person is the source of the complaint in CPS; or (N) not; or NULL.	No	No
non_custodial_parent_ind	VARCHAR2(1)	NULL	Indicates that (Y) a person identified in this record, is a non-custodial parent; or (N) not; or NULL.	No	No
adsub_inactive_ind	VARCHAR2(1)	NULL	Indicates if adoption subsidy for this person is inactive.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK case person	Yes
NU case person	No
IF485 case person	No

Validation(s) of "person_status" Column			
Constraint Name	Min	Max	Rule
ck_cp_persstat			person_status IN ('D', 'A', 'I')

Valid Value(s) of "ck_cp_persstat" Validation		
Data Value	Display Value	Definition
D		Deceased
A		Active
I		Inactive

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
NU case person	No
IF1102 case person	No

Validation(s) of "previous_relation" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "previous_relation" Column	
Name	Unique
IF427 case person	No

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
IF404 case person	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp10			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp10" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider_type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique
IF404 case person	No

Validation(s) of "have_custody" Column			
Constraint Name	Min	Max	Rule
ck_cp_havecust			have_custody IN ('Y', 'N')

Valid Value(s) of "ck_cp_havecust" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "lived_with_child" Column			
Constraint Name	Min	Max	Rule
ck_cp_livwch			lived_with_child IN ('Y', 'N')

Valid Value(s) of "ck_cp_livwch" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "shows_interest" Column			
Constraint Name	Min	Max	Rule
ck_cp_showint			shows_interest IN ('Y', 'N')

Valid Value(s) of "ck_cp_showint" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "shows interest text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "emergency contact" Column			
Constraint Name	Min	Max	Rule
ck cp emergcont			emergency contact IN ('Y', 'N')

Valid Value(s) of "ck cp emergcont" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "legal parent" Column			
Constraint Name	Min	Max	Rule
ck cp legpar			legal parent IN ('Y', 'N')

Valid Value(s) of "ck cp legpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prev legal parent" Column			
Constraint Name	Min	Max	Rule
ck cp prevlegpar			prev legal parent IN ('Y', 'N')

Valid Value(s) of "ck cp prevlegpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck cp phydel			physical delete IN ('Y', 'N')

Valid Value(s) of "ck cp phydel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "payee ind" Column			
Constraint Name	Min	Max	Rule
ck cp payeeind			payee ind IN ('Y', 'N')

Valid Value(s) of "ck cp payeeind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "qualified sib ind" Column			
Constraint Name	Min	Max	Rule
ck cp qualsibind			qualified sib ind IN ('Y', 'N')

Valid Value(s) of "ck cp qualsibind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "complaint_member_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntmembind			complaint_member_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntmembind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "letter_to_tip" Column			
Constraint Name	Min	Max	Rule
ck_cp_lettip			letter_to_tip IN ('Y', 'N')

Valid Value(s) of "ck_cp_lettip" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma" Column			
Constraint Name	Min	Max	Rule
ck_cp_dipl			diploma IN ('Y', 'N')

Valid Value(s) of "ck_cp_dipl" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma_endorsed" Column			
Constraint Name	Min	Max	Rule
ck_cp_diplendors			diploma_endorsed IN ('N', 'Y')

Valid Value(s) of "ck_cp_diplendors" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "ged_received" Column			
Constraint Name	Min	Max	Rule
ck_cp_gedrcvd			ged_received IN ('Y', 'N')

Valid Value(s) of "ck_cp_gedrcvd" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "primary_doctor_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_doctor_id" Column	
Name	Unique
IF1618 case person	No

Validation(s) of "primary_doctor_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp11			primary_doctor_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp11" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_doctor_prov_type" Column	
Name	Unique
IF1618 case_person	No

Validation(s) of "primary_dentist_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_dentist_id" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "primary_dentist_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp12			primary_dentist_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp12" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_dentist_prov_type" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "parent_on_len_ind" Column			
Constraint Name	Min	Max	Rule
fk_cp_prntonlenind			parent_on_len_ind IN ('Y', 'N')

Valid Value(s) of "fk_cp_prntonlenind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "complaint_source_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntsrcind			complaint_source_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntsrcind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "non_custodial_parent_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_noncstdlprntind			non_custodial_parent_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_noncstdlprntind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "adsub inactive ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_adsbinctvind			adsub_inactive_ind IN ('Y')

Valid Value(s) of "ck_cp_adsbinctvind" Validation		
Data Value	Display Value	Definition
Y		

Table(s) of "other ins company" Picture Object	
<b>Name</b>	other ins company
<b>Comment</b>	Contains health insurance company (other than Medicaid) information, namely their identification code and name along with foreign key references to address and phone tables.

Column(s) of "other ins company" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
other_ins_code	VARCHAR2(2)	NOT NULL	Codes used to identify an insurance company (other than Medicaid); e.g. (Code: Insurance Company Name) 00: None 01: Aetna Life/Casualty Insurance Company 02: American Association of Retired Persons (AARP) 03: American Community Mutual 04: Bankers Life and Casualty etc.	Yes	No
phone_id	NUMBER	NULL	System generated number that uniquely identifies a phone number.	No	Yes
address_id	NUMBER	NULL	System generated number that uniquely identifies an address.	No	Yes
other_ins_co_name	VARCHAR2(150)	NULL	Name of the insurance company (other than Medicaid).	No	No

Validation(s) of "other ins code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "other ins code" Column	
Name	Unique
PK other ins company	Yes

Validation(s) of "phone id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone id" Column	
Name	Unique
IF657 other ins company	No

Validation(s) of "address id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "address id" Column	
Name	Unique
IF656 other ins company	No

Validation(s) of "other ins co name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--



Table(s) of "health ins policy" Picture Object	
<b>Name</b>	health ins policy
<b>Comment</b>	Contains information about one or more health insurance policies which cover the child. Includes information on policy number, dates, policy holder, policy holder's employer information, etc.

Column(s) of "health ins policy" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
insurance_policy_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each HEALTH_INS_POLICY record.	Yes	No
group_policy_no	VARCHAR2(10)	NULL	The health insurance policy number under which the child is covered.	No	No
other_ins_code	VARCHAR2(2)	NULL	Codes used to identify an insurance company (other than Medicaid); e.g. (Code: Insurance Company Name) 00: None 01: Aetna Life/Casualty Insurance Company 02: American Association of Retired Persons (AARP) 03: American Community Mutual 04: Bankers Life and Casualty etc.	No	Yes
ins_doc_code	VARCHAR2(1)	NULL	Code for the type of documentation received for an insurance policy change; i.e. (Code: Description) I: Letter from Insurance Co E: Letter from Employer O: Other type of documentation	No	Yes
begin_date	DATE	NOT NULL	Effective date of the health insurance policy.	No	No
end_date	DATE	NULL	Expiration date of the health insurance policy.	No	No
contract_no	VARCHAR2(12)	NULL	Policy holder's identification number; most often, their social security number.	No	No
coverage_code	VARCHAR2(10)	NULL	Codes describing the types of coverage for a health insurance policy.	No	No
ins_change_date	DATE	NULL	Date on which a change was made to the health insurance policy.	No	No
ins_change_code	VARCHAR2(1)	NULL	Codes for the reason coverage changed on the health insurance policy; i.e. (D) Divorced, (M) Military, (O) Other, (U) Unemployment.	No	No

ins_change_comment	VARCHAR2(30)	NULL	If INS_CHANGE_CODE is "O" (other), this is the description of other.	No	No
emplr_name	VARCHAR2(30)	NULL	Name of the policy holder's employer.	No	No
emp_address_id	NUMBER	NULL	System generated number that uniquely identifies an address.	No	Yes
emp_phone_id	NUMBER	NULL	System generated number that uniquely identifies a phone number.	No	Yes
policy_holder_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
ins_doc_other	VARCHAR2(50)	NULL	If INS_DOC_CODE is "O" (Other type of documentation), this is the description of the documentation.	No	No
policy_holder_first_name	VARCHAR2(30)	NULL	First name of the policy holder.	No	No
policy_holder_middle_name	VARCHAR2(30)	NULL	Middle name (or initial) of the policy holder.	No	No
policy_holder_last_name	VARCHAR2(30)	NULL	Last name of the policy holder.	No	No

#### Validation(s) of "insurance\_policy\_id" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "insurance\_policy\_id" Column

Name	Unique
PK_health_ins_policy	Yes

#### Validation(s) of "group\_policy\_no" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "group\_policy\_no" Column

Name	Unique
NU_health_ins_policy	No

#### Validation(s) of "other\_ins\_code" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "other\_ins\_code" Column

Name	Unique
NU_health_ins_policy	No
IF73_health_ins_policy	No

#### Validation(s) of "ins\_doc\_code" Column

Constraint Name	Min	Max	Rule

#### Is In Index(s) of "ins\_doc\_code" Column

Name	Unique
------	--------

IF376 health ins policy	No
-------------------------	----

Validation(s) of "begin_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "contract_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contract_no" Column	
Name	Unique
NU health ins policy	No

Validation(s) of "coverage_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "coverage_code" Column	
Name	Unique
NU health ins policy	No

Validation(s) of "ins_change_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ins_change_code" Column			
Constraint Name	Min	Max	Rule
ck_hinp_inschgcd			ins_change_code IN ('M', 'O', 'U', 'D')

Valid Value(s) of "ck_hinp_inschgcd" Validation		
Data Value	Display Value	Definition
M		Military
O		Other
U		Unemployment
D		Divorced

Validation(s) of "ins_change_comment" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "emplr_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "emp_address_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "emp_address_id" Column	
Name	Unique
IF1074 health ins policy	No

Validation(s) of "emp_phone_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "emp_phone_id" Column	
Name	Unique

IF1075 health ins policy	No
--------------------------	----

Validation(s) of "policy holder id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "policy holder id" Column	
Name	Unique
IF676 health ins policy	No

Validation(s) of "ins doc other" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "policy holder first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "policy holder middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "policy holder last name" Column			
Constraint Name	Min	Max	Rule

Table(s) of "comments" Picture Object	
<b>Name</b>	comments
<b>Comment</b>	Stores the actual comment along with the case to which it belongs, the worker who entered and/or modified it and appropriate dates.

Column(s) of "comments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
comment_id	NUMBER	NOT NULL	System generated number that uniquely identifies each comment.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
comment_type	VARCHAR2(10)	NULL	Codes for types of comments; e.g. (Code: Description) MAREHIST: MARE child history, or special conditions to consider in a placement. MAREED: MARE academic functioning, behavior in classroom and peer relations. etc.	No	Yes
date_entered	DATE	NULL	Date on which the comment is entered.	No	No
text_clob	CLOB	NULL	Text which can accomodate longer narratives with formatting.	No	No
text	VARCHAR2(4000)	NULL	The comment text entered by the user.	No	No
entered_by_login_name	VARCHAR2(20)	NULL	Login name of the person entering the comment.	No	No
modified_by_login_name	VARCHAR2(20)	NULL	Login name of the person modifying the comment.	No	No

modified_date	DATE	NULL	The date on which the comment was modified.	No	No
---------------	------	------	---	----	----

Validation(s) of "comment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_id" Column	
Name	Unique
PK_comments	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_comments	Yes
IF779_comments	No

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
IF1750_comments	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
IF1750_comments	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF779_comments	No

Validation(s) of "comment_type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_type" Column	
Name	Unique
IF163_comments	No

Validation(s) of "date_entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "text_clob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "text" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "entered by login name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by login name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "person" Picture Object	
<b>Name</b>	person
<b>Comment</b>	Assigns a system generated sequence number for all people associated with the SWSS case. The PERSON_ID data element is originated here for the SWSS case and is the only data element in this table.

Column(s) of "person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
PK_person	Yes



Table(s) of "ins document" Picture Object	
<b>Name</b>	ins document
<b>Comment</b>	Contains codes and descriptions for types of insurance documents; i.e. I Letter from Insurance Co E Letter from Employer O Other type of documentation

Column(s) of "ins document" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
ins_doc_code	VARCHAR2(1)	NOT NULL	Code for the type of documentation received for an insurance policy change; i.e. (Code: Description) I: Letter from Insurance Co E: Letter from Employer O: Other type of documentation	Yes	No
description	VARCHAR2(30)	NULL	Explanation of INS_DOC_CODE.	No	No

Validation(s) of "ins doc code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ins doc code" Column	
Name	Unique
PK ins document	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "med_prov_person" Picture Object	
Name	med_prov_person
Comment	Contains information regarding which dates a specific medical provider is (or was) the provider for a person in a case.

Column(s) of "med_prov_person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
med_prov_id	NUMBER	NOT NULL	A system generated number to uniquely identify medical providers.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
begin_date	DATE	NOT NULL	Date on which the provider began providing medical services to the child (became the primary physician).	Yes	No
end_date	DATE	NULL	Date on which the provider stopped providing medical services to the child (stopped being primary physician).	No	No
med_prov_type	VARCHAR2(2)	NULL	Type of medical provider; i.e. (PP) primary physician, (SP) secondary physician, (D) dentist, and (OM) other medical.	No	No
other_type	VARCHAR2(30)	NULL	This is a free-format column to specify the medical provider type when the med_prov_type is 'OM' (for Other Medical providers).	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK med_prov_person	Yes
XIF293med_prov_person	No

Validation(s) of "med_prov_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "med prov id" Column	
Name	Unique
PK med prov person	Yes
IF292 med prov person	No

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
PK med prov person	Yes
NU med prov person	No
XIF293med prov person	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
PK med prov person	Yes
NU med prov person	No
XIF293med prov person	No

Validation(s) of "begin date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "begin date" Column	
Name	Unique
PK med prov person	Yes

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "med prov type" Column			
Constraint Name	Min	Max	Rule
ck_mpp_medprvtyp1			med_prov_type IN ('PP', 'D', 'SP', 'OM')

Valid Value(s) of "ck mpp medprvtyp1" Validation		
Data Value	Display Value	Definition
PP		Primary Physician
D		Dentist
SP		Secondary Physician
OM		Other Medical

Validation(s) of "other type" Column			
Constraint Name	Min	Max	Rule

Table(s) of "medical_provider" Picture Object	
<b>Name</b>	medical_provider
<b>Comment</b>	Contains the names of medical providers for each county that uses the provider, irrespective of cases; along with email address and a link to the ADDRESS table.

Column(s) of "medical_provider" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
med_prov_id	NUMBER	NOT NULL	A system generated number to uniquely identify medical providers.	Yes	No
address_id	NUMBER	NULL	System generated number that uniquely identifies an address.	No	Yes
first_name	VARCHAR2(30)	NULL	First name of the medical provider.	No	No
middle_name	VARCHAR2(30)	NULL	Middle name or initial of the medical provider.	No	No
last_name	VARCHAR2(30)	NULL	Last name of the medical provider.	No	No
name_suffix	VARCHAR2(5)	NULL	Name suffix of the medical provider; e. g. MD, PhD, etc.	No	No
name	VARCHAR2(100)	NULL	Name of medical facility child visited or medical provider's name (name not broken down into last, first, middle).	No	No
email_address	VARCHAR2(100)	NULL	Electronic mail address for the medical provider.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_medical_provider	Yes
IF613_medical_provider	No

Validation(s) of "med_prov_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "med_prov_id" Column	
Name	Unique